

1

carrier.txt
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
-----				BEG	END	
****	Carrier Claim Record	REC	VAR			Carrier claim record (other than DMERC) for version I of the NCH. STANDARD ALIAS: CARR_CLM_REC SYSTEM ALIAS: UTLCARRI
****	DESY Header Group	GROUP	50	1	50	DESY header for whole record output.
	1. DESY System User	CHAR	30	1	30	A user-defined field that holds the description of the request. For example, "Cross-referenced HICS". STANDARD ALIAS: DSY_SYSTEM_USER
	2. Filler	CHAR	11	31	41	Filler STANDARD ALIAS: DSY_TBD
	3. DESY Sort Key	CHAR	9	42	50	This field contains the key to tie claims together for one beneficiary regardless of HICAN. STANDARD ALIAS: DSY_SORT_KEY
****	Carrier Claim Fixed Group	GROUP	375	51	425	Fixed portion of the carrier claim record for version I of the NCH. STANDARD ALIAS: CARR_CLM_FIX_GRP
****	Claim Record Identification Group	GROUP	8	51	58	Effective with Version 'I' the record length, version code, record identification, code and NCH derived claim type code were moved to this group for internal NCH processing. STANDARD ALIAS: CLM_REC_IDENT_GRP
	4. Record Length Count	PACK	3	51	53	Effective with Version H, the count (in bytes) of the length of the claim record. NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

SOURCE :
NCH

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

6. NCH Near Line Record Identification Code	CHAR	1	55	55	A code defining the type of claim record being processed. COMMON ALIAS: RIC DB2 ALIAS: NEAR_LINE_RIC_CD SAS ALIAS: RIC_CD STANDARD ALIAS: NCH_NEAR_LINE_RIC_CD
---	------	---	----	----	--

carrier.txt
TITLE ALIAS: RIC

CODES:
REFER TO: NCH_NEAR_LINE_RIC_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
RIC_CD.

SOURCE:
NCH

7. NCH MQA RIC Code CHAR 1 56 56 Effective with Version H, the code used (for internal editing purposes) to identify the record being processed through HCFA's CWFMA system.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.

DB2 ALIAS: NCH_MQA_RIC_CD
SAS ALIAS: MQA_RIC
STANDARD ALIAS: NCH_MQA_RIC_CD
TITLE ALIAS: MQA_RIC

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----

CODES:
1 = Inpatient
2 = SNF
3 = Hospice
4 = Outpatient
5 = Home Health Agency
6 = Physician/Supplier
7 = Durable Medical Equipment

SOURCE:
NCH QA PROCESS

8. NCH Claim Type Code CHAR 2 57 58 The code used to identify the type of claim record being processed in NCH.

NOTE1: During the Version H conversion this field was populated with data through- out history (back to

carrier.txt
service year 1991).

NOTE2: During the Version I conversion this field was expanded to include inpatient 'full' encounter claims (for service dates after 6/30/97). Placeholders for Physician and Outpatient encounters (available in NMUD) have also been added.

DB2 ALIAS: NCH_CLM_TYPE_CD
SAS ALIAS: CLM_TYPE
STANDARD ALIAS: NCH_CLM_TYPE_CD
SYSTEM ALIAS: LTTYPE
TITLE ALIAS: CLAIM_TYPE

DERIVATION:
FFS CLAIM TYPE CODES DERIVED FROM:
NCH CLM_NEAR_LINE_RIC_CD
NCH PMT_EDIT_RIC_CD
NCH CLM_TRANS_CD
NCH PRVDR_NUM

INPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(Pre-HDC processing -- AVAILABLE IN NCH)
CLM_MCO_PD_SW
CLM_RLT_COND_CD
MCO_CNTRCT_NUM
MCO_OPTN_CD
MCO_PRD_EFCTV_DT
MCO_PRD_TRMNTN_DT

INPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(HDC processing -- AVAILABLE IN NMUD)
FI_NUM

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	POSITIONS		CONTENTS
			BEG	END	

INPATIENT 'ABBREVIATED' ENCOUNTER TYPE CODE DERIVED FROM: (HDC processing -- AVAILABLE IN NMUD)					
FI_NUM					
CLM_FAC_TYPE_CD					
CLM_SRVC_CLSFCTN_TYPE_CD					
CLM_FREQ_CD					
NOTE: From 7/1/97 to the start of HDC processing(?), abbreviated inpatient encounter claims are not					

carrier.txt
available in NCH or NMUD.

PHYSICIAN 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(AVAILABLE IN NMUD)
CARR_NUM
CLM_DEMO_ID_NUM

OUTPATIENT 'FULL' ENCOUNTER TYPE CODE DERIVED FROM:
(AVAILABLE IN NMUD)
FI_NUM

OUTPATIENT 'ABBREVIATED' ENCOUNTER TYPE CODE
DERIVED FROM: (AVAILABLE IN NMUD)
FI_NUM
CLM_FAC_TYPE_CD
CLM_SRVC_CLSFCTN_TYPE_CD
CLM_FREQ_CD

DERIVATION RULES:

SET CLM_TYPE_CD TO 10 (HHA CLAIM) WHERE THE
FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'V', 'W' OR 'U'
2. PMT_EDIT_RIC_CD EQUAL 'F'
3. CLM_TRANS_CD EQUAL '5'

SET CLM_TYPE_CD TO 20 (SNF NON-SWING BED CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM IS NOT 'U', 'W', 'Y'
OR 'Z'

SET CLM_TYPE_CD TO 30 (SNF SWING BED CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'V'
2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'
3. CLM_TRANS_CD EQUAL '0' OR '4'
4. POSITION 3 OF PRVDR_NUM EQUAL 'U', 'W', 'Y'
OR 'Z'

SET CLM_TYPE_CD TO 40 (OUTPATIENT CLAIM)
WHERE THE FOLLOWING CONDITIONS ARE MET:
1. CLM_NEAR_LINE_RIC_CD EQUAL 'W'
2. PMT_EDIT_RIC_CD EQUAL 'D'
3. CLM_TRANS_CD EQUAL '6'

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					SET CLM_TYPE_CD TO 41 (OUTPATIENT 'FULL' ENCOUNTER CLAIM -- AVAILABLE IN NMUD) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'W' 2. PMT_EDIT_RIC_CD EQUAL 'D' 3. CLM_TRANS_CD EQUAL '6' 4. FI_NUM = 80881 SET CLM_TYPE_CD TO 42 (OUTPATIENT 'ABBREVIATED' ENCOUNTER CLAIMS -- AVAILABLE IN NMUD) 1. FI_NUM = 80881 2. CLM_FAC_TYPE_CD = '1' OR '8'; CLM_SRVC_ CLSFTN_TYPE_CD = '2', '3' OR '4' & CLM_FREQ_CD = 'Z', 'Y' OR 'X' SET CLM_TYPE_CD TO 50 (HOSPICE CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'V' 2. PMT_EDIT_RIC_CD EQUAL 'I' 3. CLM_TRANS_CD EQUAL 'H' SET CLM_TYPE_CD TO 60 (INPATIENT CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'V' 2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E' 3. CLM_TRANS_CD EQUAL '1' '2' OR '3' SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL' ENCOUNTER CLAIM - PRIOR TO HDC PROCESSING - AFTER 6/30/97 - 12/4/00) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_MCO_PD_SW = '1' 2. CLM_RLT_COND_CD = '04' 3. MCO_CNTRCT_NUM MCO_OPTN_CD = 'C' CLM_FROM_DT & CLM_THRU_DT ARE WITHIN THE MCO_PRD_EFCTV_DT & MCO_PRD_TRMNTN_DT ENROLLMENT PERIODS SET CLM_TYPE_CD TO 61 (INPATIENT 'FULL' ENCOUNTER CLAIM -- EFFECTIVE WITH HDC PROCESSING) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'V' 2. PMT_EDIT_RIC_CD EQUAL 'C' OR 'E'

```

carrier.txt
3.  CLM_TRANS_CD EQUAL '1' '2' OR '3'
4.  FI_NUM = 80881

SET CLM_TYPE_CD TO 62 (INPATIENT 'ABBREVIATED'
ENCOUNTER CLAIM -- AVAILABLE IN NMUD) WHERE
THE FOLLOWING CONDITIONS ARE MET:
1.  FI_NUM = 80881 AND
2.  CLM_FAC_TYPE_CD = '1'; CLM_SRVC_CLSFCTN_
    TYPE_CD = '1'; CLM_FREQ_CD = 'Z'

```

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					SET CLM_TYPE_CD TO 71 (RIC O non-DMEPOS CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'O' 2. HCPCS_CD not on DMEPOS table SET CLM_TYPE_CD TO 72 (RIC O DMEPOS CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'O' 2. HCPCS_CD on DMEPOS table (NOTE: if one or more line item(s) match the HCPCS on the DMEPOS table). SET CLM_TYPE_CD TO 73 (PHYSICIAN ENCOUNTER CLAIM-- EFFECTIVE WITH HDC PROCESSING) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CARR_NUM = 80882 AND 2. CLM_DEMO_ID_NUM = 38 SET CLM_TYPE_CD TO 81 (RIC M non-DMEPOS DMERC CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'M' 2. HCPCS_CD not on DMEPOS table SET CLM_TYPE_CD TO 82 (RIC M DMEPOS DMERC CLAIM) WHERE THE FOLLOWING CONDITIONS ARE MET: 1. CLM_NEAR_LINE_RIC_CD EQUAL 'M' 2. HCPCS_CD on DMEPOS table (NOTE: if one or more line item(s) match the HCPCS on the DMEPOS table).

CODES:

SOURCE:
NCH

Effective with Version 'I', this group was added to the carrier and DMERC records to keep fields common across all record types in the same position. Due to OP PPS, several fields on the Institutional record had to be moved to a link group so those same fields had to be moved on the carrier records eventhough OP PPS only affects institutional claims.

```
**** Claim Locator Number Group  GROUP  11  59  69
```

```
COMMON ALIAS: HIC
STANDARD ALIAS: CLM_LCTR_NUM_GRP
TITLE ALIAS: HICAN
```

1

SOURCE:
SSA, RRB

LIMITATIONS:
RRB-issued numbers contain an overpunch in the first position that may appear as a plus zero or A-G. RRB-formatted numbers may cause matching problems on non-IBM machines.

10.	NCH Category Equatable Beneficiary Identification Code	CHAR	2	68	69	<div>carrier.txt</div> <div>The code categorizing groups of BICs representing similar relationships between the beneficiary and the primary wage earner.</div> <div>The equatable BIC module electronically matches two records that contain different BICs where it is apparent that both are records for the same beneficiary. It validates the BIC and returns a base BIC under which to house the record in the National Claims History (NCH) databases. (All records for a beneficiary are stored under a single BIC.)</div> <div>COMMON ALIAS: NCH_BASE_CATEGORY_BIC DB2 ALIAS: CTGRY_EQTBL_BIC SAS ALIAS: EQ_BIC STANDARD ALIAS: NCH_CTGRY_EQTBL_BIC_CD TITLE ALIAS: EQUATED_BIC</div> <div>CODES: REFER TO: CTGRY_EQTBL_BENE_IDENT_TB IN THE CODES APPENDIX</div> <div>COMMENT: Prior to Version H this field was named: CTGRY_EQTBL_BENE_IDENT_CD.</div> <div>SOURCE: BIC EQUATE MODULE</div>
11.	Beneficiary Identification Code	CHAR	2	70	71	<div>The code identifying the type of relationship between an individual and a primary Social Security Administration (SSA) beneficiary or a primary Railroad Board (RRB) beneficiary.</div>

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
-----	----	-----	-----	-----	-----
<div>COMMON ALIAS: BIC DA3 ALIAS: BENE_IDENT_CODE DB2 ALIAS: BENE_IDENT_CD SAS ALIAS: BIC STANDARD ALIAS: BENE_IDENT_CD TITLE ALIAS: BIC</div>					

carrier.txt
EDIT-RULES:
EDB REQUIRED FIELD

CODES:
REFER TO: BENE_IDENT_TB
IN THE CODES APPENDIX

SOURCE:
SSA/RRB

12. NCH State Segment Code	CHAR	1	72	72	The code identifying the segment of the NCH Nearline file containing the beneficiary's record for a specific service year. Effective 12/96, segmentation is by CLM_LCTR_NUM, then final action sequence within residence state. (Prior to 12/96, segmentation was by ranges of county codes within the residence state.)
 DB2 ALIAS: NCH_STATE_SGMT_CD SAS ALIAS: ST_SGMT STANDARD ALIAS: NCH_STATE_SGMT_CD TITLE ALIAS: NEAR_LINE_SEGMENT CODES: REFER TO: NCH_STATE_SGMT_TB IN THE CODES APPENDIX COMMENT: Prior to Version H this field was named: BENE_STATE_SGMT_NEAR_LINE_CD.					

13. Beneficiary Residence SSA Standard State Code	CHAR	2	73	74	The SSA standard state code of a beneficiary's residence.
 DA3 ALIAS: SSA_STANDARD_STATE_CODE DB2 ALIAS: BENE_SSA_STATE_CD SAS ALIAS: STATE_CD STANDARD ALIAS: BENE_RSDNC_SSA_STD_STATE_CD TITLE ALIAS: BENE_STATE_CD EDIT-RULES: OPTIONAL: MAY BE BLANK					

CODES:
REFER TO: GEO_SSA_STATE_TB
IN THE CODES APPENDIX

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					COMMENT: 1. Used in conjunction with a county code, as selection criteria for the determination of payment rates for HMO reimbursement. 2. Concerning individuals directly billable for Part B and/or Part A premiums, this element is used to determine if the beneficiary will receive a bill in English or Spanish. 3. Also used for special studies. SOURCE: SSA/EDB
14. Claim From Date	NUM	8	75	82	The first day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers From Date'). NOTE: For Home Health PPS claims, the 'from' date and the 'thru' date on the RAP (initial claim) must always match. 8 DIGITS UNSIGNED DB2 ALIAS: CLM_FROM_DT SAS ALIAS: FROM_DT STANDARD ALIAS: CLM_FROM_DT TITLE ALIAS: FROM_DATE EDIT-RULES: YYYYMMDD SOURCE: CWF
15. Claim Through Date	NUM	8	83	90	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date'). NOTE: For Home Health PPS claims, the 'from' date and the 'thru' date on the RAP (initial claim) must always match. 8 DIGITS UNSIGNED

carrier.txt
DB2 ALIAS: CLM_THRU_DT
SAS ALIAS: THRU_DT
STANDARD ALIAS: CLM_THRU_DT
TITLE ALIAS: THRU_DATE

EDIT-RULES:
YYYYMMDD

SOURCE:
CWF

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
16.	NCH Weekly Claim Processing Date	NUM	8	91	98	<p>The date the weekly NCH database load process cycle begins, during which the claim records are loaded into the Nearline file. This date will always be a Friday, although the claims will actually be appended to the database subsequent to the date.</p> <p>8 DIGITS UNSIGNED</p> <p>DB2 ALIAS: NCH_WKLY_PROC_DT SAS ALIAS: WKLY_DT STANDARD ALIAS: NCH_WKLY_PROC_DT TITLE ALIAS: NCH_PROCESS_DT</p> <p>EDIT-RULES: YYYYMMDD</p> <p>COMMENT: Prior to Version H this field was named: HCFA_CLM_PROC_DT.</p> <p>SOURCE: NCH</p>
17.	CWF Claim Accretion Date	NUM	8	99	106	<p>The date the claim record is accreted (posted/processed) to the beneficiary master record at the CWF host site and authorization for payment is returned to the fiscal intermediary or carrier.</p> <p>8 DIGITS UNSIGNED</p>

carrier.txt
DB2 ALIAS: CWF_CLM_ACRTN_DT
SAS ALIAS: ACRTN_DT
STANDARD ALIAS: CWF_CLM_ACRTN_DT
TITLE ALIAS: ACCRETION_DT

EDIT-RULES:
YYYYMMDD

SOURCE:
CWF

18. CWF Claim Accretion Number PACK 2 107 108 The sequence number assigned to the claim record when accreted (posted/processed) to the beneficiary master record at the CWF host site on a given date. This element indicates the position of the claim within that day's processing at the CWF host. **(Exception: If the claim record is missing the accretion date HCFA's CWFMA system places a zero in the accretion number.

3 DIGITS SIGNED
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

1

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
-----		----	-----	-----	-----	-----
						DB2 ALIAS: CWF_CLM_ACRTN_NUM SAS ALIAS: ACRTN_NM STANDARD ALIAS: CWF_CLM_ACRTN_NUM TITLE ALIAS: ACCRETION_NUMBER SOURCE: CWF
Carrier Claim Control Number		CHAR	15	109	123	Unique control number assigned by a carrier to a non-institutional claim. COMMON ALIAS: CCN DB2 ALIAS: CARR_CLM_CNTL_NUM SAS ALIAS: CARRCNTL STANDARD ALIAS: CARR_CLM_CNTL_NUM TITLE ALIAS: CCN EDIT-RULES: LEFT JUSTIFY

carrier.txt
COMMENT:
For the physician/supplier or DMERC claim, this field allows HCFA to associate each line item with its respective claim.

SOURCE:
CWF

20. FILLER CHAR 38 124 161

21. NCH Daily Process Date NUM 8 162 169 Effective with Version H, the date the claim record was processed by HCFA's CWFMA system (used for internal editing purposes).

Effective with Version I, this date is used in conjunction with the NCH Segment Link Number to keep claims with multiple records/ segments together.

NOTE1: With version 'H' this field was pop- ulated with data beginning with NCH weekly process date 10/3/97. Under version 'I' claims prior to 10/3/97, that were blank under version 'H', were populated with a date.

8 DIGITS UNSIGNED

DB2 ALIAS: NCH_DAILY_PROC_DT
SAS ALIAS: DAILY_DT
STANDARD ALIAS: NCH_DAILY_PROC_DT
TITLE ALIAS: DAILY_PROCESS_DT

EDIT-RULES:
YYYYMMDD

SOURCE:
NCH

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
22. NCH Segment Link Number	PACK	5	170	174	Effective with Version 'I', the system generated number used in conjunction with the NCH daily process date to keep records/segments belonging to a specific claim together. This field was added to ensure that records/ segments that come in on the same batch with the same identifying information in the link

carrier.txt
group are not mixed with each other.

NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991).

9 DIGITS SIGNED

DB2 ALIAS: NCH_SGMT_LINK_NUM
SAS ALIAS: LINK_NUM
STANDARD ALIAS: NCH_SGMT_LINK_NUM
TITLE ALIAS: LINK_NUM

SOURCE:
NCH

23. Claim Total Segment Count NUM 2 175 176

Effective with Version I, the count used to identify the total number of segments associated with a given claim. Each claim could have up to 10 segments.

NOTE: During the Version I conversion, this field was populated with data throughout history (back to service year 1991). For institutional claims, the count for claims prior to 7/00 will be 1 or 2 (1 if 45 or less revenue center lines on a claim and 2 if more than 45 revenue center lines on a claim). For noninstitutional claims, the count will always be 1.

2 DIGITS UNSIGNED

DB2 ALIAS: TOT_SGMT_CNT
SAS ALIAS: SGMT_CNT
STANDARD ALIAS: CLM_TOT_SGMT_CNT
TITLE ALIAS: SEGMENT_COUNT

SOURCE:
CWF

24. Claim Segment Number NUM 2 177 178

Effective with Version I, the number used to identify an actual record/segment (1 - 10) associated with a given claim.

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

					<p>NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). For institutional claims prior to 7/00, this number will be either 1 or 2. For noninstitutional claims, the number will always be 1.</p> <p>2 DIGITS UNSIGNED</p> <p>DB2 ALIAS: CLM_SGMT_NUM SAS ALIAS: SGMT_NUM STANDARD ALIAS: CLM_SGMT_NUM TITLE ALIAS: SEGMENT_NUMBER</p> <p>SOURCE: CWF</p>
25. Claim Total Line Count	NUM	3	179	181	<p>Effective with Version I, the count used to identify the total number of revenue center lines associated with the claim.</p> <p>NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991). Prior to Version 'I', the maximum line count will be no more than 58. Effective with Version 'I', the maximum line count could be 450.</p> <p>3 DIGITS UNSIGNED</p> <p>DB2 ALIAS: TOT_LINE_CNT SAS ALIAS: LINECNT STANDARD ALIAS: CLM_TOT_LINE_CNT TITLE ALIAS: TOTAL_LINE_COUNT</p> <p>SOURCE: CWF</p>
26. Claim Segment Line Count	NUM	2	182	183	<p>Effective with Version I, the count used to identify the number of revenue center lines on a record/segment.</p> <p>NOTE: During the Version I conversion this field was populated with data throughout history (back to service year 1991).</p>


```
carrier.txt
The maximum line count per record/segment
is 45.
```

```

1          2 DIGITS UNSIGNED
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

```

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					DB2 ALIAS: SGMT_LINE_CNT SAS ALIAS: SGMTLINE STANDARD ALIAS: CLM_SGMT_LINE_CNT TITLE ALIAS: SEGMENT_LINE_COUNT SOURCE: CWF
**** Carrier/DMERC Claim Common 1 Group	GROUP	194	184	377	Information common to both carrier and DMERC claims for version I of NCH. STANDARD ALIAS: CARR_DMERC_CLM_CMN_1_GRP
27. FILLER	CHAR	5	184	188	
28. Carrier Claim Entry Code	CHAR	1	189	189	Carrier-generated code describing whether the Part B claim is an original debit, full credit, or replacement debit. DB2 ALIAS: CARR_CLM_ENTRY_CD SAS ALIAS: ENTRY_CD STANDARD ALIAS: CARR_CLM_ENTRY_CD TITLE ALIAS: ENTRY_CD CODES: 1 = Original debit; void of original debit (If CLM_DISP_CD = 3, code 1 means voided original debit) 3 = Full credit 5 = Replacement debit 9 = Accrete bill history only (internal; effective 2/22/91) COMMENT: Prior to Version H this field was named: CWFB_CLM_ENTRY_CD. SOURCE:

carrier.txt
CWF

29. FILLER	CHAR	1	190	190	
30. Claim Disposition Code	CHAR	2	191	192	Code indicating the disposition or outcome of the processing of the claim record. DB2 ALIAS: CLM_DISP_CD SAS ALIAS: DISP_CD STANDARD ALIAS: CLM_DISP_CD TITLE ALIAS: DISPOSITION_CD

CODES:
REFER TO: CLM_DISP_TB
IN THE CODES APPENDIX

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	BEG	END	CONTENTS
-----	----	-----	-----	-----	-----
					SOURCE: CWF
31. NCH Edit Disposition Code	CHAR	2	193	194	Effective with version H, a code used (for internal editing purposes) to indicate the disposition of the claim after editing in the CWFMQA process. NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field. DB2 ALIAS: NCH_EDIT_DISP_CD SAS ALIAS: EDITDISP STANDARD ALIAS: NCH_EDIT_DISP_CD TITLE ALIAS: NCH_EDIT_DISP CODES: 00 = No MQA errors 10 = Possible duplicate 20 = Utilization error 30 = Consistency error 40 = Entitlement error 50 = Identification error 60 = Logical duplicate 70 = Systems duplicate

SOURCE:

carrier.txt
NCH QA Process

32. NCH Claim BIC Modify H Code CHAR 1 195 195 Effective with Version H, the code used (for internal editing purposes) to identify a claim record that was submitted with an incorrect HA, HB, or HC BIC.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.

DB2 ALIAS: NCH_BIC_MDFY_CD
SAS ALIAS: BIC_MDFY
STANDARD ALIAS: NCH_CLM_BIC_MDFY_CD
TITLE ALIAS: BIC_MODIFY_CD

CODES:
H = BIC submitted by CWF = HA, HB or HC
blank = No HA, HB or HC BIC present

SOURCE:
NCH QA Process

33. Beneficiary Residence SSA CHAR 3 196 198 The SSA standard county code of a beneficiary's residence.
Standard County Code
1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
						DA3 ALIAS: SSA_STANDARD_COUNTY_CODE DB2 ALIAS: BENE_SSA_CNTY_CD SAS ALIAS: CNTY_CD STANDARD ALIAS: BENE_RSDNC_SSA_STD_CNTY_CD TITLE ALIAS: BENE_COUNTY_CD
						EDIT-RULES: OPTIONAL: MAY BE BLANK
						SOURCE: SSA/EDB

34. Carrier Claim Receipt Date NUM 8 199 206 The date the carrier receives the non-institutional claim.

8 DIGITS UNSIGNED

DB2 ALIAS: CARR_CLM_RCPT_DT

carrier.txt
SAS ALIAS: RCPT_DT
STANDARD ALIAS: CARR_CLM_RCPT_DT
TITLE ALIAS: RECEIPT_DT

EDIT-RULES:
YYYYMMDD

COMMENT:
Prior to Version H this field was named:
FICARR_CLM_RCPT_DT.

SOURCE:
CWF

35. Carrier Claim Scheduled Payment Date NUM 8 207 214 The scheduled date of payment to the physician or supplier, as appearing on the original non-institutional claim sent to the CWF host.
**Note: This date is considered to be the date paid since no additional information as to the actual payment date is available.

8 DIGITS UNSIGNED

DB2 ALIAS: CARR_SCHLD_PMT_DT
SAS ALIAS: SCHLD_DT
STANDARD ALIAS: CARR_CLM_SCHLD_PMT_DT
TITLE ALIAS: SCHLD_PMT_DT

EDIT-RULES:
YYYYMMDD

COMMENT:
Prior to Version H this field was named:
FICARR_CLM_PMT_DT.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----

SOURCE:
CWF

36. CWF Forwarded Date NUM 8 215 222 Effective with Version H, the date CWF forwarded the claim record to HCFA (used for internal editing purposes).

NOTE: Beginning with NCH weekly process date 10/3/97 this

carrier.txt
field was populated with data. Claims processed
prior to 10/3/97 will contain zeroes in this field.

8 DIGITS UNSIGNED

DB2 ALIAS: CWF_FRWRD_DT
SAS ALIAS: FRWRD_DT
STANDARD ALIAS: CWF_FRWRD_DT
TITLE ALIAS: FORWARD_DT

EDIT-RULES:
YYYYMMDD

SOURCE:
CWF

37. Carrier Number	CHAR	5	223	227	The identification number assigned by HCFA to a carrier authorized to process claims from a physician or supplier.
--------------------	------	---	-----	-----	--

DB2 ALIAS: CARR_NUM
SAS ALIAS: CARR_NUM
STANDARD ALIAS: CARR_NUM
SYSTEM ALIAS: LTCARR
TITLE ALIAS: CARRIER

CODES:
REFER TO: CARR_NUM_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
FICARR_IDENT_NUM.

SOURCE:
CWF

38. FILLER	CHAR	8	228	235	
------------	------	---	-----	-----	--

39. CWF Transmission Batch Number	CHAR	4	236	239	Effective with Version H, the number assigned to each batch of claims transactions sent from CWF(used for internal editing purposes).
-----------------------------------	------	---	-----	-----	---

NOTE: Beginning 11/98, this field will be populated with data. Claims processed prior to 11/98 will contain spaces in this field.

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					DB2 ALIAS: TRNSMSN_BATCH_NUM SAS ALIAS: FIBATCH STANDARD ALIAS: CWF_TRNSMSN_BATCH_NUM TITLE ALIAS: BATCH_NUM SOURCE: CWF
40. Beneficiary Mailing Contact ZIP Code	CHAR	9	240	248	The ZIP code of the mailing address where the beneficiary may be contacted. DB2 ALIAS: BENE_MLG_ZIP_CD SAS ALIAS: BENE_ZIP STANDARD ALIAS: BENE_MLG_CNTCT_ZIP_CD TITLE ALIAS: BENE_ZIP SOURCE: EDB
41. Beneficiary Sex Identification Code	CHAR	1	249	249	The sex of a beneficiary. COMMON ALIAS: SEX_CD DA3 ALIAS: SEX_CODE DB2 ALIAS: BENE_SEX_IDENT_CD SAS ALIAS: SEX STANDARD ALIAS: BENE_SEX_IDENT_CD SYSTEM ALIAS: LTSEX TITLE ALIAS: SEX_CD EDIT-RULES: REQUIRED FIELD CODES: 1 = Male 2 = Female 0 = Unknown SOURCE: SSA,RRB,EDB
42. Beneficiary Race Code	CHAR	1	250	250	The race of a beneficiary. DA3 ALIAS: RACE_CODE

carrier.txt
DB2 ALIAS: BENE_RACE_CD
SAS ALIAS: RACE
STANDARD ALIAS: BENE_RACE_CD
SYSTEM ALIAS: LTRACE
TITLE ALIAS: RACE_CD

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
<p>CODES: 0 = Unknown 1 = white 2 = Black 3 = Other 4 = Asian 5 = Hispanic 6 = North American Native</p> <p>SOURCE: SSA</p>					
43. Beneficiary Birth Date	NUM	8	251	258	The beneficiary's date of birth. 8 DIGITS UNSIGNED DB2 ALIAS: BENE_BIRTH_DT SAS ALIAS: BENE_DOB STANDARD ALIAS: BENE_BIRTH_DT TITLE ALIAS: BENE_BIRTH_DATE EDIT-RULES: YYYYMMDD SOURCE: CWF
44. CWF Beneficiary Medicare Status Code	CHAR	2	259	260	The CWF-derived reason for a beneficiary's entitlement to Medicare benefits, as of the reference date (CLM_THRU_DT). COBOL ALIAS: MSC COMMON ALIAS: MSC DB2 ALIAS: BENE_MDCR_STUS_CD SAS ALIAS: MS_CD STANDARD ALIAS: CWF_BENE_MDCR_STUS_CD

carrier.txt
SYSTEM ALIAS: LTMSC
TITLE ALIAS: MSC

DERIVATION:
CWF derives MSC from the following:
1. Date of Birth
2. Claim Through Date
3. Original/Current Reasons for entitlement
4. ESRD Indicator
5. Beneficiary Claim Number
Items 1,3,4,5 come from the CWF Beneficiary
Master Record; item 2 comes from the FI/Carrier
claim record. MSC is assigned as follows:

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS			
			BEG	END				
			MSC	OASI	DIB	ESRD	AGE	BIC
			10	YES	N/A	NO	65 and over	N/A
			11	YES	N/A	YES	65 and over	N/A
			20	NO	YES	NO	under 65	N/A
			21	NO	YES	YES	under 65	N/A
			31	NO	NO	YES	any age	T.

CODES:
10 = Aged without ESRD
11 = Aged with ESRD
20 = Disabled without ESRD
21 = Disabled with ESRD
31 = ESRD only

COMMENT:
Prior to Version H this field was named:
BENE_MDCR_STUS_CD. The name has been changed
to distinguish this CWF-derived field from the
EDB-derived MSC (BENE_MDCR_STUS_CD).

SOURCE:
CWF

45. Claim Patient 6 Position Surname	CHAR	6	261	266	The first 6 positions of the Medicare patient's surname (last name) as reported by the provider on the claim.
--------------------------------------	------	---	-----	-----	---

carrier.txt

NOTE1: Prior to Version H, this field was only present on the IP/SNF claim record. Effective with Version H, this field is present on all claim types.

NOTE2: For OP, HHA, Hospice and all Carrier claims, data was populated beginning with NCH weekly process 10/3/97. Claims processed prior to 10/3/97 will contain spaces in this field.

COMMON ALIAS: PATIENT_SURNAME
DB2 ALIAS: PTNT_6_PSTN_SRM
SAS ALIAS: SURNAME
STANDARD ALIAS: CLM_PTNT_6_PSTN_SRM_NAME
TITLE ALIAS: PATIENT_SURNAME

SOURCE:
CWF

46. Claim Patient 1st Initial Given Name CHAR 1 267 267 The first initial of the Medicare patient's given name (first name) as reported by the provider on the claim.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					NOTE1: Prior to Version H, this field was only present on the IP/SNF claim record. Effective with Version H, this field is present on all claim types.
					NOTE2: For OP, HHA, Hospice and all Carrier claims, data was populated beginning with NCH weekly process date 10/3/97. Claims processed prior to 10/3/97 will contain spaces in this field.
					COMMON ALIAS: PATIENT_GIVEN_NAME
					DB2 ALIAS: 1ST_INITL_GVN_NAME
					SAS ALIAS: FRSTINIT
					STANDARD ALIAS: CLM_PTNT_1ST_INITL_GVN_NAME
					TITLE ALIAS: PATIENT_FIRST_INITIAL

SOURCE:

carrier.txt
CWF

47. Claim Patient First Initial Middle Name CHAR 1 268 268 The first initial of the Medicare patient's middle name as reported by the provider on the claim.

NOTE1: Prior to Version H, this field was only present on the IP/SNF claim record. Effective with Version H, this field is present on all claim types.

NOTE2: For OP, HHA, Hospice and all Carrier claims, data was populated beginning with NCH weekly process date 10/3/97. Claims processed prior to 10/3/97 will contain spaces in this field.

COMMON ALIAS: PATIENT_MIDDLE_NAME
DB2 ALIAS: 1ST_INITL_MDL_NAME
SAS ALIAS: MDL_INIT
STANDARD ALIAS: CLM_PTNT_1ST_INITL_MDL_NAME
TITLE ALIAS: PATIENT_MIDDLE_INITIAL

SOURCE:
CWF

48. Beneficiary CWF Location Code CHAR 1 269 269 The code that identifies the Common Working File (CWF) location (the host site) where a beneficiary's Medicare utilization records are maintained.

COMMON ALIAS: CWF_HOST
DB2 ALIAS: BENE_CWF_LOC_CD
SAS ALIAS: CWFLOCCD
STANDARD ALIAS: BENE_CWF_LOC_CD
SYSTEM ALIAS: LTCWFLOC
TITLE ALIAS: CWF_HOST

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----

CODES:
B = Mid-Atlantic
C = Southwest
D = Northeast
E = Great Lakes
F = Great Western

carrier.txt
G = Keystone
H = Southeast
I = South
J = Pacific

SOURCE:
CWF

49. Claim Principal Diagnosis Code	CHAR	5	270	274	The ICD-9-CM diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record to be chiefly responsible for the services provided.
------------------------------------	------	---	-----	-----	--

NOTE: Effective with Version H, this data is also redundantly stored as the first occurrence of the diagnosis trailer.

DB2 ALIAS: PRNCPAL_DGNS_CD
SAS ALIAS: PDGNS_CD
STANDARD ALIAS: CLM_PRNCPAL_DGNS_CD
TITLE ALIAS: PRINCIPAL_DIAGNOSIS

EDIT-RULES:
ICD-9-CM

SOURCE:
CWF

50. FILLER	CHAR	1	275	275	
------------	------	---	-----	-----	--

51. Carrier Claim Payment Denial Code	CHAR	1	276	276	The code on a noninstitutional claim indicating to whom payment was made or if the claim was denied.
---------------------------------------	------	---	-----	-----	--

DB2 ALIAS: CARR_PMT_DNL_CD
SAS ALIAS: PMTDNLCD
STANDARD ALIAS: CARR_CLM_PMT_DNL_CD
TITLE ALIAS: PMT_DENIAL_CD

CODES:
REFER TO: CARR_CLM_PMT_DNL_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_PMT_DNL_CD.

SOURCE:
CWF

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
52. Claim Excepted/Nonexcepted Medical Treatment Code	CHAR	1	277	277	<p>Effective with Version I, the code used to identify whether or not the medical care or treatment received by a beneficiary, who has elected care from a Religious Nonmedical Health Care Institution (RNHCI), is excepted or nonexcepted. Excepted is medical care or treatment that is received involuntarily or is required under Federal, State or local law. Nonexcepted is defined as medical care or treatment other than excepted.</p> <p>DB2 ALIAS: EXCPTD_NEXCPTD_CD SAS ALIAS: TRTMT_CD STANDARD ALIAS: CLM_EXCPTD_NEXCPTD_TRTMT_CD TITLE ALIAS: EXCPTD_NEXCPTD_CD</p> <p>CODES: 0 = No Entry 1 = Excepted 2 = Nonexcepted</p> <p>SOURCE: CWF</p>
53. Claim Payment Amount	PACK	6	278	283	<p>Amount of payment made from the Medicare trust fund for the services covered by the claim record. Generally, the amount is calculated by the FI or carrier; and represents what was paid to the institutional provider, physician, or supplier, with the exceptions noted below. **NOTE: In some situations, a negative claim payment amount may be present; e.g., (1) when a beneficiary is charged the full deductible during a short stay and the deductible exceeded the amount Medicare pays; or (2) when a beneficiary is charged a coinsurance amount during a long stay and the coinsurance amount exceeds the amount Medicare pays (most prevalent situation involves psych hospitals who are paid a daily per diem rate no matter what the charges are.)</p> <p>Under IP PPS, inpatient hospital services are paid based on a predetermined rate per discharge, using the DRG patient classification system and the PRICER program. On the IP PPS claim, the payment amount includes the DRG outlier approved payment amount, disproportionate share (since 5/1/86), indirect medical education (since 10/1/88), total</p>

carrier.txt
PPS capital (since 10/1/91). It does NOT include the pass thru amounts (i.e., capital-related costs, direct medical education costs, kidney acquisition costs, bad debts); or any beneficiary-paid amounts (i.e., deductibles and coinsurance); or any other payer reimbursement.

Under SNF PPS, SNFs will classify beneficiaries using the patient classification system known as RUGS III. For the SNF PPS claim, the SNF PRICER will calculate/return the rate for each revenue center line item with revenue center code = '0022'; multiply the rate times the units count; and then sum the amount payable for all lines with revenue center code '0022' to determine the total claim payment amount.

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					<p>Under Outpatient PPS, the national ambulatory payment classification (APC) rate that is calculated for each APC group is the basis for determining the total payment. The Medicare payment amount takes into account the wage index adjustment and the beneficiary deductible and coinsurance amounts. NOTE: There is no CWF edit check to validate that the revenue center Medicare payment amount equals the claim level Medicare payment amount.</p> <p>Under Home Health PPS, beneficiaries will be classified into an appropriate case mix category known as the Home Health Resource Group. A HIPPS code is then generated corresponding to the case mix category (HHRG).</p> <p>For the RAP, the PRICER will determine the payment amount appropriate to the HIPPS code by computing 60% (for first episode) or 50% (for subsequent episodes) of the case mix episode payment. The payment is then wage index adjusted.</p> <p>For the final claim, PRICER calculates 100% of the amount due, because the final claim is processed as an adjustment to the RAP, reversing the RAP payment in full. Although final claim will show 100% payment amount, the provider will actually receive the 40% or 50% payment.</p> <p>Exceptions: For claims involving demos and BBA encounter data, the amount reported in this field may not just represent the actual provider payment.</p>

carrier.txt
For demo Ids '01','02','03','04' -- claims contain amount paid to the provider, except that special 'differentials' paid outside the normal payment system are not included.

For demo Ids '05','15' -- encounter data 'claims' contain amount Medicare would have paid under FFS, instead of the actual payment to the MCO.

For demo Ids '06','07','08' -- claims contain actual provider payment but represent a special negotiated bundled payment for both Part A and Part B services. To identify what the conventional provider Part A payment would have been, check value code = 'Y4'. The related noninstitutional (physician/supplier) claims contain what would have been paid had there been no demo.

For BBA encounter data (non-demo) -- 'claims' contain amount Medicare would have paid under FFS, instead of the actual payment to the BBA plan.

9.2 DIGITS SIGNED

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
<hr/>					
COMMON ALIAS: REIMBURSEMENT					
DB2 ALIAS: CLM_PMT_AMT					
SAS ALIAS: PMT_AMT					
STANDARD ALIAS: CLM_PMT_AMT					
TITLE ALIAS: REIMBURSEMENT					
EDIT-RULES:					
\$\$\$\$\$\$\$\$CC					
COMMENT:					
Prior to Version H the size of this field was S9(7)V99. Als the noninstitutional claim records carried this field as a l item. Effective with Version H, this element is a claim lev field across all claim types (and the line item field has be renamed.)					
SOURCE:					

CWF

Prior to 4/6/93, on inpatient, outpatient, and physician/supplier claims containing a CLM_DISP_CD of '02', the amount shown as the Medicare reimbursement does not take into consideration any CWF automatic adjustments (involving erroneous deductibles in most cases). In as many as 30% of the claims (30% IP, 15% OP, 5% PART B), the reimbursement reported on the claims may be over or under the actual Medicare payment amount.

Effective with version H, the amount of a payment made on behalf of a Medicare beneficiary by a primary payer other than Medicare, that the provider is applying to covered Medicare charges on a non-institutional claim.

NOTE: During the Version H conversion, this field was populated with data throughout history (back to service year 1991) by summing up the line item primary payer amounts.

DB2 ALIAS: CARR_PRMRY_PYR_AMT
SAS ALIAS: PRPAYAMT
STANDARD ALIAS: CARR_CLM_PRMRY_PYR_PD_AMT
TITLE ALIAS: PRIMARY_PAYER_AMOUNT

\$\$\$\$\$\$\$\$CC

CWF

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

Page 31

carrier.txt

COMMON ALIAS: REFERRING_PHYSICIAN_UPIN
DB2 ALIAS: CARR_RFRG_UPIN_NUM
SAS ALIAS: RFR_UPIN
STANDARD ALIAS: CARR_CLM_RFRG_UPIN_NUM
TITLE ALIAS: REFERRING_PHYSICIAN_UPIN

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_RFRG_UPIN_NUM.

SOURCE:
CWF

57. Carrier Claim Referring Physician NPI Number	CHAR	10	297	306	A placeholder field (effective with Version H) for storing the NPI assigned to the referring physician.
--	------	----	-----	-----	---

COMMON ALIAS: REFERRING_PHYSICIAN_NPI
DB2 ALIAS: RFRG_PHYSN_NPI_NUM
SAS ALIAS: RFR_NPI
STANDARD ALIAS: CARR_CLM_RFRG_PHYSN_NPI_NUM
TITLE ALIAS: RFRG_PHYSN_NPI

SOURCE:
CWF

58. Carrier Claim Provider Assignment Indicator Switch	CHAR	1	307	307	A switch indicating whether or not the provider accepts assignment for the noninstitutional claim.
--	------	---	-----	-----	--

DB2 ALIAS: PRVDR_ASGNMT_SW
SAS ALIAS: ASGMNTCD
STANDARD ALIAS: CARR_CLM_PRVDR_ASGNMT_IND_SW
TITLE ALIAS: ASSIGNMENT_SW

CODES:
A = Assigned claim
N = Non-assigned claim

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_PRVDR_ASGNMT_IND_SW.

SOURCE:
CWF

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
59. NCH Claim Provider Payment Amount	PACK	6	308	313	<p>Effective with Version H, the total payments made to the provider for this claim (sum of line item provider payment amounts.)</p> <p>NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.</p> <p>9.2 DIGITS SIGNED</p> <p>DB2 ALIAS: NCH_PRVDR_PMT_AMT SAS ALIAS: PROV_PMT STANDARD ALIAS: NCH_CLM_PRVDR_PMT_AMT TITLE ALIAS: PRVDR_PMT</p> <p>SOURCE: NCH QA Process</p>
60. NCH Claim Beneficiary Payment Amount	PACK	6	314	319	<p>Effective with Version H, the total payments made to the beneficiary for this claim (sum of line payment amounts to the beneficiary.)</p> <p>NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.</p> <p>9.2 DIGITS SIGNED</p> <p>DB2 ALIAS: NCH_BENE_PMT_AMT SAS ALIAS: BENE_PMT STANDARD ALIAS: NCH_CLM_BENE_PMT_AMT TITLE ALIAS: BENE_PMT</p> <p>SOURCE: NCH QA Process</p>
61. Carrier Claim Beneficiary Paid Amount	PACK	6	320	325	<p>Effective with Version H, the amount paid by the beneficiary for the non-institutional Part B services.</p> <p>NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain</p>

carrier.txt
zeroes in this field.

9.2 DIGITS SIGNED

DB2 ALIAS: CARR_BENE_PD_AMT
SAS ALIAS: BENEPaid
STANDARD ALIAS: CARR_CLM_BENE_PD_AMT
TITLE ALIAS: BENE_PD_AMT

SOURCE:
CWF

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
62.	NCH Carrier Claim Submitted Charge Amount	PACK	6	326	331	Effective with Version H, the total submitted charges on the claim (the sum of line item submitted charges). NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991). 9.2 DIGITS SIGNED DB2 ALIAS: CARR_SBMT_CHRG_AMT SAS ALIAS: SBMTCHRG STANDARD ALIAS: NCH_CARR_SBMT_CHRG_AMT TITLE ALIAS: SBMT_CHRG EDIT-RULES: \$\$\$\$\$\$\$\$CC SOURCE: NCH QA Process
63.	NCH Carrier Claim Allowed Charge Amount	PACK	6	332	337	Effective with Version H, the total allowed charges on the claim (the sum of line item allowed charges). NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991). 9.2 DIGITS SIGNED

carrier.txt
TITLE ALIAS: HCPCS_YR

SOURCE:
CWF

66. Carrier Claim MCO Override Indicator Code CHAR 1 345 345 Effective with Version H, the code used to indicate whether or not an MCO investigation applies to the claim (used for internal CWFMQA editing purposes).

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.

DB2 ALIAS: MCO_OVRRD_IND_CD
SAS ALIAS: MCOOVRRD
STANDARD ALIAS: CARR_CLM_MCO_OVRRD_IND_CD
TITLE ALIAS: MCO_OVERRIDE

CODES:
0 = No Investigation
1 = MCO Investigation does not apply to this claim.

SOURCE:
CWF

67. Carrier Claim Hospice Override Indicator Code CHAR 1 346 346 Effective with Version H, the code used to indicate whether or not an Hospice investigation applies to the claim (used for internal CWFMQA editing purposes).

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.					
DB2 ALIAS: HOSPC_OVRRD_IND_CD					
SAS ALIAS: HOSPOVRD					
STANDARD ALIAS: CARR_CLM_HOSPC_OVRRD_IND_CD					
TITLE ALIAS: HOSPC_OVERRIDE					

carrier.txt

CODES:
0 = No Investigation
1 = Hospice investigation shown not applicable
to this claim.

SOURCE:
CWF

68. FILLER	CHAR	31	347	377	
**** Carrier Specific Group	GROUP	34	378	411	This group identifies those fields specific to the carrier claim record.
					STANDARD ALIAS: CARR_SPECFC_GRP
69. Carrier Claim Referring PIN Number	CHAR	14	378	391	Carrier-assigned identification (profiling) number of the physician who referred the beneficiary to the physician that performed the Part B services.
					COMMON ALIAS: REFERRING_PHYSICIAN_PIN
					DB2 ALIAS: CARR_RFRG_PIN_NUM
					SAS ALIAS: RFR_PRFL
					STANDARD ALIAS: CARR_CLM_RFRG_PIN_NUM
					TITLE ALIAS: RFRG_PIN
					COMMENT: Prior to Version H this field was named: CWFB_CLM_RFRG_PHYSN_PRFLG_NUM.
					SOURCE: CWF
70. Care Plan Oversight (CPO) Provider Number	CHAR	6	392	397	Effective with NCH weekly process date 3/7/97, the Medicare provider number of the HHA or Hospice rendering Medicare covered services during period the physician is providing care plan oversight. The purpose of this field is to ensure compliance with the CPO requirement that the beneficiary must be receiving covered HHA or Hospice services during the billing period. There can be only one CPO provider number per claim, and no other services but CPO physician services are to be reported on the claim. This field is only present on the non-DMERC processed carrier claim.

carrier.txt					
NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					<p>NOTE: On the Version G format, this field is stored as a redefinition of the NEAR_LINE_ORGNL_BENE_CAN_NUM (the first 3 positions contain 'CPO', followed by the 6-position provider number). During the Version H conversion the data was moved to this dedicated field.</p> <p>DB2 ALIAS: CPO_PRVDR_NUM SAS ALIAS: CPO_PROV STANDARD ALIAS: CPO_PRVDR_NUM TITLE ALIAS: CPO_PRVDR</p> <p>SOURCE: CWF</p>
71. CPO Organization NPI Number	CHAR	10	398	407	<p>A placeholder field (effective with Version H) for storing the NPI assigned to the CPO organizational provider.</p> <p>DB2 ALIAS: CPO_ORG_NPI_NUM SAS ALIAS: CPO_NPI STANDARD ALIAS: CPO_ORG_NPI_NUM TITLE ALIAS: CPO_ORG_NPI</p> <p>SOURCE: CWF</p>
72. Claim Blood Pints Furnished Quantity	PACK	2	408	409	<p>Number of whole pints of blood furnished to the beneficiary, as reported on the carrier claim (non-DMERC).</p> <p>3 DIGITS SIGNED</p> <p>DB2 ALIAS: BLOOD_PT_FRNSH_QTY SAS ALIAS: BLDFRNSH STANDARD ALIAS: CLM_BLOOD_PT_FRNSH_QTY TITLE ALIAS: BLOOD_PINTS_FURNISHED</p> <p>EDIT-RULES: NUMERIC</p> <p>COMMENT: Prior to Version H this field was stored in a</p>

carrier.txt
blood trailer. Version H eliminated the blood trailer.

SOURCE:
CWF

73. Claim Blood Deductible Pints Quantity PACK 2 410 411 The quantity of blood pints applied (blood deductible) as reported on the carrier claim (non-DMERC).

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
-----		----	-----	BEG	END	-----
						3 DIGITS SIGNED
						DB2 ALIAS: BLOOD_DDCTBL_PT
						SAS ALIAS: BLD_DED
						STANDARD ALIAS: CLM_BLOOD_DDCTBL_PT_QTY
						TITLE ALIAS: BLOOD_PINTS_DEDUCTIBLE
						EDIT-RULES:
						NUMERIC
						COMMENT:
						Prior to version H this field was stored in a blood trailer. Version H eliminated the blood trailer.
						SOURCE:
						CWF
74. Carrier NCH Edit Code Count	NUM		2	412	413	The count of the number of edit codes annotated to the carrier claim during HCFA's CWFMA process. The purpose of this count is to indicate how many claim edit trailers are present.
						2 DIGITS UNSIGNED
						DB2 ALIAS: CARR_EDIT_CD_CNT
						SAS ALIAS: CEDCNT
						STANDARD ALIAS: CARR_NCH_EDIT_CD_CNT
						COMMENT:
						Prior to version H this field was named:

SOURCE:
NCH

75.	Carrier NCH Patch Code	NUM	2	414	415
	Count				

Effective with Version H, the count of the number of HCFA patch codes annotated to the carrier claim during the Nearline maintenance process. The purpose of this count is to indicate how many NCH patch trailers are present.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

2 DIGITS UNSIGNED

DB2 ALIAS: CARR_PATCH_CD_CNT
SAS ALIAS: CPATCNT
STANDARD ALIAS: CARR_NCH_PATCH_CD_I_CNT

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

SOURCE:
NCH

76. Carrier MCO Period Count	NUM	1	416	416
------------------------------	-----	---	-----	-----

Effective with Version H, the count of the number of Managed Care Organization (MCO) periods reported on a carrier claim. The purpose of this count is to indicate how many MCO period trailers are present.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

1 DIGIT UNSIGNED

```
DB2 ALIAS: CARR_MCO_PRD_CNT
SAS ALIAS: CMCOCNT
STANDARD ALIAS: CARR_MCO_PRD_CNT
```

EDIT-RULES:

carrier.txt
RANGE: 0 TO 2

SOURCE:
NCH

77. Carrier Claim Health PlanID Count NUM 1 417 417 A placeholder field (effective with Version H) for storing the count of the number of Health PlanIDs reported on the carrier claim. The purpose of this count is to indicate how many Health PlanID trailers are present. NOTE: Prior to Version 'I' this field was named: CARR_CLM_PAYERID_CNT.

1 DIGIT UNSIGNED

DB2 ALIAS: CARR_PLANID_CNT
SAS ALIAS: CPLNCNT
STANDARD ALIAS: CARR_CLM_HLTH_PLANID_CNT

EDIT-RULES:
RANGE: 0 TO 3

SOURCE:
NCH

78. Carrier Claim Demonstration ID Count NUM 1 418 418 Effective with Version H, the count of the number of claim demonstration IDs reported on an carrier claim. The purpose of this count is to indicate how many claim demonstration trailers are present.

NOTE: During the Version H conversion this field was populated with data where a demo was identifiable.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	

1 DIGIT UNSIGNED						
DB2 ALIAS: CARR_DEMO_ID_CNT						
SAS ALIAS: CDEMCNT						
STANDARD ALIAS: CARR_CLM_DEMO_ID_CNT						
EDIT-RULES:						
RANGE: 0 TO 5						

carrier.txt

SOURCE:
NCH

79. Carrier Claim Diagnosis Code Count	NUM	1	419	419	The count of the number of diagnosis codes (both principal and other) reported on an carrier claim. The purpose of this count is to indicate how many claim diagnosis trailers are present.
--	-----	---	-----	-----	---

1 DIGIT UNSIGNED

DB2 ALIAS: CARR_DGNS_CD_CNT
SAS ALIAS: CDGNCNT
STANDARD ALIAS: CARR_CLM_DGNS_CD_CNT

EDIT-RULES:
RANGE: 0 TO 4

COMMENT:
Prior to Version H this field was named:
CLM_DGNS_CD_CNT.

SOURCE:
NCH

80. Carrier Claim Line Count	NUM	2	420	421	The count of the number of line items reported on the carrier claim. The purpose of this count is to indicate how many line item trailers are present.
------------------------------	-----	---	-----	-----	--

2 DIGITS UNSIGNED

DB2 ALIAS: CARR_CLM_LINE_CNT
SAS ALIAS: CLINECNT
STANDARD ALIAS: CARR_CLM_LINE_CNT

EDIT-RULES:
RANGE: 1 TO 13

COMMENT:
Prior to Version H this field was named:
CWFB_CLM_NUM_LINE_ITM_CNT.

SOURCE:
CWFB CLAIMS

carrier.txt					
NAME		TYPE	LENGTH	POSITIONS	
				BEG	END
-----		-----	-----	-----	-----
81.	FILLER	CHAR	4	422	425
****	Carrier Claim Variable Group	GROUP	VAR		
					Variable portion of the carrier claim record for version H of the NCH.
					STANDARD ALIAS: CARR_CLM_VAR_GRP
****	NCH Edit Group	GROUP	5		
					The number of claim edit trailers is determined by the claim edit code count.
					OCCURS: UP TO 13 TIMES DEPENDING ON CARR_NCH_EDIT_CD_CNT
					STANDARD ALIAS: NCH_EDIT_GRP
82.	NCH Edit Trailer Indicator Code	CHAR	1		
					Effective with Version H, the code indicating the presence of an NCH edit trailer.
					NOTE: During the Version H conversion this field was populated throughout history (back to service year 1991).
					DB2 ALIAS: EDIT_TRLR_IND_CD SAS ALIAS: EDITIND STANDARD ALIAS: NCH_EDIT_TRLR_IND_CD
					CODES: E = Edit code trailer present
					SOURCE: NCH QA Process
83.	NCH Edit Code	CHAR	4		
					The code annotated to the claim indicating the CWFMA editing results so users will be aware of data deficiencies.
					NOTE: Prior to Version H only the highest priority code was stored. Beginning 11/98 up to 13 edit codes may be present.
					COMMON ALIAS: QA_ERROR_CODE DB2 ALIAS: NCH_EDIT_CD SAS ALIAS: EDIT_CD STANDARD ALIAS: NCH_EDIT_CD

carrier.txt
TITLE ALIAS: QA_ERROR_CD

CODES:
REFER TO: NCH_EDIT_TB
IN THE CODES APPENDIX

SOURCE:
NCH QA EDIT PROCESS
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

1

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
*****	NCH Patch Group	GROUP	11			OCCURS: UP TO 30 TIMES DEPENDING ON CARR_NCH_PATCH_CD_I_CNT STANDARD ALIAS: NCH_PATCH_GRP
84.	NCH Patch Trailer Indicator Code	CHAR	1			Effective with Version H, the code indicating the presence of an NCH patch trailer. NOTE: During the Version H conversion this field was populated throughout history (back to service year 1991). DB2 ALIAS: PATCH_TRLR_IND_CD SAS ALIAS: PATCHIND STANDARD ALIAS: NCH_PATCH_TRLR_IND_CD CODES: P = Patch code trailer present SOURCE: NCH
85.	NCH Patch Code	CHAR	2			Effective with Version H, the code annotated to the claim indicating a patch was applied to the record during an NCH Nearline record conversion and/or during current processing. NOTE: Prior to Version H this field was located in the third and fourth occurrence of the CLM_EDIT_CD. DB2 ALIAS: NCH_PATCH_CD SAS ALIAS: PATCHCD STANDARD ALIAS: NCH_PATCH_CD

CODES:
REFER TO: NCH_PATCH_TB
IN THE CODES APPENDIX
SOURCE:
NCH

86. NCH Patch Applied Date	NUM	8	Effective with Version H, the date the NCH patch was applied to the claim.
----------------------------	-----	---	--

8 DIGITS UNSIGNED

```
DB2 ALIAS: NCH_PATCH_APPLY_DT
SAS ALIAS: PATCHDT
STANDARD ALIAS: NCH_PATCH_APPLY_DT
TITLE ALIAS: NCH_PATCH_DT
```

EDIT-RULES:
YYYYMMDD

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

SOURCE:
NCH

**** MCO Period Group GROUP 37

The number of managed care organization (MCO) period data trailers present is determined by the claim MCO period trailer count. This field reflects the two most current MCO periods in the CWF beneficiary history record. It may have no connection to the services on the claim.

OCCURS: UP TO 2 TIMES
DEPENDING ON CARR_MCO_PRD_CNT

STANDARD ALIAS: MCO_PRD_GRP

87. NCH MCO Trailer Indicator Code	CHAR	1
------------------------------------	------	---

Effective with Version H, the code indicating the presence of a Managed Care Organization (MCO) trailer.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data.

carrier.txt
Claims processed prior to 10/3/97 will contain spaces in this field.

COBOL ALIAS: MCO_IND
DB2 ALIAS: MCO_TRLR_IND_CD
SAS ALIAS: MCOIND
STANDARD ALIAS: NCH_MCO_TRLR_IND_CD
TITLE ALIAS: MCO_INDICATOR

CODES:
M = MCO trailer present

SOURCE:
NCH QA Process

88. MCO Contract NumberCHAR5

Effective with Version H, this field represents the plan contract number of the Managed Care Organization (MCO).

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field.

DB2 ALIAS: MCO_CNTRCT_NUM
SAS ALIAS: MCONUM
STANDARD ALIAS: MCO_CNTRCT_NUM
TITLE ALIAS: MCO_NUM

SOURCE:
CWF

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
89. MCO Option Code	CHAR	1			Effective with Version H, the code indicating Managed Care Organization (MCO) lock-in enrollment status of the beneficiary. NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain spaces in this field. DB2 ALIAS: MCO_OPTN_CD

```

CODES:
*****For lock-in beneficiaries*****
A = HCFA to process all provider bills
B = MCO to process only in-plan
C = MCO to process all Part A and Part B bills

***** For non-lock-in beneficiaries*****
1 = HCFA to process all provider bills
2 = MCO to process only in-plan Part A and
    Part B bills

```

Effective with Version H, the date the beneficiary's enrollment in the Managed Care Organization (MCO) became effective.

8 DIGITS UNSIGNED

SOURCE:
CWF

Effective with Version H, the date the beneficiary's enrollment in the Managed Care Organization (MCO) was terminated.

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

Page 47

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

8 DIGITS UNSIGNED

DB2 ALIAS: MCO_PRD_TRMNTN_DT
SAS ALIAS: MCOTRMDT
STANDARD ALIAS: MCO_PRD_TRMNTN_DT
TITLE ALIAS: MCO_PERIOD_TERM_DT

EDIT-RULES:
YYYYMMDD

SOURCE:
CWF

92. MCO Health PLANID Number CHAR 14

A placeholder field (effective with Version H) for storing the Health PlanID associated with the Managed Care Organization (MCO). Prior to Version 'I' this field was named: MCO_PAYERID_NUM.

DB2 ALIAS: MCO_PLANID_NUM
SAS ALIAS: MCOPLNID
STANDARD ALIAS: MCO_HLTH_PLANID_NUM
TITLE ALIAS: MCO_PLANID

COMMENT:
Prior to Version I this field was named: MCO_PAYERID_NUM.

SOURCE:
CWF

**** Claim Health PlanID Group GROUP 16

The number of Health PlanID data trailers is determined by the claim Health PlanID trailer count. Prior to Version 'I' this field was named: CLM_PAYERID_GRP.

OCCURS: UP TO 3 TIMES
DEPENDING ON CARR_CLM_HLTH_PLANID_CNT

STANDARD ALIAS: CLM_HLTH_PLANID_GRP

93. NCH Health PlanID Trailer Indicator Code CHAR 1

carrier.txt
A placeholder field (effective with Version H) for storing the code that indicates the presence of a Health PlanID trailer. NOTE: Prior to Version 'I' this field was named: NCH_PAYERID_TRLR_IND_CD.

DB2 ALIAS: PLANID_TRLR_CD
SAS ALIAS: PLANIDIN
STANDARD ALIAS: NCH_HLTH_PLANID_TRLR_IND_CD

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
<hr/>					
CODES:					
I = Health PlanID trailer present					
COMMENT:					
Prior to Version I this field was named: NCH_PAYERID_TRLR_IND_CD.					
SOURCE:					
NCH					
94. Claim Health PlanID Code	CHAR	1			A placeholder field (effective with Version H) for storing the code identifying the type of Health PlanID. Prior to Version 'I' this field was named: CLM_PAYERID-CD
DB2 ALIAS: CLM_PLANID_CD					
SAS ALIAS: PLANIDCD					
STANDARD ALIAS: CLM_HLTH_PLANID_CD					
TITLE ALIAS: PLANID_TYPE					
CODES:					
1 = Medicare Secondary Payer					
2 = Medicaid					
3 = Medigap					
4 = Supplemental Insurer					
5 = Managed Care Organization					
COMMENT:					
Prior to Version I this field was named: CLM_PAYERID_CD.					
SOURCE:					
CWF					

95. Claim Health PlanID Number CHAR 14

A placeholder field (effective with Version H) for storing the Health PlanID number. Prior to Version 'I' this field was named: CLM_PAYERID_NUM.

DB2 ALIAS: CLM_PLANID_NUM
SAS ALIAS: PLANID
STANDARD ALIAS: CLM_HLTH_PLANID_NUM
TITLE ALIAS: PLANID

COMMENT:
Prior to Version I this field was named: CLM_PAYERID_NUM.

SOURCE:
CWF

**** Claim Demonstration Identification Group GROUP 18

The number of demonstration identification trailers present is determined by the claim demonstration identification trailer count.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

OCCURS: UP TO 5 TIMES
DEPENDING ON CARR_CLM_DEMO_ID_CNT

STANDARD ALIAS: CLM_DEMO_ID_GRP

96. NCH Demonstration Trailer Indicator Code CHAR 1

Effective with Version H, the code indicating the presence of a demo trailer.

NOTE: During the Version H conversion this field was populated throughout history (back to service year 1991).

COBOL ALIAS: DEMO_IND
DB2 ALIAS: DEMO_TRLR_IND_CD
SAS ALIAS: DEMOIND
STANDARD ALIAS: NCH_DEMO_TRLR_IND_CD
TITLE ALIAS: DEMO_INDICATOR

CODES:
D = Demo trailer present

SOURCE:
NCH

CHAR 2

NOTE: Prior to Version H, Demo ID was stored in the redefined Claim Edit Group, 4th occurrence, positions 3 and 4. During the H conversion, this field was populated with data throughout history (as appropriate either by moving ID on Version G or by deriving from specific demo criteria).

NOTE1: Effective for SNF claims with NCH weekly process date after 2/8/96 (and service date after 12/31/95) -- beginning 4/97, Demo ID '01' was derived in NCH based on presence of RUGS phase # '2','3' or '4' on incoming claim; since 7/97, CWF has been adding ID to claim.

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
...

02 = National HHA Prospective Payment Demo -- testing PPS for HHAs in 5 states, using two alternate methods of paying HHAs: per visit by type of HHA visit and per episode of HH care.

NOTE1: Effective for HHA claims with NCH weekly

carrier.txt
process date after 5/31/95 -- beginning 4/97,
Demo ID '02' was derived in NCH based on HCFA/
CHPP-supplied listing of provider # and start/
stop dates of participants.

NOTE2: During the Version H conversion, Demo ID
'02' was populated back to NCH weekly process
date 6/95 based on the CHPP criteria.

03 = Telemedicine Demo -- testing covering tradi-
tionally noncovered physician services for
medical consultation furnished via two-way, inter-
active video systems (i.e. teleconsultation)
in 4 states. The claims contain line items
with 'QQ' HCPCS code.

NOTE1: Effective for physician/supplier (nonDMERC)
claims with NCH weekly process date after 12/31/96
(and service date after 9/30/96) -- since 7/97,
CWF has been adding Demo ID '03' to claim.

NOTE2: During Version H conversion, Demo ID '03'
was populated back to NCH weekly process date 1/97
based on the presence of 'QQ' HCPCS on one or more
line items.

04 = United Mine Workers of America (UMWA) Managed
Care Demo -- testing risk sharing for Part A
services, paying special capitation rates for
all UMWA beneficiaries residing in 13 desig-
nated counties in 3 states. Under the demo,
UMWA will waive the 3-day qualifying hospital
stay for a SNF admission. The claims contain
TOB '18X', '21X', '28X' and '51X'; condition
code = W0; claim MCO paid switch = not '0';
and MCO contract # = '90091'.

NOTE: Initially scheduled to be implemented for
all SNF claims for admission or services on
1/1/97 or later, CWF did not transmit any Demo
ID '04' annotated claims until on or about 2/98.

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----

05 = Medicare Choices (MCO encounter data) demo --

carrier.txt
testing expanding the type of Managed Care
plans available and different payment methods
at 16 MCOs in 9 states. The claims contain
one of the specific MCO Plan Contract #
assigned to the Choices Demo site.

NOTE1: Effective for all claim types with NCH
weekly process date after 7/31/97 -- CWF adds
Demo ID '05' to claim based on the presences of
the MCO Plan Contract #.

NOTE2: During the Version H conversion, Demo ID
'05' was populated back to NCH weekly process
date 8/97 based on the presence of the Choices
indicator (stored as an alpha character cross-
walked from MCO plan contract # in the Claim
Edit Group, 4th occurrence, 2nd position, in
Version 'G').

06 = Coronary Artery Bypass Graft (CABG) Demo --
testing bundled payment (all-inclusive global
pricing) for hospital + physician services
related to CABG surgery in 7 hospitals in 7
states. The inpatient claims contain a DRG
'106' or '107'.

NOTE1: Effective for Inpatient claims and
physician/supplier claims with Claim Edit Date
no earlier than 6/1/91 (not all CABG sites
started at the same time) -- on 5/1/97, CWF
started transmitting Demo ID '06' on the claim.
The FI adds the ID to the claim based on the
presence of DRG '106' or '107' from specific
providers for specified time periods; the
carrier adds the ID to the claim based on
receiving 'Daily Census List' from parti-
cipating hospitals. Demo ID '06' will end
once Demo ID '07' is implemented.

NOTE2: During the Version H conversion, any
claims where Medicare is the primary payer
that were not already identified as Demo ID
'06' (stored in the redefined Claim Edit
Group, 4th occurrence, positions 3 and 4,
Version G) were annotated based on the follow-
ing criteria: Inpatient - presence of DRG '106'
or '107' and a provider number=220897, 150897,
380897,450897,110082,230156 or 360085 for

1

carrier.txt
specified service dates; noninstitutional -
presence of HCPCS modifier (initial and/or
second) = 'Q2' and a carrier number =00700/31143
00630,01380,00900,01040/00511,00710,00623, or
13630 for specified service dates.
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		POSITIONS		CONTENTS	
TYPE	LENGTH	BEG	END		
<hr/>					
07 = Participating Centers of Excellence (PCOE) Demo -- testing a negotiated all-inclusive pricing arrangement (bundled rates) for high-cost acute care cardiovascular and orthopedic procedures performed in 60-100 premier facilities in the Chicago and San Francisco Regions or by current CABG providers. The inpatient claims will contain a DRG '104','105','106','107','112','124','125','209',or '471'; the related physician/supplier claims will contain the claim payment denial reason code = 'D'.					
NOTE: The demo is on HOLD. The FI and carrier will add Demo ID '07' to claim.					
08 = Provider Partnership Demo -- testing per-case payment approaches for acute inpatient hospitalizations, making a lump-sum payment (combining the normal Part A PPS payment with the Part B allowed charges into a single fee schedule) to a Physician/Hospital Organization for all Part A and Part B services associated with a hospital admission. From 3 to 6 hospitals in the Northeast and Mid-Atlantic regions may participate in the demo.					
NOTE: The demo is on HOLD. The FI and carrier will add Demo ID '08' to claim.					
15 = ESRD Managed Care (MCO encounter data) -- testing open enrollment of ESRD beneficiaries and capitation rates adjusted for patient treatment needs at 3 MCOs in 3 States. The claims contain one of the specific MCO Plan Contract # assigned to the ESRD demo site.					

NOTE: Effective 10/1/97 (but not actually imple-

carrier.txt
mented at a site until 1/1/98) for all claim
types -- the FI and carrier add Demo ID '15' to
claim based on the presence of the MCO plan
contract #.

30 = Lung Volume Reduction Surgery (LVRS) or
National Emphysema Treatment Trial (NETT)
Clinical Study -- evaluating the effective-
ness of LVRS and maximum medical therapy (in-
cluding pulmonary rehab) for Medicare bene-
ficiaries in last stages of emphysema at 18
hospitals nationally, in collaboration with
NIH.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	POSITIONS		CONTENTS		
			BEG	END			

NOTE: Effective for all claim types (except DMERC) with NCH weekly process date after 2/27/98 (and service date after 10/31/97) -- the FI adds Demo ID '30' based on the presence of a condition code = EY; the participating physician (not the carrier) adds ID to the noninstitutional claim. DUE TO THE SENSITIVE NATURE OF THIS CLINICAL TRIAL AND UNDER THE TERMS OF THE INTERAGENCY AGREEMENT WITH NIH, THESE CLAIMS ARE PROCESSED BY CWF AND TRANSMITTED TO HCFA BUT NOT STORED IN THE NEARLINE FILE (access is restricted to study evaluators only).							
31 = VA Pricing Special Processing (SPN) -- not really a demo but special request from VA due to court settlement; not Medicare services but VA inpatient and physician services submitted to FI 00400 and Carrier 00900 to obtain Medicare pricing -- CWF WILL PROCESS VA CLAIMS ANNOTATED WITH DEMO ID '31', BUT WILL NOT TRANSMIT TO HCFA (not in Nearline File).							
37 = Medicare Coordinated Care Demonstration -- to test whether coordinated care services furnished to certain beneficiaries improve outcomes of care and reduce Medicare expenditures under Part A and Part B. There will be at least 9 Coordinated Care Entities (CCEs). The selected entities will be assigned a provider number specifically for the demonstration services.							

carrier.txt

NOTE: The demo is on HOLD. The FI and carrier will add Demo ID '37' to claim.

38 = Physician Encounter Claims - the purpose of this demo id is to identify the physician encounter claims being processed at the HCFA Data Center (HDC). This number will help EDS in making the claim go through the appropriate processing logic, which differs from that for fee-for-service. **NOT IN NCH -- AVAILABLE IN NMUD.**

NOTE: Effective October, 2000. Demo ids will not be assigned to Inpatient and Outpatient encounter claims.

39 = Centralized Billing of Flu and PPV Claims -- The purpose of this demo is to facilitate the processing carrier, Trailblazers, paying flu and PPV claims based on payment localities. Providers will be giving the shots throughout the country and transmitting the claims to Trailblazers for processing.

NOTE: Effective October, 2000 for carrier claims.

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
<hr/>					
98. Claim Demonstration Information Text	CHAR	15			DB2 ALIAS: CLM_DEMO_ID_NUM
					SAS ALIAS: DEMONUM
					STANDARD ALIAS: CLM_DEMO_ID_NUM
					TITLE ALIAS: DEMO_ID
					SOURCE:
					CWF
					Effective with Version H, the text field that contains related demo information. For example, a claim involving a CHOICES demo id '05' would contain the MCO plan contract number in the first five positions of this text field.
		NOTE: During the Version H conversion this field was populated with data throughout history.			

carrier.txt

DB2 ALIAS: CLM_DEMO_INFO_TXT
SAS ALIAS: DEMOTXT
STANDARD ALIAS: CLM_DEMO_INFO_TXT
TITLE ALIAS: DEMO_INFO

DERIVATION:
DERIVATION RULES:
Demo ID = 01 (RUGS) -- the text field will contain a 2, 3 or 4 to denote the RUGS phase. If RUGS phase is blank or not one of the above the text field will reflect 'INVALID'. NOTE: In Version 'G', RUGS phase was stored in redefined Claim Edit Group, 3rd occurrence, 4th position.

Demo ID = 02 (Home Health demo) -- the text field will contain PROV#. When demo number not equal to 02 then text will reflect 'INVALID'.

Demo ID = 03 (Telemedicine demo) -- text field will contain the HCPCS code. If the required HCPCS is not shown then the text field will reflect 'INVALID'.

Demo ID = 04 (UMWA) -- text field will contain W0 denoting that condition code W0 was present. If condition code W0 not present then the text field will reflect 'INVALID'.

Demo ID = 05 (CHOICES) -- the text field will contain the CHOICES plan number, if both of the following conditions are met: (1) CHOICES plan number present and PPS or Inpatient claim shows that 1st 3 positions of provider number as '210' and the admission date is within HMO effective/termination date; or non-PPS claim and the from date is within

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					HMO effective/termination date and (2) CHOICES plan number matches the HMO plan number. If either condition is not met the text field will reflect 'INVALID CHOICES PLAN NUMBER'. When CHOICES plan number not present, text will reflect 'INVALID'.

carrier.txt

NOTE: In Version 'G', a valid CHOICES plan ID is stored as alpha character in redefined Claim Edit Group, 4th occurrence, 2nd position. If invalid, CHOICES indicator 'ZZ' displayed.

Demo ID = 15 (ESRD Managed Care) -- text field will contain the ESRD/MCO plan number. If ESRD/MCO plan number not present the field will reflect 'INVALID'.

Demo ID = 38 (Physician Encounter Claims) -- text field will contain the MCO plan number. When MCO plan number not present the field will reflect 'INVALID'.

SOURCE:
CWF

**** Carrier Claim Diagnosis
Group GROUP 7

OCCURS: UP TO 4 TIMES
 DEPENDING ON CARR_CLM_DGNS_CD_CNT

STANDARD ALIAS: CARR_CLM_DGNS_GRP

99. NCH Diagnosis Trailer CHAR 1
Indicator Code

Effective with Version H, the code indicating the presence of a diagnosis trailer.

NOTE: During the Version H conversion this field was populated throughout history (back to service year 1991).

DB2 ALIAS: DGNS_TRLR_IND_CD
SAS ALIAS: DGNSIND
STANDARD ALIAS: NCH_DGNS_TRLR_IND_CD

CODES:
Y = Diagnosis code trailer present

SOURCE:
NCH

100. Claim Diagnosis Code CHAR 5

The ICD-9-CM based code identifying the beneficiary's principal or other diagnosis (including E code).

					carrier.txt
NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					NOTE: Prior to Version H, the principal diagnosis code was not stored with the 'OTHER' diagnosis codes. During the Version H conversion the CLM_PRNCPAL_DGNS_CD was added as the first occurrence. DB2 ALIAS: CLM_DGNS_CD SAS ALIAS: DGNS_CD STANDARD ALIAS: CLM_DGNS_CD TITLE ALIAS: DIAGNOSIS EDIT-RULES: ICD-9-CM COMMENT: Prior to Version H this field was named: CLM_OTHR_DGNS_CD.
101. FILLER	CHAR	1			
**** Carrier Line Item Group	GROUP	294			The line item trailer group may occur multiple times in one carrier claim. Up to 13 occurrences may be present. OCCURS: UP TO 13 TIMES DEPENDING ON CARR_CLM_LINE_CNT STANDARD ALIAS: CARR_LINE_GRP
102. NCH Line Item Trailer Indicator Code	CHAR	1			Effective with Version H, the code indicating the presence of a line item trailer on the non-institutional claim. NOTE: During the Version H conversion this field was populated throughout history (back to service year 1991). DB2 ALIAS: LINE_TRLR_IND_CD SAS ALIAS: LINEIND STANDARD ALIAS: NCH_LINE_TRLR_IND_CD CODES: L = Line Item trailer present

carrier.txt
Blank = No trailer present

SOURCE:
NCH

103. Carrier Line Performing PIN CHAR 10
Number

The profiling identification number (PIN) of the physician\supplier who performed the service for this line item on the carrier claim (non-DMERC).

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
						COMMON ALIAS: PHYSICIAN/SUPPLIER_PROVIDER_NUM DB2 ALIAS: LINE_PRFRMG_PIN SAS ALIAS: PRF_PRFL STANDARD ALIAS: CARR_LINE_PRFRMG_PIN_NUM TITLE ALIAS: PRFRMG_PIN COMMENT: Prior to Version H this field was named: CWFB_PRFRMG_PRVDR_PRFLG_NUM. SOURCE: CWF
104.	Carrier Line Performing UPIN Number	CHAR	6			The unique physician identification number (UPIN) of the physician who performed the service for this line item on the carrier claim (non-DMERC). DB2 ALIAS: LINE_PRFRMG_UPIN SAS ALIAS: PRF_UPIN STANDARD ALIAS: CARR_LINE_PRFRMG_UPIN_NUM TITLE ALIAS: PRFRMG_UPIN COMMENT: Prior to Version H this field was named: CWFB_PRFRMG_PRVDR_UPIN_NUM. SOURCE: CWF
105.	Carrier Line Performing NPI Number	CHAR	10			A placeholder field (effective with Version H) for storing the NPI assigned to the performing

carrier.txt
provider.

COMMON ALIAS: PERFORMING_PROVIDER_NPI
DB2 ALIAS: LINE_PRFRMG_NPI
SAS ALIAS: PRFNPI
STANDARD ALIAS: CARR_LINE_PRFRMG_NPI_NUM
TITLE ALIAS: PRFRMG_NPI

SOURCE:
CWF

106. Carrier Line Performing
Group NPI Number CHAR 10

A placeholder field (effective with Version H)
for storing the NPI assigned to a group practice,
where the performing physician is part of that
group. If the physician is not part of a group,
this field will be blank.

DB2 ALIAS: PRFRMG_GRP_NPI
SAS ALIAS: PRGRPNPI
STANDARD ALIAS: CARR_LINE_PRFRMG_GRP_NPI_NUM
TITLE ALIAS: PRFRMG_GROUP_NPI

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
-----		----	-----	-----		
						SOURCE: CWF
107.	Carrier Line Provider Type Code	CHAR	1			Code identifying the type of provider furnishing the service for this line item on the carrier claim (non-DMERC). DB2 ALIAS: LINE_PRVDR_TYPE_CD SAS ALIAS: PRV_TYPE STANDARD ALIAS: CARR_LINE_PRVDR_TYPE_CD TITLE ALIAS: PRVDR_TYPE CODES: REFER TO: CARR_LINE_PRVDR_TYPE_TB IN THE CODES APPENDIX COMMENT: Prior to Version H this field was named: CWFB_PRVDR_TYPE_CD.

SOURCE:

carrier.txt
CWF

108. Line Provider Tax Number CHAR 10

Social security number or employee identification number of physician/supplier used to identify to whom payment is made for the line item service on the noninstitutional claim.

DB2 ALIAS: LINE_PRVDR_TAX_NUM
SAS ALIAS: TAX_NUM
STANDARD ALIAS: LINE_PRVDR_TAX_NUM
TITLE ALIAS: PRVDR_TAX_NUM

COMMENT:
Prior to Version H this field was named:
CWFB_PRVDR_TAX_NUM.

SOURCE:
CWF

109. Line NCH Provider State Code CHAR 2

Effective with Version H, the two position SSA state code where provider facility is located.

NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).

DB2 ALIAS: LINE_PRVDR_STATE
SAS ALIAS: PRVSTATE
STANDARD ALIAS: LINE_NCH_PRVDR_STATE_CD
TITLE ALIAS: PRVDR_STATE

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----

DERIVATION:
DERIVED FROM:
CARR_LINE_PRFRMG_PRVDR_ZIP_CD

DERIVATION RULES:

Use the first three positions of the provider zip code to derive the LINE_NCH_PRVDR_STATE_CD from a crosswalk file. Where a match is not

carrier.txt
achieved this field will be blank.

CODES:
REFER TO: GEO_SSA_STATE_TB

SOURCE:
NCH

110. Carrier Line Performing
Provider ZIP Code CHAR 9

The ZIP code of the physician/supplier who performed the Part B service for this line item on the carrier claim (non-DMERC).

DB2 ALIAS: LINE_PRVDR_ZIP_CD
SAS ALIAS: PROVZIP
STANDARD ALIAS: CARR_LINE_PRFRMG_PRVDR_ZIP_CD
TITLE ALIAS: PRVDR_ZIP_CD

COMMENT:
Prior to Version H this field was named:
CWFB_PRFRMG_PRVDR_ZIP_CD and the field size was S9(9).

SOURCE:
CWF

111. Line HCFA Provider
Specialty Code CHAR 2

HCFA specialty code used for pricing the line item service on the noninstitutional claim.

DB2 ALIAS: HCFA_SPCLTY_CD
SAS ALIAS: HCFASPCL
STANDARD ALIAS: LINE_HCFA_PRVDR_SPCLTY_CD
TITLE ALIAS: HCFA_PRVDR_SPCLTY

CODES:
REFER TO: HCFA_PRVDR_SPCLTY_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_HCFA_PRVDR_SPCLTY_CD.

SOURCE:
CWF

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

carrier.txt			
112. Carrier Line Provider Specialty Code	CHAR	2	<p>The carrier's specialty code for the provider (usually different from HCFA's) used for pricing the service for this line item on the carrier claim (non-DMERC).</p> <p>DB2 ALIAS: PRVDR_SPCLTY_CD SAS ALIAS: CARRSPCL STANDARD ALIAS: CARR_LINE_PRVDR_SPCLTY_CD TITLE ALIAS: CARR_PRVDR_SPCLTY</p> <p>EDIT-RULES: CARRIER INFORMATION FILE</p> <p>COMMENT: Prior to Version H this field was named: CWFB_CARR_PRVDR_SPCLTY_CD.</p> <p>SOURCE: CWF</p>
113. Line Provider Participating Indicator Code	CHAR	1	<p>Code indicating whether or not a provider is participating or accepting assignment for this line item service on the noninstitutional claim.</p> <p>DB2 ALIAS: PRVDR_PRTCPTG_CD SAS ALIAS: PRTCPTG STANDARD ALIAS: LINE_PRVDR_PRTCPTG_IND_CD TITLE ALIAS: PRVDR_PRTCPTG_IND</p> <p>CODES: REFER TO: LINE_PRVDR_PRTCPTG_IND_TB IN THE CODES APPENDIX</p> <p>COMMENT: Prior to Version H this field was named: CWFB_PRVDR_PRTCPTG_IND_CD.</p> <p>SOURCE: CWF</p>
114. Carrier Line Reduced Payment Physician Assistant Code	CHAR	1	<p>Effective 1/92, the code on the carrier (non-DMERC) line item that identifies claims that have been paid a reduced fee schedule amount (65%, 75% or 85%) because a physician's assistant performed the services.</p>

1

carrier.txt
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					COMMON ALIAS: PA_65/75/85%_FEE DB2 ALIAS: PHYSN_ASTNT_CD SAS ALIAS: ASTNT_CD STANDARD ALIAS: CARR_LINE_RDCD_PHYSN_ASTNT_CD TITLE ALIAS: PHYSN_ASTNT_CD CODES: REFER TO: CARR_LINE_RDCD_PHYSN_ASTNT_TB IN THE CODES APPENDIX COMMENT: Prior to Version H this field was named: CWFB_RDCD_PMT_PHYSN_ASTNT_CD. SOURCE: CWF
115. Line Service Count	PACK	2			The count of the total number of services processed for the line item on the non-institutional claim. 3 DIGITS SIGNED DB2 ALIAS: SRVC_CNT SAS ALIAS: SRVC_CNT STANDARD ALIAS: LINE_SRVC_CNT COMMENT: Prior to Version H this field was named: CWFB_SRVC_CNT. SOURCE: CWF
116. Line HCFA Type Service Code	CHAR	1			Code indicating the type of service, as defined in the HCFA Medicare Carrier Manual, for this line item on the non-institutional claim. DB2 ALIAS: HCFA_TYPE_SRVC_CD SAS ALIAS: TYPSRVCB STANDARD ALIAS: LINE_HCFA_TYPE_SRVC_CD SYSTEM ALIAS: LTTOS

carrier.txt
TITLE ALIAS: HCFA_TYPE_SRVC

EDIT-RULES:
The only type of service codes applicable to DMERC
claims are: 1, 9, A, E, G, H, J, K, L, M, P,
R, and S.

CODES:
REFER TO: HCFA_TYPE_SRVC_TB
IN THE CODES APPENDIX

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
<hr/>					
					COMMENT: Prior to Version H this field was named: CWFB_HCFA_TYPE_SRVC_CD.
					SOURCE: CWF
117. Carrier Line Type Service Code	CHAR	2			Carrier's type of service code (usually different from HCFA's) used for pricing the service reported on the line item on the carrier claim (non-DMERC).
					DB2 ALIAS: LINE_TYPE_SRVC_CD SAS ALIAS: PTYPESRV STANDARD ALIAS: CARR_LINE_TYPE_SRVC_CD TITLE ALIAS: CARR_TYPE_SRVC
					COMMENT: Prior to Version H this field was named: CWFB_CARR_TYPE_SRVC_CD.
					SOURCE: CWF
118. Line Place Of Service Code	CHAR	2			The code indicating the place of service, as defined in the Medicare Carrier Manual, for this line item on the noninstitutional claim.
					COMMON ALIAS: POS DB2 ALIAS: LINE_PLC_SRVC_CD SAS ALIAS: PLCSRV

Page 68

carrier.txt

DB2 ALIAS: LINE_HCPCS_CD
SAS ALIAS: HCPCS_CD
STANDARD ALIAS: LINE_HCPCS_CD
TITLE ALIAS: HCPCS_CD

COMMENT:
Prior to Version H this line item field was
named: HCPCS_CD. With Version H, a prefix
was added to denote the location of this field
on each claim type (institutional: REV_CNTR and
noninstitutional: LINE).

Level I
Codes and descriptors copyrighted by the American
Medical Association's Current Procedural
Terminology, Fourth Edition (CPT-4). These are
5 position numeric codes representing physician
and nonphysician services.

**** Note: ****
CPT-4 codes including both long and short
descriptions shall be used in accordance with the
HCFA/AMA agreement. Any other use violates the
AMA copyright.

Level II
Includes codes and descriptors copyrighted by
the American Dental Association's Current Dental
Terminology, Second Edition (CDT-2). These are
5 position alpha-numeric codes comprising
the D series. All other level II codes and
descriptors are approved and maintained jointly
by the alpha-numeric editorial panel (consisting
of HCFA, the Health Insurance Association of
America, and the Blue Cross and Blue Shield
Association). These are 5 position alpha-
numeric codes representing primarily items and
nonphysician services that are not
represented in the level I codes.

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	POSITIONS		CONTENTS
			BEG	END	
-----		----	-----	-----	-----

carrier.txt
Level III
Codes and descriptors developed by Medicare carriers for use at the local (carrier) level. These are 5 position alpha-numeric codes in the W, X, Y or Z series representing physician and nonphysician services that are not represented in the level I or level II codes.

123. Line HCPCS Initial Modifier CHAR 2
Code

A first modifier to the HCPCS procedure code to enable a more specific procedure identification for the line item service on the noninstitutional claim.

DB2 ALIAS: HCPCS_1ST_MDFR_CD
SAS ALIAS: MDFR_CD1
STANDARD ALIAS: LINE_HCPCS_INITL_MDFR_CD
TITLE ALIAS: INITIAL_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
Prior to Version H this field was named: HCPCS_INITL_MDFR_CD. With Version H, a prefix was added to denote the location of this field on each claim type (institutional: REV_CNTR and noninstitutional: LINE).

SOURCE:
CWF

124. Line HCPCS Second Modifier CHAR 2
Code

A second modifier to the HCPCS procedure code to make it more specific than the first modifier code to identify the line item procedures for this claim.

DB2 ALIAS: HCPCS_2ND_MDFR_CD
SAS ALIAS: MDFR_CD2
STANDARD ALIAS: LINE_HCPCS_2ND_MDFR_CD
TITLE ALIAS: SECOND_MODIFIER

EDIT-RULES:
CARRIER INFORMATION FILE

COMMENT:
Prior to Version H this field was named:

carrier.txt
HCPCS_2ND_MDFR_CD. With Version H, a prefix
was added to denote the location of this field
on each claim type (institutional: REV_CNTR and
noninstitutional: LINE).

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
125. Line NCH BETOS Code	CHAR	3			<p>SOURCE: CWF</p> <p>Effective with Version H, the Berenson-Eggers type of service (BETOS) for the procedure code based on generally agreed upon clinically meaningful groupings of procedures and services. This field is included as a line item on the noninstitutional claim.</p> <p>NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).</p> <p>DB2 ALIAS: LINE_NCH_BETOS_CD SAS ALIAS: BETOS STANDARD ALIAS: LINE_NCH_BETOS_CD SYSTEM ALIAS: LTBETOS TITLE ALIAS: BETOS</p> <p>DERIVATION: DERIVED FROM: LINE_HCPCS_CD LINE_HCPCS_INITL_MDFR_CD LINE_HCPCS_2ND_MDFR_CD HCPCS MASTER FILE</p> <p>DERIVATION RULES: Match the HCPCS on the claim to the HCPCS on the HCPCS Master File to obtain the BETOS code.</p> <p>CODES: REFER TO: BETOS_TB IN THE CODES APPENDIX</p> <p>SOURCE: NCH</p>

126. Line IDE Number CHAR 7 Effective with Version H, the exemption number assigned by the Food and Drug Administration (FDA) to an investigational device after a manufacturer has been approved by FDA to conduct a clinical trial on that device. HCFA established a new policy of covering certain IDE's which was implemented in claims processing on 10/1/96 (which is NCH weekly process 10/4/96) for service dates beginning 10/1/95.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
					<p>NOTE: Prior to Version H a dummy line item was created in the last occurrence of line item group to store IDE. The IDE number was housed in two fields: HCPCS code and HCPCS initial modifier; the second modifier contained the value 'ID'. There will be only one distinct IDE number reported on the non-institutional claim. During the Version H conversion, the IDE was moved from the dummy line item to its own dedicated field for each line item (i.e., the IDE was repeated on all line items on the claim.)</p> <p>DB2 ALIAS: LINE_IDE_NUM SAS ALIAS: LINE_IDE STANDARD ALIAS: LINE_IDE_NUM TITLE ALIAS: IDE_NUMBER</p> <p>SOURCE: CWF</p>
Line National Drug Code	CHAR	11			<p>Effective 1/1/94 on the DMERC claim, the National Drug Code identifying the oral anti-cancer drugs. Effective with Version H, this line item field was added as a placeholder on the carrier claim.</p> <p>DB2 ALIAS: LINE_NATL_DRUG_CD SAS ALIAS: NDC_CD STANDARD ALIAS: LINE_NATL_DRUG_CD TITLE ALIAS: NDC_CD</p> <p>SOURCE:</p>

CWF

Amount of payment made from the trust funds (after deductible and coinsurance amounts have been paid) for the line item service on the non-institutional claim.

```
COMMON ALIAS: REIMBURSEMENT
DB2 ALIAS: LINE_NCH_PMT_AMT
SAS ALIAS: LINEPMT
STANDARD ALIAS: LINE_NCH_PMT_AMT
TITLE ALIAS: REIMBURSEMENT
```

COMMENT:
Prior to version H this line item field was named:
CLM_PMT_AMT and the size of this field was
S9(7)V99.

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

SOURCE:
NCH

129. Line Beneficiary Payment	PACK	6
Amount		

Effective with Version H, the payment (reimbursement) made to the beneficiary related to the line item service on the noninstitutional claim.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

```
DB2 ALIAS: LINE_BENE_PMT_AMT
SAS ALIAS: LBENPMT
STANDARD ALIAS: LINE_BENE_PMT_AMT
TITLE ALIAS: BENE_PMT_AMT
```

carrier.txt

SOURCE:
CWF

130. Line Provider Payment	PACK	6
Amount		

Effective with Version H, the payment made to the provider for the line item service on the noninstitutional claim.

NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field.

9.2 DIGITS SIGNED

```
DB2 ALIAS: LINE_PRVDR_PMT_AMT
SAS ALIAS: LPRVPMT
STANDARD ALIAS: LINE_PRVDR_PMT_AMT
TITLE ALIAS: PRVDR_PMT_AMT
```

SOURCE:
CWF

131. Line Beneficiary Part B Deductible Amount	PACK	6
---	------	---

The amount of money for which the carrier has determined that the beneficiary is liable for the Part B cash deductible for the line item service on the noninstitutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_DDCTBL_AMT
SAS ALIAS: LDEDAMT
STANDARD ALIAS: LINE_BENE_PTB_DDCTBL_AMT
TITLE ALIAS: PTB_DED_AMT

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	

EDIT-RULES:
 \$\$\$\$\$\$\$\$\$\$CC

COMMENT:
Prior to Version H this field was named:
BENE_PTB_DDCTBL_LBLTY_AMT and the size of the
field was S9(3)V99.

carrier.txt

SOURCE:
CWF

132. Line Beneficiary Primary Payer Code CHAR 1

The code specifying a federal non-Medicare program or other source that has primary responsibility for the payment of the Medicare beneficiary's medical bills relating to the line item service on the noninstitutional claim.

DB2 ALIAS: LINE_PRMRY_PYR_CD
SAS ALIAS: LPRPAYCD
STANDARD ALIAS: LINE_BENE_PRMRY_PYR_CD
TITLE ALIAS: PRIMARY_PAYER_CD

CODES:
REFER TO: BENE_PRMRY_PYR_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
BENE_PRMRY_PYR_CD.

SOURCE:
CWF,VA,DOL,SSA

133. Line Beneficiary Primary Payer Paid Amount PACK 6

The amount of a payment made on behalf of a Medicare beneficiary by a primary payer other than Medicare, that the provider is applying to covered Medicare charges for to the line ITEM SERVICE ON THE NONINSTITUTIONAL.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_PRMRY_PYR_PD
SAS ALIAS: LPRPDAMT
STANDARD ALIAS: LINE_BENE_PRMRY_PYR_PD_AMT
TITLE ALIAS: PRMRY_PYR_PD

EDIT-RULES:
\$\$\$\$\$\$\$\$CC

COMMENT:
Prior to Version H this field was named:
BENE_PRMRY_PYR_PMT_AMT and the field size

NAME	TYPE	LENGTH	BEG	END	carrier.txt	CONTENTS
						was S9(5)V99.
						SOURCE: CWF
134. Line Coinsurance Amount	PACK	6				Effective with Version H, the beneficiary coinsurance liability amount for this line item service on the noninstitutional claim. NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field. 9.2 DIGITS SIGNED DB2 ALIAS: LINE_COINSRNC_AMT SAS ALIAS: COINAMT STANDARD ALIAS: LINE_COINSRNC_AMT TITLE ALIAS: COINSRNC_AMT SOURCE: CWF
135. Carrier Line Psychiatric, Occupational Therapy, Physical Therapy Limit Amount	PACK	6				For type of service psychiatric, occupational therapy or physical therapy, the amount of allowed charges applied toward the limit cap for this line item service on the noninstitutional claim. 9.2 DIGITS SIGNED DB2 ALIAS: PSYCH_OT_PT_LMT SAS ALIAS: LLMTAMT STANDARD ALIAS: CARR_LINE_PSYCH_OT_PT_LMT_AMT TITLE ALIAS: PSYCH_OT_PT_LIMIT COMMENT: Prior to Version H this field was named: CWFB_PSYCH_OT_PT_LMT_AMT and the field size was S9(5)V99. SOURCE: CWF
136. Line Interest Amount	PACK	6				Amount of interest to be paid for this line

carrier.txt
item service on the noninstitutional claim.
**NOTE: This is not included in the line item
NCH payment (reimbursement) amount.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_INTRST_AMT
SAS ALIAS: LINT_AMT
STANDARD ALIAS: LINE_INTRST_AMT
TITLE ALIAS: INTRST_AMT

1

Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
						EDIT-RULES: \$\$\$\$\$\$\$\$\$CC
						COMMENT: Prior to Version H this field was named: CWFB_INTRST_AMT and the field size was S9(5)V99.
						SOURCE: CWF
137.	Line Primary Payer Allowed Charge Amount	PACK	6			Effective with Version H, the primary payer allowed charge amount for the line item service on the noninstitutional claim. NOTE: Beginning with NCH weekly process date 10/3/97 this field was populated with data. Claims processed prior to 10/3/97 will contain zeroes in this field. 9.2 DIGITS SIGNED DB2 ALIAS: PRMRY_PYR_ALLOW_AMT SAS ALIAS: PRPYALLOW STANDARD ALIAS: LINE_PRMRY_PYR_ALLOW_CHRG_AMT TITLE ALIAS: PRMRY_PYR_ALLOW_CHRG SOURCE: CWF
138.	Line 10% Penalty Reduction Amount	PACK	6			Effective with Version H, the 10% payment reduction amount (applicable to a late

carrier.txt
filing claim) for the line item service.
on the noninstitutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: TENPCT_PNLTY_AMT
SAS ALIAS: PNLTYAMT
STANDARD ALIAS: LINE_10PCT_PNLTY_RDCTN_AMT
TITLE ALIAS: TENPCT_PNLTY

SOURCE:
CWF

139. Carrier Line Blood PACK 2
Deductible Pints Quantity

The blood pints quantity (deductible) for the
line item on the carrier claim (non-DMERC).

3 DIGITS SIGNED

DB2 ALIAS: LINE_BLOOD_DDCTBL
SAS ALIAS: LBLD_DED
STANDARD ALIAS: CARR_LINE_BLOOD_DDCTBL_QTY
TITLE ALIAS: BLOOD_DDCTBL

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
-----		----	-----	-----	-----	-----

EDIT-RULES:
NUMERIC

COMMENT:
Prior to Version H this field was named:
CWFB_LINE_BLOOD_DDCTBL_QTY.

SOURCE:
CWF

140. Line Submitted Charge PACK 6
Amount

The amount of submitted charges for the line
item service on the noninstitutional claim.

9.2 DIGITS SIGNED

DB2 ALIAS: LINE_SBMT_CHRG_AMT
SAS ALIAS: LSBMTCHG
STANDARD ALIAS: LINE_SBMT_CHRG_AMT
TITLE ALIAS: SBMT_CHRG

carrier.txt

EDIT-RULES:
 \$\$\$\$\$\$\$\$\$\$CC

COMMENT:
Prior to Version H this field was named:
CWFB_SBMT_CHRG_AMT and the field size was
S9(5)V99.

SOURCE:
CWF

141. Line Allowed Charge Amount PACK 6

The amount of allowed charges for the line item service on the noninstitutional claim. This charge is used to compute pay to providers or reimbursement to beneficiaries. **NOTE: The allowed charge is determined by the lower of three charges: prevailing, customary or actual.

9.2 DIGITS SIGNED

```
DB2 ALIAS: LINE_ALLOW_CHRG_AMT
SAS ALIAS: LALLOWCHG
STANDARD ALIAS: LINE_ALLOW_CHRG_AMT
TITLE ALIAS: ALLOW_CHRG
```

EDIT-RULES:
 \$\$\$\$CC

COMMENT:
Prior to Version H this field was named:
CWFB_ALLOW_CHRG_AMT and the field size was
S9(5)V99.

SOURCE:
CWF

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
142. Carrier Line Clinical Lab Number	CHAR	10			<p>The identification number assigned to the clinical laboratory providing services for the line item on the carrier claim (non-DMERC).</p> <p>DB2 ALIAS: CLNCL_LAB_NUM SAS ALIAS: LAB_NUM</p>

carrier.txt
STANDARD ALIAS: CARR_LINE_CLNCL_LAB_NUM
TITLE ALIAS: LAB_NUM

COMMENT:
Prior to Version H this field was named:
CWFB_CLNCL_LAB_NUM.

SOURCE:
CWF

143. Carrier Line Clinical Lab Charge Amount PACK 6

Fee schedule charge amount applied for the line item clinical laboratory service on the carrier claim (non-DMERC).

9.2 DIGITS SIGNED

DB2 ALIAS: CLNCL_LAB_CHRG_AMT
SAS ALIAS: LAB_AMT
STANDARD ALIAS: CARR_LINE_CLNCL_LAB_CHRG_AMT
TITLE ALIAS: LAB_CHRG

EDIT-RULES:
\$\$\$\$\$\$C

COMMENT:
Prior to Version H this field was named:
CWFB_CLNCL_LAB_CHRG_AMT and the field size was
S9(5)V99.

SOURCE:
CWF

144. Line Processing Indicator Code CHAR 1

The code indicating the reason a line item on the noninstitutional claim was allowed or denied.

DB2 ALIAS: LINE_PRCSG_IND_CD
SAS ALIAS: PRCNGIND
STANDARD ALIAS: LINE_PRCSG_IND_CD
TITLE ALIAS: PRCSG_IND

CODES:
REFER TO: LINE_PRCSG_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PRCSG_IND_CD.

1

carrier.txt
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
-----	----	-----	BEG	END	-----
					SOURCE: CWF
145. Line Payment 80%/100% Code	CHAR	1			The code indicating that the amount shown in the payment field on the noninstitutional line item represents either 80% or 100% of the allowed charges less any deductible, or 100% limitation of liability only. COMMON ALIAS: REIMBURSEMENT_IND DB2 ALIAS: LINE_PMT_80_100_CD SAS ALIAS: PMTINDSW STANDARD ALIAS: LINE_PMT_80_100_CD TITLE ALIAS: REINBURSEMENT_IND CODES: 0 = 80% 1 = 100% 3 = 100% Limitation of liability only COMMENT: Prior to Version H this field was named: CWFB_PMT_80_100_CD. SOURCE: CWF
146. Line Service Deductible Indicator Switch	CHAR	1			Switch indicating whether or not the line item service on the noninstitutional claim is subject to a deductible. DB2 ALIAS: SRVC_DDCTBL_SW SAS ALIAS: DED_SW STANDARD ALIAS: LINE_SRVC_DDCTBL_IND_SW TITLE ALIAS: SRVC_DED_IND CODES: 0 = Service subject to deductible 1 = Service not subject to deductible COMMENT: Prior to Version H this field was named:

carrier.txt
CWFB_SRVC_DDCTBL_IND_SW.

SOURCE:
CWF

147. Line Payment Indicator Code CHAR 1

Code that indicates the payment screen used to determine the allowed charge for the line item service on the noninstitutional claim.

DB2 ALIAS: LINE_PMT_IND_CD
SAS ALIAS: PMTINDCD
STANDARD ALIAS: LINE_PMT_IND_CD
TITLE ALIAS: PMT_IND

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS BEG END	CONTENTS
------	------	--------	----------------------	----------

CODES:
REFER TO: LINE_PMT_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_PMT_IND_CD.

SOURCE:
CWF

148. Carrier Line Miles/Time/Units/Services Count PACK 2

The count of the total units associated with services needing unit reporting such as transportation, miles, anesthesia time units, number of services, volume of oxygen or blood units. This is a line item field on the carrier claim (non-DMERC) and is used for both allowed and denied services.

3 DIGITS SIGNED

DB2 ALIAS: LINE_MTUS_CNT
SAS ALIAS: MTUS_CNT
STANDARD ALIAS: CARR_LINE_MTUS_CNT
TITLE ALIAS: MTUS_CNT

EDIT-RULES:
For CARR_LINE_MTUS_IND_CD equal to 2 (anesthesia time units) there is one implied decimal point.

carrier.txt

COMMENT:
Prior to Version H this field was named:
CWFB_MTUS_CNT.

SOURCE:
CWF

149. Carrier Line
Miles/Time/Units/Services
Indicator Code

CHAR 1

Code indicating the units associated with
services needing unit reporting on the line
item for the carrier claim (non-DMERC).

DB2 ALIAS: LINE_MTUS_IND_CD
SAS ALIAS: MTUS_IND
STANDARD ALIAS: CARR_LINE_MTUS_IND_CD
TITLE ALIAS: MTUS_IND

CODES:
0 = Values reported as zero (no allowed
activities)
1 = Transportation (ambulance) miles
2 = Anesthesia time units
3 = Services
4 = Oxygen units
5 = Units of blood

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	

6 = Anesthesia base and time units (prior
to 1991; from BMAD)

COMMENT:
Prior to Version H this field was named:
CWFB_MTUS_IND_CD.

SOURCE:
CWF

150. Line Diagnosis Code

CHAR 5

The ICD-9-CM code indicating the diagnosis
supporting this line item procedure/service
on the noninstitutional claim.

DB2 ALIAS: LINE_DGNS_CD
SAS ALIAS: LINEDGNS
STANDARD ALIAS: LINE_DGNS_CD

carrier.txt
TITLE ALIAS: DGNS_CD

EDIT-RULES:
ICD-9-CM

COMMENT:
Prior to Version H this field was named:
CWFB_LINE_DGNS_CD.

SOURCE:
CWF

151. FILLER CHAR 1

152. Carrier Line Anesthesia Base Unit Count PACK 2

The base number of units assigned to the line item anesthesia procedure on the carrier claim (non-DMERC).

3 DIGITS SIGNED

DB2 ALIAS: ANSTHSA_UNIT_CNT
SAS ALIAS: ANSTHUNT
STANDARD ALIAS: CARR_LINE_ANSTHSA_UNIT_CNT
TITLE ALIAS: ANSTHSA_UNITS

COMMENT:
Prior to Version H this field was named:
CWFB_ANSTHSA_BASE_UNIT_CNT.

SOURCE:
CWF

153. Carrier Line CLIA Alert Indicator Code CHAR 1

Effective with Version G, the alert code (resulting from CLIA editing) added by CWF as a line item on the carrier claim (non-DMERC).

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME	TYPE	LENGTH	POSITIONS		CONTENTS
			BEG	END	
-----	----	-----	-----	-----	-----
DB2 ALIAS: CLIA_ALERT_IND_CD					
SAS ALIAS: CLIAALRT					
STANDARD ALIAS: CARR_LINE_CLIA_ALERT_IND_CD					
TITLE ALIAS: CLIA_ALERT					

CODES:

carrier.txt
(Effective 9/92 but not stored until 10/93)
0 = No Alert
1 = 77X9
2 = 77XA
3 = 77X5
4 = 77X6
5 = 77X7
6 = 77X8
7 = 77XB

COMMENT:
Prior to Version H this field was named:
CWFB_CLIA_ALERT_IND_CD.

SOURCE:
CWF

154. Line Additional Claim Documentation Indicator Code CHAR 1

Effective 5/92, the code indicating additional claim documentation was submitted for this line item service on the noninstitutional claim.

COMMON ALIAS: DOCUMENT_IND
DB2 ALIAS: ADDTNL_DCMTN_CD
SAS ALIAS: DCMTN_CD
STANDARD ALIAS: LINE_ADDTNL_CLM_DCMTN_IND_CD
TITLE ALIAS: ADDTNL_DCMTN_IND

EDIT-RULES:
In any case where more than one value is applicable, highest number is shown.

CODES:
REFER TO: LINE_ADDTNL_CLM_DCMTN_IND_TB
IN THE CODES APPENDIX

COMMENT:
Prior to Version H this field was named:
CWFB_ADDTNL_CLM_DCMTN_IND_CD.

SOURCE:
CWF

155. Carrier Line DME Coverage Period Start Date NUM 8

Effective 5/92 through 6/94, as line item on the carrier claim (non-DMERC), the date durable medical equipment (DME) coverage period started per certificate of medical necessity, prescription, other documentation or carrier determination. This field is applicable to line items involving DME,

1

carrier.txt
prosthetic, orthotic and supply items, immuno-
Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		POSITIONS		CONTENTS
-----	-----	-----	-----	
				suppressive drugs, pen, ESRD and oxygen items referred to as DMEPOS).
				8 DIGITS UNSIGNED
				DB2 ALIAS: DME_CVRG_STRT_DT
				SAS ALIAS: DMEST_DT
				STANDARD ALIAS: CARR_LINE_DME_CVRG_PRD_STRT_DT
				TITLE ALIAS: DME_CVRG_START_DT
				EDIT-RULES:
				YYYYMMDD
				COMMENT:
				Prior to Version H this field was named:
				CWFB_DME_CVRG_PRD_STRT_DT.
				SOURCE:
				CWF
				LIMITATIONS:
				When the revised DME processing was implemented (phased in between 10/93-6/94), this field was not included on the new DMERC claim; it is being reported on the certificate of medical necessity (CMN) transaction. HCFA does not receive CMN transaction from CWF.
156. Line DME Purchase Price Amount	PACK	6		Effective 5/92, the amount representing the lower of fee schedule for purchase of new or used DME, or actual charge. In case of rental DME, this amount represents the purchase cap; rental payments can only be made until the cap is met. This line item field is applicable to non-institutional claims involving DME, prosthetic, orthotic and supply items, immunosuppressive drugs, pen, ESRD and oxygen items referred to as DMEPOS.
				9.2 DIGITS SIGNED

carrier.txt
DB2 ALIAS: DME_PURC_PRICE_AMT
SAS ALIAS: DME_PURC
STANDARD ALIAS: LINE_DME_PURC_PRICE_AMT
TITLE ALIAS: DME_PURC_PRICE

EDIT-RULES:
\$\$\$\$\$\$\$\$\$CC

COMMENT:
Prior to Version H this field was named:
CWFB_DME_PURC_PRICE_AMT and the field size
was S9(5)V99.

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
						SOURCE: CWF
157.	Carrier Line DME Medical Necessity Month Count	PACK	2			Effective 5/92 through 6/94, as line item on the carrier claim (non-DMERC), the count determined by the carrier showing the length of need (medical necessity for DME in months from the start date through the determined period of need. This field is applicable to line items involving DME, prosthetic, orthotic and supply items, immuno-suppressive drugs, pen, ESRD and oxygen items referred to as DMEPOS). Exception: If the DME is determined to be medically necessary for the life of the beneficiary, 99 is placed in this field, rather than a month count. 3 DIGITS SIGNED DB2 ALIAS: DME_NCSTY_MO_CNT SAS ALIAS: NCSTY_MO STANDARD ALIAS: CARR_LINE_DME_NCSTY_MO_CNT TITLE ALIAS: DME_NCSTY_MONTHS

COMMENT:
Prior to Version H this field was named:

carrier.txt
CWFB_DME_MDCL_NCSTY_MO_CNT.

SOURCE:
CWF

LIMITATIONS:
When the revised DME processing was implemented (phased in between 10/93-6/94), this field was not included on the new DMERC claim; it is being reported on the certificate of medical necessity (CMN) transaction. HCFA does not receive CMN transaction from CWF.

158. FILLER CHAR 50

159. End of Record Code CHAR 3

Effective with Version 'I', the code used to identify the end of a record/segment or the end of the claim.

DB2 ALIAS: END_REC_CD
SAS ALIAS: EOR
STANDARD ALIAS: END_REC_CD
TITLE ALIAS: END_OF_REC

1 Carrier Claim Record -- FROM CMS DATA DICTIONARY -- 10/2002

NAME		TYPE	LENGTH	POSITIONS		CONTENTS
				BEG	END	
-----		----	-----	-----	-----	-----

CODES:
EOR = End of Record/Segment
EOC= End of Claim

COMMENT:
Prior to Version I this field was named:
END_REC_CNSTNT.

SOURCE:
NCH

1 BENE_IDENT_TB Beneficiary Identification Code (BIC) Table

Social Security Administration:

A = Primary claimant

carrier.txt

B = Aged wife, age 62 or over (1st claimant)
 B1 = Aged husband, age 62 or over (1st claimant)
 B2 = Young wife, with a child in her care (1st claimant)
 B3 = Aged wife (2nd claimant)
 B4 = Aged husband (2nd claimant)
 B5 = Young wife (2nd claimant)
 B6 = Divorced wife, age 62 or over (1st claimant)
 B7 = Young wife (3rd claimant)
 B8 = Aged wife (3rd claimant)
 B9 = Divorced wife (2nd claimant)
 BA = Aged wife (4th claimant)
 BD = Aged wife (5th claimant)
 BG = Aged husband (3rd claimant)
 BH = Aged husband (4th claimant)
 BJ = Aged husband (5th claimant)
 BK = Young wife (4th claimant)
 BL = Young wife (5th claimant)
 BN = Divorced wife (3rd claimant)
 BP = Divorced wife (4th claimant)
 BQ = Divorced wife (5th claimant)
 BR = Divorced husband (1st claimant)
 BT = Divorced husband (2nd claimant)
 BW = Young husband (2nd claimant)
 BY = Young husband (1st claimant)
 C1-C9, CA-CZ = Child (includes minor, student or disabled child)
 D = Aged widow, 60 or over (1st claimant)
 D1 = Aged widower, age 60 or over (1st claimant)
 D2 = Aged widow (2nd claimant)
 D3 = Aged widower (2nd claimant)
 D4 = Widow (remarried after attainment of age 60) (1st claimant)
 D5 = widower (remarried after attainment of age 60) (1st claimant)
 D6 = Surviving divorced wife, age 60 or over (1st claimant)
 D7 = Surviving divorced wife (2nd claimant)
 D8 = Aged widow (3rd claimant)
 D9 = Remarried widow (2nd claimant)
 DA = Remarried widow (3rd claimant)
 DC = Surviving divorced husband (1st claimant)
 DD = Aged widow (4th claimant)
 DG = Aged widow (5th claimant)

1

BENE_IDENT_TB

carrier.txt

DH = Aged widower (3rd claimant)
DJ = Aged widower (4th claimant)
DK = Aged widower (5th claimant)
DL = Remarried widow (4th claimant)
DM = Surviving divorced husband (2nd claimant)

Beneficiary Identification Code (BIC) Table

DN = Remarried widow (5th claimant)
DP = Remarried widower (2nd claimant)
DQ = Remarried widower (3rd claimant)
DR = Remarried widower (4th claimant)
DS = Surviving divorced husband (3rd claimant)
DT = Remarried widower (5th claimant)
DV = Surviving divorced wife (3rd claimant)
DW = Surviving divorced wife (4th claimant)
DX = Surviving divorced husband (4th claimant)
DY = Surviving divorced wife (5th claimant)
DZ = Surviving divorced husband (5th claimant)
E = Mother (widow) (1st claimant)
E1 = Surviving divorced mother (1st claimant)
E2 = Mother (widow) (2nd claimant)
E3 = Surviving divorced mother (2nd claimant)
E4 = Father (widower) (1st claimant)
E5 = Surviving divorced father (widower) (1st claimant)
E6 = Father (widower) (2nd claimant)
E7 = Mother (widow) (3rd claimant)
E8 = Mother (widow) (4th claimant)
E9 = Surviving divorced father (widower) (2nd claimant)
EA = Mother (widow) (5th claimant)
EB = Surviving divorced mother (3rd claimant)
EC = Surviving divorced mother (4th claimant)
ED = Surviving divorced mother (5th claimant)
EF = Father (widower) (3rd claimant)
EG = Father (widower) (4th claimant)
EH = Father (widower) (5th claimant)
EJ = Surviving divorced father (3rd claimant)

claimant)
EK = Surviving divorced father (4th
claimant)
EM = Surviving divorced father (5th
claimant)
F1 = Father
F2 = Mother
F3 = Stepfather
F4 = Stepmother
F5 = Adopting father
F6 = Adopting mother
F7 = Second alleged father
F8 = Second alleged mother
J1 = Primary prouty entitled to HIB
(less than 3 Q.C.) (general fund)
J2 = Primary prouty entitled to HIB
(over 2 Q.C.) (RSI trust fund)
J3 = Primary prouty not entitled to HIB
(less than 3 Q.C.) (general fund)
Beneficiary Identification Code (BIC) Table

1 BENE_IDENT_TB

J4 = Primary prouty not entitled to HIB
(over 2 Q.C.) (RSI trust fund)
K1 = Prouty wife entitled to HIB (less than
3 Q.C.) (general fund) (1st claimant)
K2 = Prouty wife entitled to HIB (over 2
Q.C.) (RSI trust fund) (1st claimant)
K3 = Prouty wife not entitled to HIB (less
than 3 Q.C.) (general fund) (1st
claimant)
K4 = Prouty wife not entitled to HIB (over
2 Q.C.) (RSI trust fund) (1st
claimant)
K5 = Prouty wife entitled to HIB (less than
3 Q.C.) (general fund) (2nd claimant)
K6 = Prouty wife entitled to HIB (over 2
Q.C.) (RSI trust fund) (2nd claimant)
K7 = Prouty wife not entitled to HIB (less
than 3 Q.C.) (general fund) (2nd
claimant)
K8 = Prouty wife not entitled to HIB (over
2 Q.C.) (RSI trust fund) (2nd
claimant)
K9 = Prouty wife entitled to HIB (less than
3 Q.C.) (general fund) (3rd claimant)
KA = Prouty wife entitled to HIB (over 2
Q.C.) (RSI trust fund) (3rd claimant)

carrier.txt

KB = Prouty wife not entitled to HIB (less than 3 Q.C.) (general fund) (3rd claimant)

KC = Prouty wife not entitled to HIB (over 2 Q.C.) (RSI trust fund) (3rd claimant)

KD = Prouty wife entitled to HIB (less than 3 Q.C.) (general fund) (4th claimant)

KE = Prouty wife entitled to HIB (over 2 Q.C. (4th claimant)

KF = Prouty wife not entitled to HIB (less than 3 Q.C.)(4th claimant)

KG = Prouty wife not entitled to HIB (over 2 Q.C.)(4th claimant)

KH = Prouty wife entitled to HIB (less than 3 Q.C.)(5th claimant)

KJ = Prouty wife entitled to HIB (over 2 Q.C.) (5th claimant)

KL = Prouty wife not entitled to HIB (less than 3 Q.C.)(5th claimant)

KM = Prouty wife not entitled to HIB (over 2 Q.C.) (5th claimant)

M = Uninsured-not qualified for deemed HIB

M1 = Uninsured-qualified but refused HIB

T = Uninsured-entitled to HIB under deemed or renal provisions

TA = MQGE (primary claimant)

TB = MQGE aged spouse (first claimant)

TC = MQGE disabled adult child (first claimant)

TD = MQGE aged widow(er) (first claimant)

TE = MQGE young widow(er) (first claimant)

TF = MQGE parent (male)

Beneficiary Identification Code (BIC) Table

1 BENE_IDENT_TB

TG = MQGE aged spouse (second claimant)

TH = MQGE aged spouse (third claimant)

TJ = MQGE aged spouse (fourth claimant)

TK = MQGE aged spouse (fifth claimant)

TL = MQGE aged widow(er) (second claimant)

TM = MQGE aged widow(er) (third claimant)

TN = MQGE aged widow(er) (fourth claimant)

TP = MQGE aged widow(er) (fifth claimant)

TQ = MQGE parent (female)

TR = MQGE young widow(er) (second claimant)

TS = MQGE young widow(er) (third claimant)

TT = MQGE young widow(er) (fourth claimant)

TU = MQGE young widow(er) (fifth claimant)

carrier.txt
TV = MQGE disabled widow(er) fifth claimant
TW = MQGE disabled widow(er) first claimant
TX = MQGE disabled widow(er) second claimant
TY = MQGE disabled widow(er) third claimant
TZ = MQGE disabled widow(er) fourth claimant
T2-T9 = Disabled child (second to ninth
claimant)
W = Disabled widow, age 50 or over (1st
claimant)
W1 = Disabled widower, age 50 or over (1st
claimant)
W2 = Disabled widow (2nd claimant)
W3 = Disabled widower (2nd claimant)
W4 = Disabled widow (3rd claimant)
W5 = Disabled widower (3rd claimant)
W6 = Disabled surviving divorced wife (1st
claimant)
W7 = Disabled surviving divorced wife (2nd
claimant)
W8 = Disabled surviving divorced wife (3rd
claimant)
W9 = Disabled widow (4th claimant)
WB = Disabled widower (4th claimant)
WC = Disabled surviving divorced wife (4th
claimant)
WF = Disabled widow (5th claimant)
WG = Disabled widower (5th claimant)
WJ = Disabled surviving divorced wife (5th
claimant)
WR = Disabled surviving divorced husband
(1st claimant)
WT = Disabled surviving divorced husband
(2nd claimant)

Railroad Retirement Board:

NOTE:
Employee: a Medicare beneficiary who is
still working or a worker who
died before retirement
Annuitant: a person who retired under the
railroad retirement act on or
after 03/01/37

Beneficiary Identification Code (BIC) Table

Pensioner: a person who retired prior to
03/01/37 and was included in the

carrier.txt

- 10 = Retirement - employee or annuitant
- 80 = RR pensioner (age or disability)
- 14 = Spouse of RR employee or annuitant
(husband or wife)
- 84 = Spouse of RR pensioner
- 43 = Child of RR employee
- 13 = Child of RR annuitant
- 17 = Disabled adult child of RR annuitant
- 46 = widow/widower of RR employee
- 16 = widow/widower of RR annuitant
- 86 = widow/widower of RR pensioner
- 43 = widow of employee with a child in her care
- 13 = widow of annuitant with a child in her care
- 83 = widow of pensioner with a child in her care
- 45 = Parent of employee
- 15 = Parent of annuitant
- 85 = Parent of pensioner
- 11 = Survivor joint annuitant
(reduced benefits taken to insure benefits
for surviving spouse)

1 BENE_PRMRY_PYR_TB

Beneficiary Primary Payer Table

- A = working aged bene/spouse with employer group health plan (EGHP)
- B = End stage renal disease (ESRD) beneficiary in the 18 month coordination period with an employer group health plan
- C = Conditional payment by Medicare; future reimbursement expected
- D = Automobile no-fault (eff. 4/97; Prior to 3/94, also included any liability insurance)
- E = Workers' compensation
- F = Public Health Service or other federal agency (other than Dept. of Veterans Affairs)
- G = working disabled bene (under age 65 with LGHP)
- H = Black Lung
- I = Dept. of Veterans Affairs
- J = Any liability insurance (eff. 3/94 - 3/97)
- L = Any liability insurance (eff. 4/97)

carrier.txt
(eff. 12/90 for carrier claims and 10/93
for FI claims; obsoleted for all claim
types 7/1/96)

M = Override code: EGHP services involved
(eff. 12/90 for carrier claims and 10/93
for FI claims; obsoleted for all claim
types 7/1/96)

N = Override code: non-EGHP services involved
(eff. 12/90 for carrier claims and 10/93
for FI claims; obsoleted for all claim
types 7/1/96)

BLANK = Medicare is primary payer (not sure
of effective date: in use 1/91, if
not earlier)

T = MSP cost avoided - IEQ contractor
(eff. 7/96 carrier claims only)

U = MSP cost avoided - HMO rate cell adjust-
ment contractor (eff. 7/96 carrier claims
only)

V = MSP cost avoided - litigation settlement
contractor (eff. 7/96 carrier claims
only)

X = MSP cost avoided override code (eff.
12/90 for carrier claims and 10/93 for
FI claims; obsoleted for all claim types
7/1/96)

Prior to 12/90

Y = Other secondary payer investigation
shows Medicare as primary payer
Beneficiary Primary Payer Table

Z = Medicare is primary payer

NOTE: Values C, M, N, Y, Z and BLANK
indicate Medicare is primary payer.
(values Z and Y were used prior to
12/90. BLANK was suppose to be
effective after 12/90, but may have
been used prior to that date.)

1 BENE_PRMRY_PYR_TB

M1A = Office visits - new
 M1B = Office visits - established
 M2A = Hospital visit - initial
 M2B = Hospital visit - subsequent
 M2C = Hospital visit - critical care
 M3 = Emergency room visit
 M4A = Home visit
 M4B = Nursing home visit
 M5A = Specialist - pathology
 M5B = Specialist - psychiatry
 M5C = Specialist - opthamology
 M5D = Specialist - other
 M6 = Consultations
 P0 = Anesthesia
 P1A = Major procedure - breast
 P1B = Major procedure - colectomy
 P1C = Major procedure - cholecystectomy
 P1D = Major procedure - turp
 P1E = Major procedure - hysterctomy
 P1F = Major procedure - explor/decompr/excisdisc
 P1G = Major procedure - Other
 P2A = Major procedure, cardiovascular-CABG
 P2B = Major procedure, cardiovascular-Aneurysm repair
 P2C = Major Procedure, cardiovascular-Thromboendarterectomy
 P2D = Major procedure, cardiovascularr-Coronary angioplasty (PTCA)
 P2E = Major procedure, cardiovascular-Pacemaker insertion
 P2F = Major procedure, cardiovascular-Other
 P3A = Major procedure, orthopedic - Hip fracture repair
 P3B = Major procedure, orthopedic - Hip replacement
 P3C = Major procedure, orthopedic - Knee replacement
 P3D = Major procedure, orthopedic - other
 P4A = Eye procedure - corneal transplant
 P4B = Eye procedure - cataract removal/lens insertion
 P4C = Eye procedure - retinal detachment
 P4D = Eye procedure - treatment
 P4E = Eye procedure - other
 P5A = Ambulatory procedures - skin
 P5B = Ambulatory procedures - musculoskeletal
 P5C = Ambulatory procedures - inguinal hernia repair
 P5D = Ambulatory procedures - lithotripsy
 P5E = Ambulatory procedures - other
 P6A = Minor procedures - skin
 P6B = Minor procedures - musculoskeletal
 P6C = Minor procedures - other (Medicare fee schedule)

carrier.txt

P6D = Minor procedures - other (non-Medicare fee schedule)
 P7A = Oncology - radiation therapy
 P7B = Oncology - other
 P8A = Endoscopy - arthroscopy
 P8B = Endoscopy - upper gastrointestinal
 P8C = Endoscopy - sigmoidoscopy
 P8D = Endoscopy - colonoscopy
 P8E = Endoscopy - cystoscopy
 P8F = Endoscopy - bronchoscopy
 P8G = Endoscopy - laparoscopic cholecystectomy
 P8H = Endoscopy - laryngoscopy
 P8I = Endoscopy - other
 P9A = Dialysis services

BETOS Table

I1A = Standard imaging - chest
 I1B = Standard imaging - musculoskeletal
 I1C = Standard imaging - breast
 I1D = Standard imaging - contrast gastrointestinal
 I1E = Standard imaging - nuclear medicine
 I1F = Standard imaging - other
 I2A = Advanced imaging - CAT: head
 I2B = Advanced imaging - CAT: other
 I2C = Advanced imaging - MRI: brain
 I2D = Advanced imaging - MRI: other
 I3A = Echography - eye
 I3B = Echography - abdomen/pelvis
 I3C = Echography - heart
 I3D = Echography - carotid arteries
 I3E = Echography - prostate, transrectal
 I3F = Echography - other
 I4A = Imaging/procedure - heart including cardiac catheter
 I4B = Imaging/procedure - other
 T1A = Lab tests - routine venipuncture (non Medicare fee schedule)
 T1B = Lab tests - automated general profiles
 T1C = Lab tests - urinalysis
 T1D = Lab tests - blood counts
 T1E = Lab tests - glucose
 T1F = Lab tests - bacterial cultures
 T1G = Lab tests - other (Medicare fee schedule)
 T1H = Lab tests - other (non-Medicare fee schedule)
 T2A = Other tests - electrocardiograms
 T2B = Other tests - cardiovascular stress tests
 T2C = Other tests - EKG monitoring
 T2D = Other tests - other

carrier.txt
D1A = Medical/surgical supplies
D1B = Hospital beds
D1C = Oxygen and supplies
D1D = Wheelchairs
D1E = Other DME
D1F = Orthotic devices
O1A = Ambulance
O1B = Chiropractic
O1C = Enteral and parenteral
O1D = Chemotherapy
O1E = Other drugs
O1F = Vision, hearing and speech services
O1G = Influenza immunization
Y1 = Other - Medicare fee schedule
Y2 = Other - non-Medicare fee schedule
Z1 = Local codes
Z2 = Undefined codes

1 CARR_CLM_PMT_DNL_TB

Carrier Claim Payment Denial Table

0 = Denied
1 = Physician/supplier
2 = Beneficiary
3 = Both physician/supplier and beneficiary
4 = Hospital (hospital based physicians)
5 = Both hospital and beneficiary
6 = Group practice prepayment plan
7 = Other entries (e.g. Employer, union)
8 = Federally funded
9 = PA service
A = Beneficiary under limitation of liability
B = Physician/supplier under limitation of liability
D = Denied due to demonstration involvement (eff. 5/97)
E = MSP cost avoided IRS/SSA/HCFA Data Match (eff. 7/3/00)
F = MSP cost avoided HMO Rate Cell (eff. 7/3/00)
G = MSP cost avoided Litigation Settlement (eff. 7/3/00)
H = MSP cost avoided Employer Voluntary Reporting (eff. 7/3/00)
J = MSP cost avoided Insurer Voluntary Reporting (eff. 7/3/00)

carrier.txt
K = MSP cost avoided Initial Enrollment
Questionnaire (eff. 7/3/00)
P = Physician ownership denial (eff 3/92)
Q = MSP cost avoided - (Contractor #888888)
voluntary agreement (eff. 1/98)
T = MSP cost avoided - IEQ contractor
(eff. 7/96) (obsolete 6/30/00)
U = MSP cost avoided - HMO rate cell
adjustment (eff. 7/96) (obsolete 6/30/00)
V = MSP cost avoided - litigation
settlement (eff. 7/96) (obsolete 6/30/00)
X = MSP cost avoided - generic
Y = MSP cost avoided - IRS/SSA data
match project (obsolete 6/30/00)

1 CARR_LINE_PRVDR_TYPE_TB

Carrier Line Provider Type Table

For Physician/Supplier (RIC O) Claims:

- 0 = Clinics, groups, associations,
partnerships, or other entities
- 1 = Physicians or suppliers reporting as
solo practitioners
- 2 = Suppliers (other than sole proprietorship)
- 3 = Institutional provider
- 4 = Independent laboratories
- 5 = Clinics (multiple specialties)
- 6 = Groups (single specialty)
- 7 = Other entities

For DMERC (RIC M) Claims - PRIOR TO VERSION H:

- 0 = Clinics, groups, associations,
partnerships, or other entities
for whom the carrier's own ID number
has been assigned.
- 1 = Physicians or suppliers billing as
solo practitioners for whom SSN's are
shown in the physician ID code field.
- 2 = Physicians or suppliers billing as
solo practitioners for whom the carrier's
own physician ID code is shown.
- 3 = Suppliers (other than sole proprietorship)
for whom EI numbers are used in coding the
ID field.
- 4 = Suppliers (other than sole proprietorship)

carrier.txt
for whom the carrier's own code has been shown.
5 = Institutional providers and independent laboratories for whom EI numbers are used in coding the ID field.
6 = Institutional providers and independent laboratories for whom the carrier's own ID number is shown.
7 = Clinics, groups, associations, or partnerships for whom EI numbers are used in coding the ID field.
8 = Other entities for whom EI numbers are used in coding the ID field or proprietorship for whom EI numbers are used in coding the ID field.

1CARR_LINE_RDCD_PHYSN_ASTNT_TB Carrier Line Part B Reduced Physician Assistant Table

BLANK = Adjustment situation (where CLM_DISP_CD equal 3)
0 = N/A
1 = 65%
 A) Physician assistants assisting in surgery
 B) Nurse midwives
2 = 75%
 A) Physician assistants performing services in a hospital (other than assisting surgery)
 B) Nurse practitioners and clinical nurse specialists performing services in rural areas
 C) Clinical social worker services
3 = 85%
 A) Physician assistant services for other than assisting surgery
 B) Nurse practitioners services

1 CARR_NUM_TB Carrier Number Table

00510 = Alabama BS (eff. 1983)
00511 = Georgia - Alabama BS (eff. 1998)
00512 = Mississippi - Alabama BS (eff. 2000)
00520 = Arkansas BS (eff. 1983)

carrier.txt

00521 = New Mexico - Arkansas BS (eff. 1998)
 00522 = Oklahoma - Arkansas BS (eff. 1998)
 00523 = Missouri - Arkansas BS (eff. 1999)
 00528 = Louisiana - Arkansas BS (eff. 1984)
 00542 = California BS (eff. 1983; term. 1996)
 00550 = Colorado BS (eff. 1983; term. 1994)
 00570 = Delaware - Pennsylvania BS (eff. 1983;
 term. 1997)
 00580 = District of Columbia - Pennsylvania BS
 (eff. 1983; term. 1997)
 00590 = Florida BS (eff. 1983)
 00591 = Connecticut - Florida BS (eff. 2000)
 00621 = Illinois BS - HCSC (eff. 1983; term. 1998)
 00623 = Michigan - Illinois Blue Shield (eff. 1995)
 (term. 1998)
 00630 = Indiana - Administar (eff. 1983)
 00635 = DMERC-B (Administar Federal, Inc.)
 (eff. 1993)
 00640 = Iowa - Wellmark, Inc. (eff. 1983; term. 1998)
 00645 = Nebraska - Iowa BS (eff. 1985; term. 1987)
 00650 = Kansas BS (eff. 1983)
 00655 = Nebraska - Kansas BS (eff. 1988)
 00660 = Kentucky - Administar (eff. 1983)
 00690 = Maryland BS (eff. 1983; term. 1994)
 00700 = Massachusetts BS (eff. 1983; term. 1997)
 00710 = Michigan BS (eff. 1983; term. 1994)
 00720 = Minnesota BS (eff. 1983; term. 1995)
 00740 = Missouri - BS Kansas City (eff. 1983)
 00751 = Montana BS (eff. 1983)
 00770 = New Hampshire/Vermont Physician Services
 (eff. 1983; term. 1984)
 00780 = New Hampshire/Vermont - Massachusetts BS
 (eff. 1985; term. 1997)
 00801 = New York - Western BS (eff. 1983)
 00803 = New York - Empire BS (eff. 1983)
 00805 = New Jersey - Empire BS (eff. 3/99)
 00811 = DMERC (A) - Western New York BS (eff. 2000)
 00820 = North Dakota - North Dakota BS (eff. 1983)
 00824 = Colorado - North Dakota BS (eff. 1995)
 00825 = Wyoming - North Dakota BS (eff. 1990)
 00826 = Iowa - North Dakota BS (eff. 1999)
 00831 = Alaska - North Dakota BS (eff. 1998)
 00832 = Arizona - North Dakota BS (eff. 1998)
 00833 = Hawaii - North Dakota BS (eff. 1998)
 00834 = Nevada - North Dakota BS (eff. 1998)
 00835 = Oregon - North Dakota BS (eff. 1998)
 00836 = Washington - North Dakota BS (eff. 1998)
 00860 = New Jersey - Pennsylvania BS (eff. 1988;

carrier.txt

```

term. 1999)
00865 = Pennsylvania BS (eff. 1983)
00870 = Rhode Island BS (eff. 1983)
00880 = South Carolina BS (eff. 1983)
00882 = RRB - South Carolina PGBA (eff. 2000)
Carrier Number Table
-----

00885 = DMERC C - Palmetto (eff. 1993)
00900 = Texas BS (eff. 1983)
00901 = Maryland - Texas BS (eff. 1995)
00902 = Delaware - Texas BS (eff. 1998)
00903 = District of Columbia - Texas BS (eff. 1998)
00904 = Virginia - Texas BS (eff. 2000)
00910 = Utah BS (eff. 1983)
00951 = Wisconsin - Wisconsin Phy Svc (eff. 1983)
00952 = Illinois - Wisconsin Phy Svc (eff. 1999)
00953 = Michigan - Wisconsin Phy Svc (eff. 1999)
00954 = Minnesota - Wisconsin Phy Svc (eff. 2000)
00973 = Triple-S, Inc. - Puerto Rico (eff. 1983)
00974 = Triple-S, Inc. - Virgin Islands
01020 = Alaska - AETNA (eff. 1983; term. 1997)
01030 = Arizona - AETNA (eff. 1983; term. 1997)
01040 = Georgia - AETNA (eff. 1988; term. 1997)
01120 = Hawaii - AETNA (eff. 1983; term. 1997)
01290 = Nevada - AETNA (eff. 1983; term. 1997)
01360 = New Mexico - AETNA (eff. 1986; term. 1997)
01370 = Oklahoma - AETNA (eff. 1983; term. 1997)
01380 = Oregon - AETNA (eff. 1983; term. 1997)
01390 = Washington - AETNA (eff. 1994; term. 1997)
02050 = California - TOLIC (eff. 1983)
      (term. 2000)
03070 = Connecticut General Life Insurance Co.
      (eff. 1983; term. 1985)
05130 = Idaho - Connecticut General (eff. 1983)
05320 = New Mexico - Equitable Insurance
      (eff. 1983; term. 1985)
05440 = Tennessee - Connecticut General (eff. 1983)
05530 = Wyoming - Equitable Insurance (eff. 1983)
      (term. 1989)
05535 = North Carolina - Connecticut General
      (eff. 1988)
05655 = DMERC-D - Connecticut General (eff. 1993)
10071 = Railroad Board Travelers (eff. 1983)
      (term. 2000)
10230 = Connecticut - Metra Health (eff. 1986)
      (term. 2000)
10240 = Minnesota - Metra Health (eff. 1983)

```

carrier.txt

(term. 2000)
10250 = Mississippi - Metra Health (eff. 1983)
(term. 2000)
10490 = Virginia - Metra Health (eff. 1983)
(term. 2000)
10555 = Travelers Insurance Co. (eff. 1993)
(term. 2000)
11260 = Missouri - General American Life
(eff. 1983; term. 1998)
14330 = New York - GHI (eff. 1983)
16360 = Ohio - Nationwide Insurance Co.
16510 = West Virginia - Nationwide Insurance Co.
21200 = Maine - BS of Massachusetts
31140 = California - National Heritage Ins.
31142 = Maine - National Heritage Ins.
31143 = Massachusetts - National Heritage Ins.
31144 = New Hampshire - National Heritage Ins.
31145 = Vermont - National Heritage Ins.

1 CARR_NUM_TB

Carrier Number Table

31146 = So. California - NHIC (eff. 2000)

1 CLM_DISP_TB

Claim Disposition Table

01 = Debit accepted
02 = Debit accepted (automatic adjustment)
applicable through 4/4/93
03 = Cancel accepted
61 = *Conversion code: debit accepted
62 = *Conversion code: debit accepted
(automatic adjustment)
63 = *Conversion code: cancel accepted

*Used only during conversion period:
1/1/91 - 2/21/91

1 CTGRY_EQTBL_BENE_IDENT_TB

Category Equatable Beneficiary Identification Code (BIC) Table

NCH BIC

SSA Categories

A = A;J1;J2;J3;J4;M;M1;T;TA
B = B;B2;B6;D;D4;D6;E;E1;K1;K2;K3;K4;W;W6;

carrier.txt

TB(F);TD(F);TE(F);TW(F)
 B1 = B1;BR;BY;D1;D5;DC;E4;E5;W1;WR;TB(M)
 TD(M);TE(M);TW(M)
 B3 = B3;B5;B9;D2;D7;D9;E2;E3;K5;K6;K7;K8;W2
 W7;TG(F);TL(F);TR(F);TX(F)
 B4 = B4;BT;BW;D3;DM;DP;E6;E9;W3;WT;TG(M)
 TL(M);TR(M);TX(M)
 B8 = B8;B7;BN;D8;DA;DV;E7;EB;K9;KA;KB;KC;W4
 W8;TH(F);TM(F);TS(F);TY(F)
 BA = BA;BK;BP;DD;DL;DW;E8;EC;KD;KE;KF;KG;W9
 WC;TJ(F);TN(F);TT(F);TZ(F)
 BD = BD;BL;BQ;DG;DN;DY;EA;ED;KH;KJ;KL;KM;WF
 WJ;TK(F);TP(F);TU(F);TV(F)
 BG = BG;DH;DQ;DS;EF;EJ;W5;TH(M);TM(M);TS(M)
 TY(M)
 BH = BH;DJ;DR;DX;EG;EK;WB;TJ(M);TN(M);TT(M)
 TZ(M)
 BJ = BJ;DK;DT;DZ;EH;EM;WG;TK(M);TP(M);TU(M)
 TV(M)
 C1 = C1;TC
 C2 = C2;T2
 C3 = C3;T3
 C4 = C4;T4
 C5 = C5;T5
 C6 = C6;T6
 C7 = C7;T7
 C8 = C8;T8
 C9 = C9;T9
 F1 = F1;TF
 F2 = F2;TQ
 F3-F8 = Equatable only to itself (e.g., F3 IS
 equatable to F3)
 CA-CZ = Equatable only to itself. (e.g., CA is
 only equatable to CA)

 RRB Categories

10 = 10
 11 = 11
 13 = 13;17
 14 = 14;16
 15 = 15
 43 = 43
 45 = 45
 46 = 46
 80 = 80
 83 = 83

84 = 84;86
85 = 85

1 GEO_SSA_STATE_TB

State Table

- 01 = Alabama
- 02 = Alaska
- 03 = Arizona
- 04 = Arkansas
- 05 = California
- 06 = Colorado
- 07 = Connecticut
- 08 = Delaware
- 09 = District of Columbia
- 10 = Florida
- 11 = Georgia
- 12 = Hawaii
- 13 = Idaho
- 14 = Illinois
- 15 = Indiana
- 16 = Iowa
- 17 = Kansas
- 18 = Kentucky
- 19 = Louisiana
- 20 = Maine
- 21 = Maryland
- 22 = Massachusetts
- 23 = Michigan
- 24 = Minnesota
- 25 = Mississippi
- 26 = Missouri
- 27 = Montana
- 28 = Nebraska
- 29 = Nevada
- 30 = New Hampshire
- 31 = New Jersey
- 32 = New Mexico
- 33 = New York
- 34 = North Carolina
- 35 = North Dakota
- 36 = Ohio
- 37 = Oklahoma
- 38 = Oregon
- 39 = Pennsylvania
- 40 = Puerto Rico
- 41 = Rhode Island

- 42 = South Carolina
- 43 = South Dakota
- 44 = Tennessee
- 45 = Texas
- 46 = Utah
- 47 = Vermont
- 48 = Virgin Islands
- 49 = Virginia
- 50 = Washington
- 51 = West Virginia
- 52 = Wisconsin
- 53 = Wyoming
- 54 = Africa
- 55 = Asia
- 56 = Canada & Islands
- 57 = Central America and West Indies

1 GEO_SSA_STATE_TB

State Table

- 58 = Europe
- 59 = Mexico
- 60 = Oceania
- 61 = Philippines
- 62 = South America
- 63 = U.S. Possessions
- 64 = American Samoa
- 65 = Guam
- 66 = Saipan
- 97 = Northern Marianas
- 98 = Guam
- 99 = With 000 county code is American Samoa;
otherwise unknown

1 HCFA_PRVDR_SPCLTY_TB

HCFA Provider Specialty Table

Prior to 5/92

- 01 = General practice
- 02 = General surgery
- 03 = Allergy (revised 10/91 to mean allergy/
immunology)
- 04 = Otolaryngology, laryngology, rhinology
revised 10/91 to mean otolaryngology)
- 05 = Anesthesiology
- 06 = Cardiovascular disease (revised 10/91
to mean cardiology)

- 07 = Dermatology
- 08 = Family practice
- 09 = Gynecology--osteopaths only (deleted 10/91; changed to '16')
- 10 = Gastroenterology
- 11 = Internal medicine
- 12 = Manipulative therapy (osteopaths only) (revised 10/91 to mean osteopathic manipulative therapy)
- 13 = Neurology
- 14 = Neurological surgery (revised 10/91 to mean neurosurgery)
- 15 = Obstetrics--osteopaths only (deleted 10/91; changed to '16')
- 16 = OB-gynecology
- 17 = Ophthalmology, otology, laryngology rhinology--osteopaths only (deleted 10/91; changed to '18' if physicians practice is more than 50% ophthalmology or to '04' if physician's practice is more than 50% otolaryngology. If practice is 50/50, choose specialty with greater allowed charges.
- 18 = Ophthalmology
- 19 = Oral surgery (dentists only)
- 20 = Orthopedic surgery
- 21 = Pathologic anatomy, clinical pathology-osteopaths only (deleted 10/91; changed to '22')
- 22 = Pathology
- 23 = Peripheral vascular disease or surgery (deleted 10/91; changed to '76')
- 24 = Plastic surgery (revised to mean plastic and reconstructive surgery).
- 25 = Physical medicine and rehabilitation
- 26 = Psychiatry
- 27 = Psychiatry, neurology (osteopaths only) (deleted 10/91; changed to '86')
- 28 = Proctology (revised 10/91 to mean colorectal surgery).
- 29 = Pulmonary disease
- 30 = Radiology (revised 10/91 to mean diagnostic radiology)
- 31 = Roentgenology, radiology (osteopaths) (deleted 10/91; changed to '30')
- 32 = Radiation therapy--osteopaths (deleted

HCFA Provider Specialty Table

10/91; changed to '92')
33 = Thoracic surgery
34 = Urology
35 = Chiropractor, licensed (revised 10/91
to mean chiropractic)
36 = Nuclear medicine
37 = Pediatrics (revised 10/91 to mean
pediatric medicine)
38 = Geriatrics (revised 10/91 to mean
geriatric medicine)
39 = Nephrology
40 = Hand surgery
41 = Optometrist - services related to
condition of aphakia (revised 10/91 to
mean optometrist)
42 = Certified nurse midwife (added 7/88)
43 = Certified registered nurse anesthetist
(revised 10/91 to mean CRNA,
anesthesia assistant)
44 = Infectious disease
46 = Endocrinology (added 10/91)
48 = Podiatry - surgery chiropody (revised
10/91 to mean podiatry)
49 = Miscellaneous (include ASCS)
51 = Medical supply company with C.O.
certification (certified orthotist -
certified by American Board for
Certification in Prosthetics and
Orthotics.
52 = Medical supply company with C.P.
certification (certified prosthetist -
certified by American Board for
Certification in Prosthetics and Orthotics).
53 = Medical supply company with C.P.O.
certification (certified prosthetist -
orthotist - certified by American
Board for Certification in Prosthetics
and Orthotics).
54 = Medical supply company not included in
51, 52, or 53.
55 = Individual certified orthotist
56 = Individual certified prosthetist
57 = Individual certified prosthetist -
orthotist
58 = Individuals not included in 55,56 or 57
59 = Ambulance service supplier (e.g.
private ambulance companies, funeral

1 HCFA_PRVDR_SPCLTY_TB

carrier.txt
homes, etc.)
60 = Public health or welfare agencies
(federal, state, and local)
61 = Voluntary health or charitable agencies
(e.g. National Cancer Society, National
Heart Association, Catholic Charities)
62 = Psychologist--billing independently
63 = Portable X-ray supplier--billing
independently (revised 10/91 to mean
portable X-ray supplier)
64 = Audiologist (billing independently)
HCFA Provider Specialty Table

65 = Physical therapist (independent practice)
66 = Rheumatology (added 10/91)
67 = Occupational therapist--independent
practice
68 = Clinical psychologist
69 = Independent laboratory--billing
independently (revised 10/91 to mean
independent clinical laboratory --
billing independently)
70 = Clinic or other group practice, except
Group Practice Prepayment Plan (GPPP)
71 = Group Practice Prepayment Plan - diagnostic
X-ray (do not use after 1/92)
72 = Group Practice Prepayment Plan - diagnostic
laboratory (do not use after 1/92)
73 = Group Practice Prepayment Plan -
physiotherapy (do not use after 1/92)
74 = Group Practice Prepayment Plan - occupational
therapy (do not use after 1/92)
75 = Group Practice Prepayment Plan - other
medical care (do not use after 1/92)
76 = Peripheral vascular disease
(added 10/91)
77 = Vascular surgery (added 10/91)
78 = Cardiac surgery (added 10/91)
79 = Addiction medicine (added 10/91)
80 = Clinical social worker (1991)
81 = Critical care-intensivists (added 10/91)
82 = Ophthalmology, cataracts specialty
(added 10/91; used only until 5/92)
83 = Hematology/oncology (added 10/91)
84 = Preventive medicine (added 10/91)
85 = Maxillofacial surgery (added 10/91)
86 = Neuropsychiatry (added 10/91)

carrier.txt
87 = All other (e.g. drug and department
stores) (revised 10/91 to mean all
other suppliers)
88 = Unknown (revised 10/91 to mean
physician assistant)
90 = Medical oncology (added 10/91)
91 = Surgical oncology (added 10/91)
92 = Radiation oncology (added 10/91)
93 = Emergency medicine (added 10/91)
94 = Interventional radiology (added 10/91)
95 = Independent physiological laboratory
(added 10/91)
96 = Unknown physician specialty
(added 10/91)
99 = Unknown--incl. social worker's
psychiatric services (revised 10/91 to
mean unknown supplier/provider)

Effective 5/92

00 = Carrier wide
01 = General practice
02 = General surgery
03 = Allergy/immunology

HCFA Provider Specialty Table

04 = Otolaryngology
05 = Anesthesiology
06 = Cardiology
07 = Dermatology
08 = Family practice
09 = Gynecology (osteopaths only)
(discontinued 5/92 use code 16)
10 = Gastroenterology
11 = Internal medicine
12 = Osteopathic manipulative therapy
13 = Neurology
14 = Neurosurgery
15 = Obstetrics (osteopaths only)
(discontinued 5/92 use code 16)
16 = Obstetrics/gynecology
17 = Ophthalmology, otology, laryngology,
rhinology (osteopaths only)
(discontinued 5/92 use codes 18 or 04
depending on percentage of practice)
18 = Ophthalmology
19 = Oral surgery (dentists only)

- 20 = Orthopedic surgery
- 21 = Pathologic anatomy, clinical
pathology (osteopaths only)
(discontinued 5/92 use code 22)
- 22 = Pathology
- 23 = Peripheral vascular disease, medical
or surgical (osteopaths only)
(discontinued 5/92 use code 76)
- 24 = Plastic and reconstructive surgery
- 25 = Physical medicine and rehabilitation
- 26 = Psychiatry
- 27 = Psychiatry, neurology (osteopaths
only) (discontinued 5/92 use code 86)
- 28 = Colorectal surgery (formerly
proctology)
- 29 = Pulmonary disease
- 30 = Diagnostic radiology
- 31 = Roentgenology, radiology (osteopaths
only) (discontinued 5/92 use code 30)
- 32 = Radiation therapy (osteopaths only)
(discontinued 5/92 use code 92)
- 33 = Thoracic surgery
- 34 = Urology
- 35 = Chiropractic
- 36 = Nuclear medicine
- 37 = Pediatric medicine
- 38 = Geriatric medicine
- 39 = Nephrology
- 40 = Hand surgery
- 41 = Optometry (revised 10/93 to
mean optometrist)
- 42 = Certified nurse midwife (eff 1/87)
- 43 = Crna, anesthesia assistant
(eff 1/87)
- 44 = Infectious disease
- 45 = Mammography screening center
- 46 = Endocrinology (eff 5/92)

HCFA Provider Specialty Table

- 47 = Independent Diagnostic Testing Facility
(IDTF) (eff. 6/98)
- 48 = Podiatry
- 49 = Ambulatory surgical center
(formerly miscellaneous)
- 50 = Nurse practitioner
- 51 = Medical supply company with
certified orthotist (certified by

carrier.txt

American Board for Certification in
Prosthetics And Orthotics)

52 = Medical supply company with
certified prosthetist
(certified by American Board for
Certification In Prosthetics And
Orthotics)

53 = Medical supply company with
certified prosthetist-orthotist
(certified by American Board for
Certification in Prosthetics
and Orthotics)

54 = Medical supply company not included
in 51, 52, or 53. (Revised 10/93
to mean medical supply company for DMERC)

55 = Individual certified orthotist

56 = Individual certified prosthetist

57 = Individual certified prosthetist-
orthotist

58 = Individuals not included in 55, 56,
or 57 (revised 10/93 to mean medical
supply company with registered
pharmacist)

59 = Ambulance service supplier, e.g.,
private ambulance companies, funeral
homes, etc.

60 = Public health or welfare agencies
(federal, state, and local)

61 = Voluntary health or charitable
agencies (e.g., National Cancer
Society, National Heart Association,
Catholic Charities)

62 = Psychologist (billing independently)

63 = Portable X-ray supplier

64 = Audiologist (billing independently)

65 = Physical therapist (independently
practicing)

66 = Rheumatology (eff 5/92)
Note: during 93/94 DMERC also used this
to mean medical supply company with
respiratory therapist

67 = Occupational therapist (independently
practicing)

68 = Clinical psychologist

69 = Clinical laboratory (billing
independently)

70 = Multispecialty clinic or group
practice

1 HCFA_PRVDR_SPCLTY_TB

carrier.txt
71 = Diagnostic X-ray (GPPP) (not to
be assigned after 5/92)
HCFA Provider Specialty Table

72 = Diagnostic laboratory (GPPP)
(not to be assigned after 5/92)
73 = Physiotherapy (GPPP) (not to be
assigned after 5/92)
74 = Occupational therapy (GPPP)
(not to be assigned after 5/92)
75 = Other medical care (GPPP) (not to
assigned after 5/92)
76 = Peripheral vascular disease
(eff 5/92)
77 = Vascular surgery (eff 5/92)
78 = Cardiac surgery (eff 5/92)
79 = Addiction medicine (eff 5/92)
80 = Licensed clinical social worker
81 = Critical care (intensivists)
(eff 5/92)
82 = Hematology (eff 5/92)
83 = Hematology/oncology (eff 5/92)
84 = Preventive medicine (eff 5/92)
85 = Maxillofacial surgery (eff 5/92)
86 = Neuropsychiatry (eff 5/92)
87 = All other suppliers (e.g. drug and
department stores) (note: DMERC used
87 to mean department store from 10/93
through 9/94; recoded eff 10/94 to A7;
NCH cross-walked DMERC reported 87 to A7.
88 = Unknown supplier/provider specialty
(note: DMERC used 87 to mean grocery
store from 10/93 - 9/94; recoded eff
10/94 to A8; NCH cross-walked DMERC
reported 88 to A8.
89 = Certified clinical nurse specialist
90 = Medical oncology (eff 5/92)
91 = Surgical oncology (eff 5/92)
92 = Radiation oncology (eff 5/92)
93 = Emergency medicine (eff 5/92)
94 = Interventional radiology (eff 5/92)
95 = Independent physiological
laboratory (eff 5/92)
96 = Optician (eff 10/93)
97 = Physician assistant (eff 5/92)
98 = Gynecologist/oncologist (eff 10/94)
99 = Unknown physician specialty

A0 = Hospital (eff 10/93) (DMERCs only)
A1 = SNF (eff 10/93) (DMERCs only)
A2 = Intermediate care nursing facility
(eff 10/93) (DMERCs only)
A3 = Nursing facility, other (eff 10/93)
(DMERCs only)
A4 = HHA (eff 10/93) (DMERCs only)
A5 = Pharmacy (eff 10/93) (DMERCs only)
A6 = Medical supply company with respiratory
therapist (eff 10/93) (DMERCs only)
A7 = Department store (for DMERC use:
eff 10/94, but cross-walked from
code 87 eff 10/93)
A8 = Grocery store (for DMERC use:
eff 10/94, but cross-walked from
HCFA Provider Specialty Table

code 88 eff 10/93)

HCFA Type of Service Table

Page 114

carrier.txt
(discontinued 04/95)
J = Diabetic shoes (eff 04/95)
K = Hearing items and services (eff 04/95)
L = ESRD supplies (eff 04/95)
(renal supplier in the home before 04/95)
M = Monthly capitation payment for dialysis
N = Kidney donor
P = Lump sum purchase of DME, prosthetics,
orthotics
Q = Vision items or services
R = Rental of DME
S = Surgical dressings or other medical supplies
(eff 04/95)
T = Psychological therapy (term. 12/31/97)
outpatient mental health limitation (eff. 1/1/98)
U = Occupational therapy
V = Pneumococcal/flu vaccine (eff 01/96),
Pneumococcal/flu/hepatitis B vaccine (eff 04/95-12/95),
Pneumococcal only before 04/95
W = Physical therapy
Y = Second opinion on elective surgery
(obsoleted 1/97)
Z = Third opinion on elective surgery
(obsoleted 1/97)

1 LINE_ADDTNL_CLM_DCMTN_IND_TB

Line Additional Claim Documentation Indicator Table

0 = No additional documentation
1 = Additional documentation submitted for
non-DME EMC claim
2 = CMN/prescription/other documentation submitted
which justifies medical necessity
3 = Prior authorization obtained and approved
4 = Prior authorization requested but not approved
5 = CMN/prescription/other documentation submitted
but did not justify medical necessity
6 = CMN/prescription/other documentation submitted
and approved after prior authorization rejected
7 = Recertification CMN/prescription/other
documentation

1 LINE_PLC_SRVC_TB

Line Place Of Service Table

Prior To 1/92

carrier.txt

1 = Office
2 = Home
3 = Inpatient hospital
4 = SNF
5 = Outpatient hospital
6 = Independent lab
7 = Other
8 = Independent kidney disease treatment
center
9 = Ambulatory
A = Ambulance service
H = Hospice
M = Mental health, rural mental health
N = Nursing home
R = Rural codes

Effective 1/92

11 = Office
12 = Home
21 = Inpatient hospital
22 = Outpatient hospital
23 = Emergency room - hospital
24 = Ambulatory surgical center
25 = Birthing center
26 = Military treatment facility
31 = Skilled nursing facility
32 = Nursing facility
33 = Custodial care facility
34 = Hospice
35 = Adult living care facilities (ALCF)
(eff. NYD - added 12/3/97)
41 = Ambulance - land
42 = Ambulance - air or water
50 = Federally qualified health centers
(eff. 10/1/93)
51 = Inpatient psychiatric facility
52 = Psychiatric facility partial hospitalization
53 = Community mental health center
54 = Intermediate care facility/mentally
retarded
55 = Residential substance abuse treatment
facility
56 = Psychiatric residential treatment
center
60 = Mass immunizations center (eff. 9/1/97)

carrier.txt

61 = Comprehensive inpatient rehabilitation facility
62 = Comprehensive outpatient rehabilitation facility
65 = End stage renal disease treatment facility
71 = State or local public health clinic
72 = Rural health clinic
81 = Independent laboratory

1 LINE_PLC_SRVC_TB

Line Place Of Service Table

99 = Other unlisted facility

1 LINE_PMT_IND_TB

Line Payment Indicator Table

1 = Actual charge
2 = Customary charge
3 = Prevailing charge (adjusted, unadjusted gap fill, etc)
4 = Other (ASC fees, radiology and outpatient limits, and non-payment because of denial.
5 = Lab fee schedule
6 = Physician fee schedule - full fee schedule amount
7 = Physician fee schedule - transition
8 = Clinical psychologist fee schedule
9 = DME and prosthetics/orthotics fee schedules (eff. 4/97)

1 LINE_PRCSG_IND_TB

Line Processing Indicator Table

A = Allowed
B = Benefits exhausted
C = Noncovered care
D = Denied (existed prior to 1991; from BMAD)
I = Invalid data
L = CLIA (eff 9/92)
M = Multiple submittal--duplicate line item
N = Medically unnecessary
O = Other
P = Physician ownership denial (eff 3/92)
Q = MSP cost avoided (contractor #88888) -

carrier.txt
voluntary agreement (eff. 1/98)
R = Reprocessed--adjustments based on
subsequent reprocessing of claim
S = Secondary payer
T = MSP cost avoided - IEQ contractor
(eff. 7/76)
U = MSP cost avoided - HMO rate cell
adjustment (eff. 7/96)
V = MSP cost avoided - litigation
settlement (eff. 7/96)
X = MSP cost avoided - generic
Y = MSP cost avoided - IRS/SSA data
match project
Z = Bundled test, no payment
(eff. 1/1/98)

1 LINE_PRVDR_PRTCPTG_IND_TB

Line Provider Participating Indicator Table

1 = Participating
2 = All or some covered and allowed
expenses applied to deductible Participating
3 = Assignment accepted/non-participating
4 = Assignment not accepted/non-participating
5 = Assignment accepted but all or some
covered and allowed expenses applied
to deductible Non-participating.
6 = Assignment not accepted and all covered
and allowed expenses applied to deductible
non-participating.
7 = Participating provider not accepting
assignment.

1 NCH_CLM_TYPE_TB

NCH Claim Type Table

10 = HHA claim
20 = Non swing bed SNF claim
30 = Swing bed SNF claim
40 = Outpatient claim
41 = Outpatient 'Full-Encounter' claim
(available in NMUD)
42 = Outpatient 'Abbreviated-Encounter' claim
(available in NMUD)
50 = Hospice claim
60 = Inpatient claim

carrier.txt
61 = Inpatient 'Full-Encounter' claim
62 = Inpatient 'Abbreviated-Encounter' claim
(available in NMUD)
71 = RIC O local carrier non-DMEPOS claim
72 = RIC O local carrier DMEPOS claim
73 = Physician 'Full-Encounter' claim
(available in NMUD)
81 = RIC M DMERC non-DMEPOS claim
82 = RIC M DMERC DMEPOS claim

1

NCH_EDIT_TB

NCH EDIT TABLE

A0X1 = (C) PHYSICIAN-SUPPLIER ZIP CODE
A000 = (C) REIMB > \$100,000 OR UNITS > 150
A002 = (C) CLAIM IDENTIFIER (CAN)
A003 = (C) BENEFICIARY IDENTIFICATION (BIC)
A004 = (C) PATIENT SURNAME BLANK
A005 = (C) PATIENT 1ST INITIAL NOT-ALPHABETIC
A006 = (C) DATE OF BIRTH IS NOT NUMERIC
A007 = (C) INVALID GENDER (0, 1, 2)
A008 = (C) INVALID QUERY-CODE (WAS CORRECTED)
A025 = (C) FOR OV 4, TOB MUST = 13,83,85,73
A1X1 = (C) PERCENT ALLOWED INDICATOR
A1X2 = (C) DT>97273,DG1=7611,DG<>103,163,1589
A1X3 = (C) DT>96365,DIAG=V725
A1X4 = (C) INVALID DIAGNOSTIC CODES
C050 = (U) HOSPICE - SPELL VALUE INVALID
D102 = (C) DME DATE OF BIRTH INVALID
D2X2 = (C) DME SCREEN SAVINGS INVALID
D2X3 = (C) DME SCREEN RESULT INVALID
D2X4 = (C) DME DECISION IND INVALID
D2X5 = (C) DME WAIVER OF PROV LIAB INVALID
D3X1 = (C) DME NATIONAL DRUG CODE INVALID
D4X1 = (C) DME BENE RESIDNC STATE CODE INVALID
D4X2 = (C) DME OUT OF DMERC SERVICE AREA
D4X3 = (C) DME STATE CODE INVALID
D5X1 = (C) TOS INVALID FOR DME HCPCS
D5X2 = (C) DME HCPCS NOC & NOC DESCRIP MISSING
D5X3 = (C) DME INVALID USE OF MS MODIFIER
D5X4 = (C) TOS9 NDC REQD WHEN HCPCS OMITTED
D5X5 = (C) TOS9 NDC REQD FOR Q0127-130 HCPCS
D5X6 = (C) TOS9 NDC/DIAGNOSIS CODE INVALID
D6X1 = (C) DME SUPPLIER NUMBER MISSING
D7X1 = (C) DME PURCHASE ALLOWABLE INVALID
D919 = (C) CAPPED/PEN PUMPS,NUM OF SRVCS > 1
D921 = (C) SHOE HCPC W/O MOD RT,LT REQ U=2/4/6

carrier.txt

XXXX = (D) SYS DUPL: HOST/BATCH/QUERY-CODE
 Y001 = (C) HCPCS R0075/UNITS>1/SERVICES=1
 Y002 = (C) HCPCS R0075/UNITS=1/SERVICES>1
 Y003 = (C) HCPCS R0075/UNITS=SERVICES
 Y010 = (C) TOB=13X/14X AND T.C.>\$7,500
 Y011 = (C) INP CLAIM/REIM > \$75,000
 Z001 = (C) RVNU 820-859 REQ COND CODE 71-76
 Z002 = (C) CC M2 PRESENT/REIMB > \$150,000
 Z003 = (C) CC M2 PRESENT/UNITS > 150
 Z004 = (C) CC M2 PRESENT/UNITS & REIM < MAX
 Z005 = (C) REIMB>99999 AND REIMB<150000
 Z006 = (C) UNITS>99 AND UNITS<150
 Z237 = (E) HOSPICE OVERLAP - DATE ZERO
 0011 = (C) ACTION CODE INVALID
 0013 = (C) CABG/PCOE AND INVALID ADMIT DATE
 0014 = (C) DEMO NUM NOT=01-06,08,15,31
 0015 = (C) ESRD PLAN BUT DEMO ID NOT = 15
 0016 = (C) INVALID VA CLAIM
 0017 = (C) DEMO=31,TOB<>11 OR SPEC<>08
 0018 = (C) DEMO=31,ACT CD<>1/5 OR ENT CD<>1/5
 0020 = (C) CANCEL ONLY CODE INVALID
 0021 = (C) DEMO COUNT > 1
 0301 = (C) INVALID HI CLAIM NUMBER
 NCH EDIT TABLE

0302 = (C) BENE IDEN CDE (BIC) INVAL OR BLK
 04A1 = (C) PATIENT SURNAME BLANK (PHYS/SUP)
 04B1 = (C) PATIENT 1ST INITIAL NOT-ALPHABETIC
 0401 = (C) BILL TYPE/PROVIDER INVALID
 0402 = (C) BILL TYPE/REV CODE/PROVR RANGE
 0406 = (C) MAMMOGRAPHY WITH NO HCPCS 76092
 0407 = (C) RESPITE CARE BILL TYPE 34X,NO REV 66
 0408 = (C) REV CODE 403 /TYPE 71X/ PROV3800-974
 0410 = (C) IMMUNO DRUG OCCR-36,NO REV-25 OR 636
 0412 = (C) BILL TYPE XX5 HAS ACCOM. REV. CODES
 0413 = (C) CABG/PCOE BUT TOB = HHA,OUT,HOS
 0414 = (C) VALU CD 61,MSA AMOUNT MISSING
 0415 = (C) HOME HEALTH INCORRECT ALPHA RIC
 05X4 = (C) UPIN REQUIRED FOR TYPE-OF-SERVICE
 05X5 = (C) UPIN REQUIRED FOR DME HCPCS
 0501 = (C) UNIQUE PHY IDEN. (UPIN) BLANK
 0502 = (C) UNIQUE PHY IDEN. (UPIN) INVALID
 0601 = (C) GENDER INVALID
 0701 = (C) CONTRACTOR INVALID CARRIER/ETC
 0702 = (C) PROVIDER NUMBER INCONSISTANT
 0703 = (C) MAMMOGRAPHY FOR NOT FEMALE
 0704 = (C) INVALID CONT FOR CABG DEMO

carrier.txt

0705 = (C) INVALID CONT FOR PCOE DEMO
 0901 = (C) INVALID DISP CODE OF 02
 0902 = (C) INVALID DISP CODE OF SPACES
 0903 = (C) INVALID DISP CODE
 1001 = (C) PROF REVIEW/ACT CODE/BILL TYPE
 13X2 = (C) MULTIPLE ITEMS FOR SAME SERVICE
 1301 = (C) LINE COUNT NOT NUMERIC OR > 13
 1302 = (C) RECORD LENGTH INVALID
 1401 = (C) INVALID MEDICARE STATUS CODE
 1501 = (C) ADMIT DATE/ENTRY CODE INVALID
 1502 = (C) ADMIT DATE > STAY FROM DATE
 1503 = (C) ADMIT DATE INVALID WITH THRU DATE
 1504 = (C) ADM/FROM/THRU DATE > TODAYS DATE
 1505 = (C) HCPCS W SERVICE DATES > 09-30-94
 1601 = (C) INVESTIGATION IND INVALID
 1701 = (C) SPLIT IND INVALID
 1801 = (C) PAY-DENY CODE INVALID
 1802 = (C) HEADER AMT AND NOT DENIED CLAIM
 1803 = (C) MSP COST AVD/ALL MSP LI NOT SAME
 1901 = (C) AB CROSSOVER IND INVALID
 2001 = (C) HOSPICE OVERRIDE INVALID
 2101 = (C) HMO-OVERRIDE/PATIENT-STAT INVALID
 2102 = (C) FROM/THRU DATE OR KRON/PAT STAT
 2201 = (C) FROM/THRU DATE OR HCPCS YR INVAL
 2202 = (C) STAY-FROM DATE > THRU-DATE
 2203 = (C) THRU DATE INVALID
 2204 = (C) FROM DATE BEFORE EFFECTIVE DATE
 2205 = (C) DATE YEARS DIFFERENT ON OUTPAT
 2207 = (C) MAMMOGRAPHY BEFORE 1991
 2301 = (C) DOCUMENT CNTL OR UTIL DYS INVALID
 2302 = (C) COVERED DAYS INVALID OR INCONSIST
 2303 = (C) COST REPORT DAYS > ACCOMIDATION
 2304 = (C) UTIL DAYS = ZERO ON PATIENT BILL
 2305 = (C) UTIL DAYS = INCONSISTENCIES
 2306 = (C) UTIL DYS/NOPAY/REIMB INCONSISTENT
 2307 = (C) COND=40,UTL DYS >0/VAL CDE A1,08,09

NCH EDIT TABLE

2308 = (C) NOPAY = R WHEN UTIL DAYS = ZERO
 2401 = (C) NON-UTIL DAYS INVALID
 2501 = (C) CLAIM RCV DT OR COINSURANCE INVAL
 2502 = (C) COIN+LR>UTIL DAYS/RCPT DTE>CUR DTE
 2503 = (C) COIN/TR TYP/UTIL DYS/RCPT DTE>PD/DEN
 2504 = (C) COINSURANCE AMOUNT EXCESSIVE
 2505 = (C) COINSURANCE RATE > ALLOWED AMOUNT
 2506 = (C) COINSURANCE DAYS/AMOUNT INCONSIST
 2507 = (C) COIN+LR DAYS > TOTAL DAYS FOR YR

carrier.txt

2508 = (C) COINSURANCE DAYS INVALID FOR TRAN
 2601 = (C) CLAIM PAID DT INVALID OR LIFE RES
 2602 = (C) LR-DYS, NO VAL 08,10/PD/DEN>CUR+27
 2603 = (C) LIFE RESERVE > RATE FOR CAL YEAR
 2604 = (C) PPS BILL, NO DAY OUTLIER
 2605 = (C) LIFE RESERVE RATE > DAILY RATE AVR.
 28XA = (C) UTIL DAYS > FROM TO BENEF EXH
 28XB = (C) BENEFITS EXH DATE > FROM DATE
 28XC = (C) BENEFITS EXH DATE/INVALID TRANS TYPE
 28XD = (C) OCCUR 23 WITH SPAN 70 ON INPAT HOSP
 28XE = (C) MULTI BENE EXH DATE (OCCR A3,B3,C3)
 28XF = (C) ACE DATE ON SNF (NOPAY =B, C, N, W)
 28XG = (C) SPAN CD 70+4+6+9 NOT = NONUTIL DAYS
 28XM = (C) OCC CD 42 DATE NOT = SRVCE THRU DTE
 28XN = (C) INVALID OCC CODE
 28X0 = (C) BENE EXH DATE OUTSIDE SERVICE DATES
 28X1 = (C) OCCUR DATE INVALID
 28X2 = (C) OCCUR = 20 AND TRANS = 4
 28X3 = (C) OCCUR 20 DATE < ADMIT DATE
 28X4 = (C) OCCUR 20 DATE > ADMIT + 12
 28X5 = (C) OCCUR 20 AND ADMIT NOT = FROM
 28X6 = (C) OCCUR 20 DATE < BENE EXH DATE
 28X7 = (C) OCCUR 20 DATE+UTIL-COIN>COVERAGE
 28X8 = (C) OCCUR 22 DATE < FROM OR > THRU
 28X9 = (C) UTIL > FROM - THRU LESS NCOV
 33X1 = (C) QUAL STAY DATES INVALID (SPAN=70)
 33X2 = (C) QS FROM DATE NOT < THRU (SPAN=70)
 33X3 = (C) QS DAYS/ADMISSION ARE INVALID
 33X4 = (C) QS THRU DATE > ADMIT DATE (SPAN=70)
 33X5 = (C) SPAN 70 INVALID FOR DATE OF SERVICE
 33X6 = (C) TOB=18/21/28/51,COND=WO,HMO<>90091
 33X7 = (C) TOB<>18/21/28/51,COND=WO
 33X8 = (C) TOB=18/21/28/51,CO=WO,ADM DT<97001
 33X9 = (C) TOB=32X SPAN 70 OR OCCR BO PRESENT
 34X2 = (C) DEMO ID = 04 AND COND WO NOT SHOWN
 3401 = (C) DEMO ID = 04 AND RIC NOT = 1
 35X1 = (C) 60, 61, 66 & NON-PPS / 65 & PPS
 35X2 = (C) COND = 60 OR 61 AND NO VALU 17
 35X3 = (C) PRO APPROVAL COND C3,C7 REQ SPAN M0
 36X1 = (C) SURG DATE < STAY FROM/ > STAY THRU
 3701 = (C) ASSIGN CODE INVALID
 3705 = (C) 1ST CHAR OF IDE# IS NOT ALPHA
 3706 = (C) INVALID IDE NUMBER-NOT IN FILE
 3710 = (C) NUM OF IDE# > REV 0624
 3715 = (C) NUM OF IDE# < REV 0624
 3720 = (C) IDE AND LINE ITEM NUMBER > 2
 3801 = (C) AMT BENE PD INVALID
 4001 = (C) BLOOD PINTS FURNISHED INVALID

carrier.txt
 4002 = (C) BLOOD FURNISHED/REPLACED INVALID
 NCH EDIT TABLE

4003 = (C) BLOOD FURNISHED/VERIFIED/DEDUCT
 4201 = (C) BLOOD PINTS UNREPLACED INVALID
 4202 = (C) BLOOD PINTS UNREPLACED/BLOOD DED
 4203 = (C) INVALID CPO PROVIDER NUMBER
 4301 = (C) BLOOD DEDUCTABLE INVALID
 4302 = (C) BLOOD DEDUCT/FURNISHED PINTS
 4303 = (C) BLOOD DEDUCT > UNREPLACED BLOOD
 4304 = (C) BLOOD DEDUCT > 3 - REPLACED
 4501 = (C) PRIMARY DIAGNOSIS INVALID
 46XA = (C) MSP VET AND VET AT MEDICARE
 46XB = (C) MULTIPLE COIN VALU CODES (A2,B2,C2)
 46XC = (C) COIN VALUE (A2,B2,C2) ON INP/SNF
 46XG = (C) VALU CODE 20 INVALID
 46XN = (C) VALUE CODE 37,38,39 INVALID
 46XO = (C) VALUE CDE 38>0/VAL CDE 06 MISSNG
 46XP = (C) BLD UNREP VS REV CDS AND/OR UNITS
 46XQ = (C) VALUE CDE 37=39 AND 38 IS PRESENT
 46XR = (C) BLD FIELDS VS REV CDE 380,381,382
 46XS = (C) VALU CODE 39, AND 37 IS NOT PRESENT
 46XT = (C) CABG/PCOE,VC<>Y1,Y2,Y3,Y4,VA NOT>0
 46X1 = (C) VALUE AMOUNT INVALID
 46X2 = (C) VALU 06 AND BLD-DED-PTS IS ZERO
 46X3 = (C) VALU 06 AND TTL-CHGS=NC-CHGS(001)
 46X4 = (C) VALU (A1,B1,C1): AMT > DEDUCT
 46X5 = (C) DEDUCT VALUE (A1,B1,C1) ON SNF BILL
 46X6 = (C) VALU 17 AND NO COND CODE 60 OR 61
 46X7 = (C) OUTLIER(VAL 17) > REIMB + VAL6-16
 46X8 = (C) MULTI CASH DED VALU CODES (A1,B1,C1)
 46X9 = (C) DEMO ID=03,REQUIRED HCPCS NOT SHOWN
 4600 = (C) CAPITAL TOTAL NOT = CAP VALUES
 4601 = (C) CABG/PCOE, MSP CODE PRESENT
 4603 = (C) DEMO ID = 03 AND RIC NOT=6,7
 4901 = (C) PCOE/CABG,DEN CD NOT D
 4902 = (C) PCOE/CABG BUT DME
 50X1 = (C) RVCD=54,TOB<>13,23,32,33,34,83,85
 50X2 = (C) REV CD=054X,MOD NOT = QM,QN
 5051 = (E) EDB: NOMATCH ON 3 CHARACTERISTICS
 5052 = (E) EDB: NOMATCH ON MASTER-ID RECORD
 5053 = (E) EDB: NOMATCH ON CLAIM-NUMBER
 51XA = (C) HCPCS EYEWARE & REV CODE NOT 274
 51XC = (C) HCPCS REQUIRES DIAG CODE OF CANCER
 51XD = (C) HCPCS REQUIRES UNITS > ZERO
 51XE = (C) HCPCS REQUIRES REVENUE CODE 636
 51XF = (C) INV BILL TYP/ANTI-CAN DRUG HCPCS

1

NCH_EDIT_TB

carrier.txt
 51XG = (C) HCPCS REQUIRES DIAG OF HEMOPHILL1A
 51XH = (C) TOB 21X/P82=2/3/4;REV CD<9001,>9044
 51XI = (C) TOB 21X/P82<>2/3/4:REV CD>8999<9045
 51XJ = (C) TOB 21X/REV CD: SVC-FROM DT INVALID
 51XK = (C) TOB 21X/P82=2/3/4,REV CD = NNX
 51XL = (C) REV 0762/UNT>48,TOB NOT=12,13,85,83
 51XM = (C) 21X,RC>9041/<9045,RC<>4/234
 51XN = (C) 21X,RC>9032/<9042,RC<>4/234
 51XP = (C) HHA RC DATE OF SRVC MISSING
 51XQ = (C) NO RC 0636 OR DTE INVALID
 51XR = (C) DEMO ID=01,RIC NOT=2
 51XS = (C) DEMO ID=01,RUGS<>2,3,4 OR BILL<>21
 51X0 = (C) REV CENTER CODE INVALID
 51X1 = (C) REV CODE CHECK

NCH EDIT TABLE

51X2 = (C) REV CODE INCOMPATIBLE BILL TYPE
 51X3 = (C) UNITS MUST BE > 0
 51X4 = (C) INP:CHGS/YR-RATE,ETC; OUTP:PSYCH>YR
 51X5 = (C) REVENUE NON-COVERED > TOTAL CHRGE
 51X6 = (C) REV TOTAL CHARGES EQUAL ZERO
 51X7 = (C) REV CDE 403 WTH NO BILL 14 23 71 85
 51X8 = (C) MAMMOGRAPHY SUBMISSION INVALID
 51X9 = (C) HCPCS/REV CODE/BILL TYPE
 5100 = (U) TRANSITION SPELL / SNF
 5160 = (U) LATE CHG HSP BILL STAY DAYS > 0
 5166 = (U) PROVIDER NE TO 1ST WORK PRVDR
 5167 = (U) PROVIDER 1 NE 2: FROM DT < START DT
 5169 = (U) PROVIDER NE TO WORK PROVIDER
 5177 = (U) PROVIDER NE TO WORK PROVIDER
 5178 = (U) HOSPICE BILL THRU < DOLBA
 5181 = (U) HOSP BILL OCCR 27 DISCREPANCY
 5200 = (E) ENTITLEMENT EFFECTIVE DATE
 5201 = (U) HOSP DATE DIFFERENCE NE 60 OR 90
 5202 = (E) ENTITLEMENT HOSPICE EFFECTIVE DATE
 5202 = (U) HOSPICE TRAILER ERROR
 5203 = (E) ENTITLEMENT HOSPICE PERIODS
 5203 = (U) HOSPICE START DATE ERROR
 5204 = (U) HOSPICE DATE DIFFERENCE NE 90
 5205 = (U) HOSPICE DATE DISCREPANCY
 5206 = (U) HOSPICE DATE DISCREPANCY
 5207 = (U) HOSPICE THRU > TERM DATE 2ND
 5208 = (U) HOSPICE PERIOD NUMBER BLANK
 5209 = (U) HOSPICE DATE DISCREPANCY
 5210 = (E) ENTITLEMENT FRM/TRU/END DATES
 5211 = (E) ENTITLEMENT DATE DEATH/THRU
 5212 = (E) ENTITLEMENT DATE DEATH/THRU

carrier.txt

5213 = (E) ENTITLEMENT DATE DEATH MBR
5220 = (E) ENTITLEMENT FROM/EFF DATES
5225 = (E) ENT INP PPS SPAN 70 DATES
5232 = (E) ENTL HMO NO HMO OVERRIDE CDE
5233 = (E) ENTITLEMENT HMO PERIODS
5234 = (E) ENTITLEMENT HMO NUMBER NEEDED
5235 = (E) ENTITLEMENT HMO HOSP+NO CC07
5236 = (E) ENTITLEMENT HMO HOSP + CC07
5237 = (E) ENTITLEMENT HOSP OVERLAP
5238 = (U) HOSPICE CLAIM OVERLAP > 90
5239 = (U) HOSPICE CLAIM OVERLAP > 60
524Z = (E) HOSP OVERLAP NO OVD NO DEMO
5240 = (U) HOSPICE DAYS STAY+USED > 90
5241 = (U) HOSPICE DAYS STAY+USED > 60
5242 = (C) INVALID CARRIER FOR RRB
5243 = (C) HMO=90091,INVALID SERVICE DTE
5244 = (E) DEMO CABG/PCOE MISSING ENTL
5245 = (C) INVALID CARRIER FOR NON RRB
525Z = (E) HMO/HOSP 6/7 NO OVD NO DEMO
5250 = (U) HOSPICE DOEBA/DOLBA
5255 = (U) HOSPICE DAYS USED
5256 = (U) HOSPICE DAYS USED > 999
526Y = (E) HMO/HOSP DEMO 5/15 REIMB > 0
526Z = (E) HMO/HOSP DEMO 5/15 REIMB = 0
527Y = (E) HMO/HOSP DEMO OVD=1 REIMB > 0
527Z = (E) HMO/HOSP DEMO OVD=1 REIMB = 0
5299 = (U) HOSPICE PERIOD NUMBER ERROR

NCH EDIT TABLE

5320 = (U) BILL > DOEBA AND IND-1 = 2
5350 = (U) HOSPICE DOEBA/DOLBA SECONDARY
5355 = (U) HOSPICE DAYS USED SECONDARY
5378 = (C) SERVICE DATE < AGE 50
5399 = (U) HOSPICE PERIOD NUM MATCH
5410 = (U) INPAT DEDUCTABLE
5425 = (U) PART B DEDUCTABLE CHECK
5430 = (U) PART B DEDUCTABLE CHECK
5450 = (U) PART B COMPARE MED EXPENSE
5460 = (U) PART B COMPARE MED EXPENSE
5499 = (U) MED EXPENSE TRAILER MISSING
5500 = (U) FULL DAYS/SNF-HOSP FULL DAYS
5510 = (U) COIN DAYS/SNF COIN DAYS
5515 = (U) FULL DAYS/COIN DAYS
5516 = (U) SNF FULL DAYS/SNF COIN DAYS
5520 = (U) LIFE RESERVE DAYS
5530 = (U) UTIL DAYS/LIFE PSYCH DAYS
5540 = (U) HH VISITS NE AFT PT B TRLR

carrier.txt
5550 = (E) SNF LESS THAN PT A EFF DATE
5600 = (D) LOGICAL DUPE, COVERED
5601 = (D) LOGICAL DUPE, QRY-CDE, RIC 123
5602 = (D) LOGICAL DUPE, PANDE C, E OR I
5603 = (D) LOGICAL DUPE, COVERED
5605 = (D) POSS DUPE, OUTPAT REIMB
5606 = (D) POSS DUPE, HOME HEALTH COVERED U
5623 = (U) NON-PAY CODE IS P
57X1 = (C) PROVIDER SPECIALITY CODE INVALID
57X2 = (C) PHYS THERAPY/PROVIDER SPEC INVAL
57X3 = (C) PLACE/TYPE/SPECIALTY/REIMB IND
57X4 = (C) SPECIALTY CODE VS. HCPCS INVALID
5700 = (U) LINKED TO THREE SPELLS
5701 = (C) DEMO ID=02,RIC NOT = 5
5702 = (C) DEMO ID=02,INVALID PROVIDER NUM
58X1 = (C) PROVIDER TYPE INVALID
58X9 = (C) TYPE OF SERVICE INVALID
5802 = (C) REIMB > \$150,000
5803 = (C) UNITS/VISITS > 150
5804 = (C) UNITS/VISITS > 99
59XA = (C) PROST ORTH HCPCS/FROM DATE
59XB = (C) HCPCS/FROM DATE/TYPE P OR I
59XC = (C) HCPCS Q0036,37,42,43,46/FROM DATE
59XD = (C) HCPCS Q0038-41/FROM DATE/TYPE
59XE = (C) HCPCS/MAMMOGRAPHY-RISK/ DIAGNOSIS
59XG = (C) CAPPED/FREQ-MAINT/PROST HCPCS
59XH = (C) HCPCS E0620/TYPE/DATE
59XI = (C) HCPCS E0627-9/ DATE < 1991
59XL = (C) HCPCS 00104 - TOS/POS
59X1 = (C) INVALID HCPCS/TOS COMBINATION
59X2 = (C) ASC IND/TYPE OF SERVICE INVALID
59X3 = (C) TOS INVALID TO MODIFIER
59X4 = (C) KIDNEY DONOR/TYPE/PLACE/REIMB
59X5 = (C) MAMMOGRAPHY FOR MALE
59X6 = (C) DRUG AND NON DRUG BILL LINE ITEMS
59X7 = (C) CAPPED-HCPCS/FROM DATE
59X8 = (C) FREQUENTLY MAINTAINED HCPCS
59X9 = (C) HCPCS E1220/FROM DATE/TYPE IS R
5901 = (U) ERROR CODE OF Q
60X1 = (C) ASSIGN IND INVALID

NCH EDIT TABLE

6000 = (U) ADJUSTMENT BILL SPELL DATA
6020 = (U) CURRENT SPELL DOEBA < 1990
6030 = (U) ADJUSTMENT BILL SPELL DATA
6035 = (U) ADJUSTMENT BILL THRU DTE/DOLBA
61X1 = (C) PAY PROCESS IND INVALID

61X2 = (C) DENIED CLAIM/NO DENIED LINE
 61X3 = (C) PAY PROCESS IND/ALLOWED CHARGES
 61X4 = (C) RATE MISSING OR NON-NUMERIC
 6100 = (C) REV 0001 NOT PRESENT ON CLAIM
 6101 = (C) REV COMPUTED CHARGES NOT=TOTAL
 6102 = (C) REV COMPUTED NON-COVERED/NON-COV
 6103 = (C) REV TOTAL CHARGES < PRIMARY PAYER
 62XA = (C) PSYC OT PT/REIM/TYPE
 62X1 = (C) DME/DATE/100% OR INVAL REIMB IND
 62X6 = (C) RAD PATH/PLACE/TYPE/DATE/DED
 62X8 = (C) KIDNEY DONO/TYPE/100%
 62X9 = (C) PNEUM VACCINE/TYPE/100%
 6201 = (C) TOTAL DEDUCT > CHARGES/NON-COV
 6203 = (U) HOSPICE ADJUSTMENT PERIOD/DATE
 6204 = (U) HOSPICE ADJUSTMENT THRU>DOLBA
 6260 = (U) HOSPICE ADJUSTMENT STAY DAYS
 6261 = (U) HOSPICE ADJUSTMENT DAYS USED
 6265 = (U) HOSPICE ADJUSTMENT DAYS USED
 6269 = (U) HOSPICE ADJUSTMENT PERIOD# (MAIN)
 63X1 = (C) DEDUCT IND INVALID
 63X2 = (C) DED/HCFA COINS IN PCOE/CABG
 6365 = (U) HOSPICE ADJUSTMENT SECONDARY DAYS
 6369 = (U) HOSPICE ADJUSTMENT PERIOD# (SECOND)
 64X1 = (C) PROVIDER IND INVALID
 6430 = (U) PART B DEDUCTABLE CHECK
 65X1 = (C) PAYSCREEN IND INVALID
 66?? = (D) POSS DUPE, CR/DB, DOC-ID
 66XX = (D) POSS DUPE, CR/DB, DOC-ID
 66X1 = (C) UNITS AMOUNT INVALID
 66X2 = (C) UNITS IND > 0; AMT NOT VALID
 66X3 = (C) UNITS IND = 0; AMT > 0
 66X4 = (C) MT INDICATOR/AMOUNT
 6600 = (U) ADJUSTMENT BILL FULL DAYS
 6610 = (U) ADJUSTMENT BILL COIN DAYS
 6620 = (U) ADJUSTMENT BILL LIFE RESERVE
 6630 = (U) ADJUSTMENT BILL LIFE PSYCH DYS
 67X1 = (C) UNITS INDICATOR INVALID
 67X2 = (C) CHG ALLOWED > 0; UNITS IND = 0
 67X3 = (C) TOS/HCPCS=ANEST, MTU IND NOT = 2
 67X4 = (C) HCPCS = AMBULANCE, MTU IND NOT = 1
 67X6 = (C) INVALID PROC FOR MT IND 2, ANEST
 67X7 = (C) INVALID UNITS IND WITH TOS OF BLOOD
 67X8 = (C) INVALID PROC FOR MT IND 4, OXYGEN
 6700 = (U) ADJUSTMENT BILL FULL/SNF DAYS
 6710 = (U) ADJUSTMENT BILL COIN/SNF DAYS
 68X1 = (C) INVALID HCPCS CODE
 68X2 = (C) MAMMOGRAPY/DATE/PROC NOT 76092
 68X3 = (C) TYPE OF SERVICE = G /PROC CODE

carrier.txt

68X4 = (C) HCPCS NOT VALID FOR SERVICE DATE
 68X5 = (C) MODIFIER NOT VALID FOR HCPCS, ETC
 68X6 = (C) TYPE SERVICE INVALID FOR HCPCS, ETC
 68X7 = (C) ZX MOD REQ FOR THER SHOES/INS/MOD.
 68X8 = (C) LINE ITEM INCORRECT OR DATE INVAL.

NCH EDIT TABLE

69XA = (C) MODIFIER NOT VALID FOR HCPCS/GLOBAL
 69X3 = (C) PROC CODE MOD = LL / TYPE = R
 69X6 = (C) PROC CODE MOD/NOT CAPPED
 69X8 = (C) SPEC CODE NURSE PRACT, MOD INVAL
 6901 = (C) KRON IND AND UTIL DYS EQUALS ZERO
 6902 = (C) KRON IND AND NO-PAY CODE B OR N
 6903 = (C) KRON IND AND INPATIENT DEDUCT = 0
 6904 = (C) KRON IND AND TRANS CODE IS 4
 6910 = (C) REV CODES ON HOME HEALTH
 6911 = (C) REV CODE 274 ON OUTPAT AND HH ONLY
 6912 = (C) REV CODE INVAL FOR PROSTH AND ORTHO
 6913 = (C) REV CODE INVAL FOR OXYGEN
 6914 = (C) REV CODE INVAL FOR DME
 6915 = (C) PURCHASE OF RENT DME INVAL ON DATES
 6916 = (C) PURCHASE OF RENT DME INVAL ON DATES
 6917 = (C) PURCHASE OF LIFT CHAIR INVAL > 91000
 6918 = (C) HCPCS INVALID ON DATE RANGES
 6919 = (C) DME OXYGEN ON HH INVAL BEFORE 7/1/89
 6920 = (C) HCPCS INVAL ON REV 270/BILL 32-33
 6921 = (C) HCPCS ON REV CODE 272 BILL TYPE 83X
 6922 = (C) HCPCS ON BILL TYPE 83X -NOT REV 274
 6923 = (C) RENTAL OF DME CUSTOMIZE AND REV 291
 6924 = (C) INVAL MODIFIER FOR CAPPED RENTAL
 6925 = (C) HCPCS ALLOWED ON BILL TYPES 32X-34X
 6929 = (U) ADJUSTMENT BILL LIFE RESERVE
 6930 = (U) ADJUSTMENT BILL LIFE PSYCH DYS
 7000 = (U) INVALID DOEBA/DOLBA
 7002 = (U) LESS THAN 60/61 BETWEEN SPELLS
 7010 = (E) TOB 85X/ELECTN PRD: COND CD 07 REQD
 71X1 = (C) SUBMITTED CHARGES INVALID
 71X2 = (C) MAMMOGRPY/PROC CODE MOD TC,26/CHG
 72X1 = (C) ALLOWED CHGS INVALID
 72X2 = (C) ALLOWED/SUBMITTED CHARGES/TYPE
 72X3 = (C) DENIED LINE/ALLOWED CHARGES
 73X1 = (C) SS NUMBER INVALID
 73X2 = (C) CARRIER ASSIGNED PROV NUM MISSING
 74X1 = (C) LOCALITY CODE INVAL FOR CONTRACT
 76X1 = (C) PL OF SER INVAL ON MAMMOGRAPHY BILL
 77X1 = (C) PLACE OF SERVICE INVALID
 77X2 = (C) PHYS THERAPY/PLACE

carrier.txt

77X3 = (C) PHYS THERAPY/SPECIALTY/TYPE
 77X4 = (C) ASC/TYPE/PLACE/REIMB IND/DED IND
 77X6 = (C) TOS=F, PL OF SER NOT = 24
 7701 = (C) INCORRECT MODIFIER
 7777 = (D) POSS DUPE, PART B DOC-ID
 78XA = (C) MAMMOGRAPHY BEFORE 1991
 78X1 = (C) THRU DATE INVALID
 78X3 = (C) FROM DATE GREATER THAN THRU DATE
 78X4 = (C) FROM DATE > RCVD DATE/PAY-DENY
 78X5 = (C) FROM DATE > PAID DATE/TYPE/100%
 78X7 = (C) LAB EDIT/TYPE/100%/FROM DATE
 79X3 = (C) THRU DATE>RECD DATE/NOT DENIED
 79X4 = (C) THRU DATE>PAID DATE/NOT DENIED
 8000 = (U) MAIN & 2NDARY DOEBA < 01/01/90
 8028 = (E) NO ENTITLEMENT
 8029 = (U) HH BEFORE PERIOD NOT PRESENT
 8030 = (U) HH BILL VISITS > PT A REMAINING
 8031 = (U) HH PT A REMAINING > 0

NCH EDIT TABLE

8032 = (U) HH DOLBA+59 NOT GT FROM-DATE
 8050 = (U) HH QUALIFYING INDICATOR = 1
 8051 = (U) HH # VISITS NE AFT PT B APPLIED
 8052 = (U) HH # VISITS NE AFT TRAILER
 8053 = (U) HH BENEFIT PERIOD NOT PRESENT
 8054 = (U) HH DOEBA/DOLBA NOT > 0
 8060 = (U) HH QUALIFYING INDICATOR NE 1
 8061 = (U) HH DATE NE DOLBA IN AFT TRLR
 8062 = (U) HH NE PT-A VISITS REMAINING
 81X1 = (C) NUM OF SERVICES INVALID
 83X1 = (C) DIAGNOSIS INVALID
 8301 = (C) HCPCS/GENDER DIAGNOSIS
 8302 = (C) HCPCS G0101 V-CODE/SEX CODE
 8304 = (C) BILL TYPE INVALID FOR G0123/4
 84X1 = (C) PAP SMEAR/DIAGNOSIS/GENDER/PROC
 84X2 = (C) INVALID DME START DATE
 84X3 = (C) INVALID DME START DATE W/HCPCS
 84X4 = (C) HCPCS G0101 V-CODE/SEX CODE
 84X5 = (C) HCPCS CODE WITH INV DIAG CODE
 86X8 = (C) CLIA REQUIRES NON-WAIVER HCPCS
 88XX = (D) POSS DUPE, DOC-ID, UNITS, ENT, ALWD
 9000 = (U) DOEBA/DOLBA CALC
 9005 = (U) FULL/COINS HOSP DAYS CALC
 9010 = (U) FULL/COINS SNF DAYS CALC
 9015 = (U) LIFE RESERVE DAYS CALC
 9020 = (U) LIFE PSYCH DAYS CALC
 9030 = (U) INPAT DEDUCTABLE CALC

carrier.txt

9040 = (U) DATA INDICATOR 1 SET
9050 = (U) DATA INDICATOR 2 SET
91X1 = (C) PATIENT REIMB/PAY-DENY CODE
92X1 = (C) PATIENT REIMB INVALID
92X2 = (C) PROVIDER REIMB INVALID
92X3 = (C) LINE DENIED/PATIENT-PROV REIMB
92X4 = (C) MSP CODE/AMT/DATE/ALLOWED CHARGES
92X5 = (C) CHARGES/REIMB AMT NOT CONSISTANT
92X7 = (C) REIMB/PAY-DENY INCONSISTANT
9201 = (C) UPIN REF NAME OR INITIAL MISSING
9202 = (C) UPIN REF FIRST 3 CHAR INVALID
9203 = (C) UPIN REF LAST 3 CHAR NOT NUMERIC
93X1 = (C) CASH DEDUCTABLE INVALID
93X2 = (C) DEDUCT INDICATOR/CASH DEDUCTIBLE
93X3 = (C) DENIED LINE/CASH DEDUCTIBLE
93X4 = (C) FROM DATE/CASH DEDUCTIBLE
93X5 = (C) TYPE/CASH DEDUCTIBLE/ALLOWED CHGS
9300 = (C) UPIN OTHER, NOT PRESENT
9301 = (C) UPIN NME MIS/DED TOT LI>0 FR DEN CLM
9302 = (C) UPIN OPERATING, FIRST 3 NOT NUMERIC
9303 = (C) UPIN L 3 CH NT NUM/DED TOT LI>YR DED
94A1 = (C) NON-COVERED FROM DATE INVALID
94A2 = (C) NON-COVERED FROM > THRU DATE
94A3 = (C) NON-COVERED THRU DATE INVALID
94A4 = (C) NON-COVERED THRU DATE > ADMIT
94A5 = (C) NON-COVERED THRU DATE/ADMIT DATE
94C1 = (C) PR-PSYCH DAYS INVALID
94C3 = (C) PR-PSYCH DAYS > PROVIDER LIMIT
94F1 = (C) REIMBURSEMENT AMOUNT INVALID
94F2 = (C) REIMBURSE AMT NOT 0 FOR HMO PAID
94G1 = (C) NO-PAY CODE INVALID

NCH EDIT TABLE

94G2 = (C) NO-PAY CODE SPACE/NON-COVERD=TOTL
94G3 = (C) NO-PAY/PROVIDER INCONSISTANT
94G4 = (C) NO PAY CODE = R & REIMB PRESENT
94X1 = (C) BLOOD LIMIT INVALID
94X2 = (C) TYPE/BLOOD DEDUCTIBLE
94X3 = (C) TYPE/DATE/LIMIT AMOUNT
94X4 = (C) BLOOD DED/TYPE/NUMBER OF SERVICES
94X5 = (C) BLOOD/MSP CODE/COMPUTED LINE MAX
9401 = (C) BLOOD DEDUCTIBLE AMT > 3
9402 = (C) BLOOD FURNISHED > DEDUCTIBLE
9403 = (C) DATE OF BIRTH MISSING ON PRO-PAY
9404 = (C) INVALID GENDER CODE ON PRO-PAY
9407 = (C) INVALID DRG NUMBER
9408 = (C) INVALID DRG NUMBER (GLOBAL)

carrier.txt

9409 = (C) HCFA DRG<>DRG ON BILL
9410 = (C) CABG/PCOE,INVALID DRG
95X1 = (C) MSP CODE G/DATE BEFORE 1/1/87
95X2 = (C) MSP AMOUNT APPLIED INVALID
95X3 = (C) MSP AMOUNT APPLIED > SUB CHARGES
95X4 = (C) MSP PRIMARY PAY/AMOUNT/CODE/DATE
95X5 = (C) MSP CODE = G/DATE BEFORE 1987
95X6 = (C) MSP CODE = X AND NOT AVOIDED
95X7 = (C) MSP CODE VALID, CABG/PCOE
96X1 = (C) OTHER AMOUNTS INVALID
96X2 = (C) OTHER AMOUNTS > PAT-PROV REIMB
97X1 = (C) OTHER AMOUNTS INDICATOR INVALID
97X2 = (C) GRUDMAN SW/GRUDMAN AMT NOT > 0
98X1 = (C) COINSURANCE INVALID
98X3 = (C) MSP CODE/TYPE/COIN AMT/ALLOW/CSH
98X4 = (C) DATE/MSP/TYPE/CASH DED/ALLOW/COI
98X5 = (C) DATE/ALLOW/CASH DED/REIMB/MSP/TYP
99XX = (D) POSS DUPE, PART B DOC-ID
9901 = (C) REV CODE INVALID OR TRAILER CNT=0
9902 = (C) ACCOMMODATION DAYS/FROM/THRU DATE
9903 = (C) NO CLINIC VISITS FOR RHC
9904 = (C) INCOMPATIBLE DATES/CLAIM TYPE
991X = (C) NO DATE OF SERVICE
9910 = (C) EDIT 9910 (NEW)
9911 = (C) BLOOD VERIFIED INVALID
9920 = (C) EDIT 9920 (NEW)
9930 = (C) EDIT 9930 (NEW)
9931 = (C) OUTPAT COINSURANCE VALUES
9933 = (C) RATE EXCEDES MAMMOGRAPHY LIMIT
9940 = (C) EDIT 9940 (NEW)
9942 = (C) EDIT 9942 (NEW)
9944 = (C) STAY FROM>97273,DIAG<>V103,163,7612
9945 = (C) SERVICE DATE < 98001
9946 = (C) INVALID DIAGNOSIS CODE
9947 = (C) INVALID DIAGNOSIS CODE
9948 = (C) STAY FROM>96365,DIAG=V725
9960 = (C) MED CHOICE BUT HMO DATA MISSING
9965 = (C) HMO PRESENT BUT MED CHOICE MISSING
9968 = (C) MED CHOICE NOT= HMO PLAN NUMBER

1 NCH_NEAR_LINE_RIC_TB

NCH Near-Line Record Identification Code Table

O = Part B physician/supplier claim
record (processed by local carriers;
can include DMEPOS services)
V = Part A institutional claim record

carrier.txt
(inpatient (IP), skilled nursing
facility (SNF), christian science
(CS), home health agency (HHA), or
hospice)
W = Part B institutional claim record
(outpatient (OP), HHA)
U = Both Part A and B institutional home
health agency (HHA) claim records --
due to HHPPS and HHA A/B split.
(effective 10/00)
M = Part B DMEPOS claim record (processed
by DME Regional Carrier) (effective 10/93)

1

NCH_PATCH_TB

NCH Patch Table

- 01 = RRB Category Equatable BIC - changed (all
claim types) -- applied during the Nearline
'G' conversion to claims with NCH weekly
process date before 3/91. Prior to Version
'H', patch indicator stored in redefined Claim
Edit Group, 3rd occurrence, position 2.
- 02 = Claim Transaction Code made consistent with
NCH payment/edit RIC code (OP and HHA) --
effective 3/94, CWFMQA began patch. During
'H' conversion, patch applied to claims with
NCH weekly process date prior to 3/94. Prior
to version 'H', patch indicator stored in
redefined Claim Edit Group, 4th occurrence,
position 1.
- 03 = Garbage/nonnumeric Claim Total Charge Amount
set to zeroes (Instnl) -- during the Version
'G' conversion, error occurred in the deriva-
tion of this field where the claim was missing
revenue center code = '0001'. In 1994, patch
was applied to the OP and HHA SAFs only. (This
SAF patch indicator was stored in the redefined
Claim Edit Group, 4th occurrence, position 2).
During the 'H' ocnversion, patch applied to
Nearline claims where garbage or nonnumeric
values.
- 04 = Incorrect bene residence SSA standard county
code '999' changed (all claim types) --
applied during the Nearline 'G' conversion and
ongoing through 4/21/94, calling EQSTZIP
routine to claims with NCH weekly process
date prior to 4/22/94. Prior to Version 'H'

- carrier.txt
- patch indicator stored in redefined Claim Edit Group, 3rd occurrence, position 4.
- 05 = wrong century bene birth date corrected (all claim types) -- applied during Nearline 'H' conversion to all history where century greater than 1700 and less than 1850; if century less than 1700, zeroes moved.
- 06 = Inconsistent CWF bene medicare status code made consistent with age (all claim types) -- applied during Nearline 'H' conversion to all history and patched ongoing. Bene age is calculated to determine the correct value; if greater than 64, 1st position MSC='1'; if less than 65, 1st position MSC='2'.
- 07 = Missing CWF bene medicare status code derived (all claim types) -- applied during Nearline 'H' conversion to all history and patched ongoing, except claims with unknown DOB and/or Claim From Date='0' (left blank). Bene age is calculated to determine missing value; if greater than 64, MSC='10'; if less than 65, MSC='20'.
- 08 = Invalid NCH primary payer code set to blanks (Instnl) -- applied during Version 'H' conversion to claims with NCH weekly process date 10/1/93-10/30/95, where MSP values = NCH Patch Table
-
- invalid '0', '1', '2', '3' or '4' (caused by erroneous logic in HCFA program code, which was corrected on 11/1/95).
- 09 = Zero CWF claim accretion date replaced with NCH weekly process date (all claim types) -- applied during Version 'H' conversion to Instnl and DMERC claims; applied during Version 'G' conversion to non-institutional (non-DMERC) claims. Prior to Version 'H', patch indicator stored in redefined claim edit group, 3rd occurrence, position 1.
- 10 = Multiple Revenue Center 0001 (Outpatient, HHA and Hospice) -- patch applied to 1998 & 1999 Nearline and SAFs to delete any revenue codes that followed the first '0001' revenue center code. The edit was applied across all institutional claim types, including Inpatient/SNF (the problem was only found with OP/HHA/Hospice claims). The problem was corrected

carrier.txt

- 6/25/99.
- 11 = Truncated claim total charge amount in the fixed portion replaced with the total charge amount in the revenue center 0001 amount field -- service years 1998 & 1999 patched during quarterly merge. The 1998 & 1999 SAFs were corrected when finalized in 7/99. The patch was done for records with NCH Daily Process Date 1/4/99 - 5/14/99.
- 12 = Missing claim-level HHA Total Visit Count -- service years 1998, 1999 & 2000 patch applied during Version 'I' conversion of both the Nearline and SAFs. Problem occurs in those claims recovered during the missing claims effort.
- 13 = Inconsistent Claim MCO Paid Switch made consistent with criteria used to identify an inpatient encounter claim -- if MCO paid switch equal to blank or '0' and ALL conditions are met to indicate an inpatient encounter claim (bene enrolled in a risk MCO during the service period), change the switch to a '1'. The patch was applied during the version 'I' conversion, for claims back to 7/1/97 service thru date.

1 NCH_STATE_SGMT_TB

NCH State Segment Table

- 01 = Alabama
02 = Alaska
03 = Arizona
04 = Arkansas
05 = California
06 = Colorado
07 = Connecticut
08 = Delaware
09 = District of Columbia
10 = Florida
11 = Georgia
12 = Hawaii
13 = Idaho
14 = Illinois
15 = Indiana
16 = Iowa
17 = Kansas
18 = Kentucky
19 = Louisiana
20 = Maine

21	=	Maryland
22	=	Massachusetts
23	=	Michigan
24	=	Minnesota
25	=	Mississippi
26	=	Missouri
27	=	Montana
28	=	Nebraska
29	=	Nevada
30	=	New Hampshire
31	=	New Jersey
32	=	New Mexico
33	=	New York
34	=	North Carolina
35	=	North Dakota
36	=	Ohio
37	=	Oklahoma
38	=	Oregon
39	=	Pennsylvania
40	=	Puerto Rico
41	=	Rhode Island
42	=	South Carolina
43	=	South Dakota
44	=	Tennessee
45	=	Texas
46	=	Utah
47	=	Vermont
48	=	Virgin Islands
49	=	Virginia
50	=	Washington
51	=	West Virginia
52	=	Wisconsin
53	=	Wyoming
54	=	Africa
55	=	Asia
56	=	Canada
57	=	Central America & West Indies
58	=	Europe
59	=	Mexico
60	=	Oceania
61	=	Philippines
62	=	South America
63	=	US Possessions
97	=	Saipan - MP
98	=	Guam

1 NCH_STATE_SGMT_TB

NCH State Segment Table

□

99 = American Samoa

carrier.txt